EINZEL- UND MULTIELEMENT STANDARDS





SPETEC GMBH STANDARDS

Wir senden Ihnen eine aktuelle Preisliste auf Anfrage gerne zu.

ANFORDERUNGSFORMULAR FÜR STANDARDS NACH KUNDENWUNSCH

An:	Spetec GmbH		Seite von
	Am Kletthame	er Feld 15	1 Diese Seite ausdrucken
	85435 Erding		I
	Deutschland		2 Ausfüllen
			3 per E-Mail an spetec@spetec.de
Datum:			senden oder an +49 8122 95909-55 faxen
Von:	Name		_ E-Mail
	Firma		Kunden-Nr.
			Kullion III.
	Adresse		Telefon
			Fax
Liste (der gewünsc	hten Elemente und K	onzentrate
ANALYT I	KONZENTRATION	ANALYT KONZENTRATION	EINHEIT:
1		21	[] μg/ml
2		22	[] g/l
			[] μy/y
			VOLOMILIU.
			[] 125 IIII
9			[] 230 IIII
10			[] 1000
11			
14		33 34	
15		35	[]
16		36	
17		37	
18		38	
19			
20		40	
Sanct	idos		
Sonst	ıy c s		

TABLE OF CONTENTS

Wŀ	IY CHOOSE INORGANIC VENTURES?	
	Quality, Customs & More	5
	Certificate of Analysis	6
	Technical Support	7
	Our Guarantee	7
	Transpiration Control Technology (TCT)	8
	Online Tech Center	9
	Case Studies	10
	High Purity Formulations/Bulk Manufacturing	10
	High Purity Starting Materials	11
	Biomedical	12
	STOM STANDARDS	
	Magic Happens with a Custom Solution	
	Benefits of Ordering a Custom	
	Platinum Cobalt Color Standard	
	Customs Ordering Process	18
ICF	P & ICP-MS	
	Single-Element Standards	20
	Cyanide Standards	
	Instrument Cross-Reference Table	35
	Multi-Element Standards	38
	High-Purity Ionization Buffers	52
	USP Standards	53
	Cannibis Standards	55
	A STANDARDS	50
	ILM03.0	
-	ILM04.0	
	ILM05.2 & ILM05.3	
-	Method 200.7	
	Method 200.8	
	Method 1311	
	Method 6020	80

101	N CHROMATOGRAPHY	
	Anion Standards	86
	Cation Standards	88
	Multi-Ion Standards	89
	Eluent Concentrates	90
	EPA Standards	91
	Instrument Cross-Reference Table – IONS	37
ΑT	OMIC ABSORPTION	
	Single-Element Standards	95
	Modifiers, Buffers & Releasing Agents	98
WA	TER QC	
	Water Standards	100
WE	T CHEMISTRY	
	Wet Chemical Standards	
	Conductivity Standards	
	pH Standards and Colored pH Standards	103
	Cyanide Standards	104
	pH Buffers Specially Formulated for USP <791>.	105
	Sample Preparation	
	Dissolution Reagents & Stabilizers	106
	Fusion Fluxes	106
	Certified Titrants and Reagents	
	Certified Titrants	107
	Reagents	108
INI	DEX	
	Index by Subject	109
	Index by Catalog Number	110
	Ordering, Terms & Conditions	115

QUALITY, CUSTOMS & MORE

Quality

A history of accreditation. For more than 20 years, Inorganic Ventures has been accredited by A2LA to ISO 17034 (formerly ISO Guide 34) & ISO 17025. These are the core standards of the analytical testing community, and Inorganic Ventures continues to lead the way in compliance to these quality standards. This means CRMs that are engineered to be stable, compatible, SI traceable and manufactured and tested under ISO 17034 & ISO 17025 guidelines.



Customs


Custom standards are Inorganic Ventures' specialty. Our catalog reveals only a fraction of the inorganic reference materials we can prepare. More than two thirds of our business is devoted entirely to preparing custom standards. As the leading manufacturer of custom inorganic standards, we've produced tens of thousands of unique blends for laboratories worldwide. It's our area of expertise, and perhaps the most prominent way in which we refine your results and redefine your industry.



And More...

On the web. Our technical library has been expanding for over a decade. Topics include ICP operations, sample preparation, trace metals analysis and much more* There you'll discover the best online tool for analytical chemists with our Interactive Periodic Table. It includes chemical compatibilities, preferred lines, major interferences and additional data for 70+ elements. inorganicventures.com/tech-center

Additionally, our stock SDSs and CoAs can be found on our website for current lots as well as many older ones.




CERTIFICATE OF ANALYSIS



You'll wonder how you ever got along without such a thorough certificate.

Contact us for a sample.



Certificate of Analysis (CoA)

Nearly every CRM we manufacture includes a highly detailed Certificate of Analysis. As an ISO 17034, A2LA accredited manufacturer, we provide certificates that include extensive data to meet the quality requirements of any laboratory:

- Traceability to specific NIST SRMs and lots
- Certified Values based on two independent methods
- Trace Impurities listed with the actual values
- Uncertainties detailed information reported

ONLINE

All CoA and Safety Data Sheet (SDS) information is now available online, 24/7. Inorganic Ventures is also pleased to announce that all of our products are GHS compliant and our SDSs are available in 13 different languages.

inorganicventures.com/inorganic-standards



Inorganic Ventures Label



TECHNICAL SUPPORT

We're here to help. We don't just manufacture inorganic CRMs, we also provide technical support when it is needed so you can do your job. Because inorganic chemistry is all we do, Inorganic Ventures has a dedicated technical support team that can assist you with hundreds of topics: sample preparation, method development, ICP and ICP-MS measurement issues and much more. You'll be amazed when you talk to a real person with a technical background ready to help you.

Our technical advisors are available to assist you Monday through Friday, 8:00 a.m. to 5:00 p.m. EST.

We can assist you with...

- Sample preparation
- Spectral interferences
- · Chemical compatibilities
- Various ICP & ICP-MS measurement issues



Technical Questions Answered

We've posted a variety of technical questions and answers pertaining to sample preparation, chemical stability and measurement.

inorganicventures.com/tech-center

Phone

- 800.669.6799 (US & Canada)
- +1.540.585.3030 (International)

Email

· info@inorganicventures.com


Online

inorganicventures.com/forum

OUR GUARANTEE

Unquestionable integrity.

We believe in our products. And we value our customers. That is why every order leaving our facilities includes our "Declaration of Integrity." This document guarantees your satisfaction. Simply said, if you're dissatisfied with your order for any reason and we cannot work through the problem with you, a full refund will be issued, no questions asked.



TRANSPIRATION CONTROL TECHNOLOGY



The cornerstone of the scientific community is accuracy. That's why Inorganic Ventures has always been committed to producing the industry's most exact Certified Reference Materials.

But our control...and the control of every standard manufacturer...ends shortly after a standard is calibrated and packaged. We are improving the way we deliver our quality standards.



What is transpiration?

Transpiration refers to the passage of water vapor through the walls of a container and/or evaporation from the container opening. Transpiration results in an increase in the concentration of the CRM/RM.

What is the solution?

Transpiration Control Technology extends the shelf-life of the product. Inorganic Ventures uses a specially designed aluminized bag that prevents an increase in concentration of the CRM/RM until the TCT bag is opened.

How it works.

The sealed TCT bag stops the loss of water vapor from the bottle when equilibrium is reached inside the bag.

Has the product changed?

The product has not changed, it is the same high-quality product you have come to depend on from Inorganic Ventures. TCT is an investment we are making to extend shelf life and give you more control at no extra charge. Our products and unconditional guarantee remain the same.

What this means for you.

When you order standards from Inorganic Ventures, your product will be delivered in the TCT bag. This means you will be in control of the expiration date. Upon receiving the product, do not open the TCT bag until you are ready to use. To find out how long the product can be in the TCT bag before it expires, simply check the lot expiration found on the bottom left of the front label. Your product will expire on that date or one year after opening the sealed TCT bag, whichever comes first.

For more information on TCT, visit inorganicventures.com/tct

WHY CHOOSE INORGANIC VENTURES?


ONLINE TECH CENTER



inorganicventures.com/tech-center

Visit us online to see all of our upgraded features.







Interactive Periodic Table

Discover the best online tool for analytical chemists. Includes chemical compatibilities, preferred lines, major interferences and additional data for 70+ elements.



Guides and Papers

Inorganic Ventures' online technical library has been expanding for more than a decade. Topics include ICP operations, sample preparation, trace metals analysis and much more.



Transpiration Control Technology

With TCT, concerns about shipping or storage conditions are eliminated, as transpiration is no longer an issue.





Technical Videos

Watch technical videos pertaining to some of the most common questions in our recorded webinars and "Ask a Chemist" video series.





CASE STUDY: PUT OUR PURITY TO THE TEST

CHALLENGE

Inorganic Ventures was contacted by an energy storage manufacturer when concerns arose about acquiring highpurity specialty reagents with custom bulk delivery from a domestic source.

The customer came to us with a request to use our products as components in their elite manufacturing processes. We put our brains together to roll out a distinct custom solution that would support their new endeavors.

The need for impurities below a certain threshold was vital to the customer's operation and guarantee of a

while simultaneously maintaining the prescribed purity requirements. It also highlighted our ability to adapt and problem-solve when being challenged by large volume requirements (>1000L per month) and sourcing of rare raw materials. Lastly, the case gave valuable insight into a reality where Inorganic Ventures' products, capabilities and expertise are utilized in a variety of different industries beyond trace elemental analysis and validation of instruments in the analytical testing field.

high-quality end product. This project pushed us to

innovate and develop new chemical mixtures that were

stable, easier to manufacture and higher in concentration

AREAS OF EXPERTISE

- High-purity technical blending
- Specialized packaging and containers
- Custom reagent mixtures
- High-purity metals and compounds
- · High-purity salt solutions
- · High-purity DI water and acid solutions
- Custom metal solutions
- Custom chemical blending
- Certified filters



CASE STUDY: A NEW PATH FOR IV WITH PURE STARTING MATERIALS

CHALLENGE

A long-term partnership between Inorganic Ventures (IV) and one of our most loyal suppliers sparked ideas about a new endeavor with the highest quality starting materials as the focus. Our collaborating supplier is known for offering ultra-pure inorganic metal compounds and with the addition of Inorganic Ventures' years of ISO-accredited testing expertise, we provide even greater value to their products.

Inorganic Ventures rigorously tests the supplier's starting materials for more than 68 elemental impurities using both ICP-OES and ICP-MS. Our Trace Metallic Impurity (TMI) testing program provides certificates detailing purity information and includes identified trace metals and detection limits. For a multitude of companies, it is important to know which trace metals are present and at

what levels when planning for product development or regulatory compliance. The insight this testing provides is also used to make companies aware of quality control issues or factors for improving their methods and processes.

Along with the added TMI testing, Inorganic Ventures hermetically seals the products using our industry-tested Transpiration Control Technology (TCT) to ensure product integrity and provide confidence and consistency when it comes to shipping and storage. Another benefit to this product transformation is the distribution network used by Inorganic Ventures. Our distribution chain stretches all over the world, making it easier for customers to obtain these metals in compounds common to many manufacturing and analytical processes.

PRODUCTS

Aluminum nitrate hexahydrate	99.999% CAS Number: 7784-27-2	
Calcium carbonate	99.9995+%	CAS Number: 471-34-1
Chromium nitrate nonahydrate	99.999%	CAS Number: 7789-02-8
Iron nitrate nonahydrate	99.9995%	CAS Number: 7782-61-8
Magnesium nitrate hexahydrate	99.999%	CAS Number: 13446-18-9



CASE STUDY: THE RESULTS ARE GROWING. THE MICROBES ARE NOT.

CHALLENGE

When a need arose from customers in highly regulated industries, Inorganic Ventures (IV) took the opportunity to deliver a solution that would ease their pain points and make processes more efficient in the lab. The problem? Companies in biomedical, pharmaceutical, life sciences and nutraceutical fields were experiencing issues with microbial growth in their standards. This problem was so severe that in some cases, product bottles were turning green from mold and algae. These companies must comply with strict government regulations — and "bug" growth in the lab definitely does not fall within the scope of those requirements. IV put their brains together to overcome this issue and develop products that would exceed all other offerings on the market.

To combat microbial growth in the past, pharmaceutical and life science companies had been hitting their CRMs with gamma rays before using them in their laboratory methods. This process is known to be expensive, time-consuming and requires unnecessary handling of the product. Gamma ray treatment was increasing costs and wasting time.

IV'S APPROACH

After extensive research and development, Inorganic Ventures unveiled new and improved pH and conductivity standards that would prevent the growth of microbials altogether and eliminate the need for gamma ray treatment. IV's products are ready to use right out of the bottle! IV was able to solve the problem and meet a need which has allowed for efficiency gains in labs all over the world.

Along with bug growth prevention, the pH line provides many other benefits. In response to varying analytical methods and external requests, specifically from companies involved in protein synthesis, Inorganic Ventures made the jump to certify the pH buffers at multiple temperatures.

Another added benefit to Inorganic Ventures' pH standards, as well as all other product offerings, is the unique packaging. All products are stored in the visionary Transpiration Control Technology. This technology provides up to 5-year shelf life, individual bottle expiration dates, expanded storage temperatures outside of normal lab conditions and eliminates contamination from storage with the goal of putting customers in control of their inventory.

All buffers and conductivity standards produced by Inorganic Ventures are manufactured and tested according to ISO 17034 & ISO 17025 guidelines.

PRODUCTS:



Conductivity Standards

- · 2 µmhos/cm Conductivity at 25°C
- 5 μmhos/cm Conductivity at 25°C
- 10 µmhos/cm Conductivity at 25°C
- 84 µmhos/cm Conductivity at 25°C
- 100 µmhos/cm Conductivity at 25°C
- 147 µmhos/cm Conductivity at 25°C
- 500 µmhos/cm Conductivity at 25°C
- 1,000 µmhos/cm Conductivity at 25°C
- 1,200 µmhos/cm Conductivity at 25°C
- 1,400 µmhos/cm Conductivity at 25°C
- 1,413 µmhos/cm Conductivity at 25°C
- 1,430 µmhos/cm Conductivity at 25°C
- 10,000 µmhos/cm Conductivity at 25°C
- 100,000 µmhos/cm Conductivity at 25°C

pH Standards

- pH 1.68
- pH 10
- pH 2
- pH 10.01

pH 10 Blue

- pH3 pH 4
- pH 11
- pH 4 Red
- pH 12
- pH 4.01
- pH 12.45
- pH 5
- pH 12.47
- pH 6
- pH 6.86
- pH 7
- pH 7 Yellow
- 8 Hg
- pH 9
- pH 9.18

COMMITMENT

At Inorganic Ventures, we want to empower our customers to be leaders, improve efficiencies and meet challenges head on. If your company has specific testing requirements or high-purity specifications, Inorganic Ventures would love to be of service to you. Our team of expert chemists and customer experience representatives looks forward to working with you as a direct partner. Whether this involves process improvement, custom blending, or bulk solution manufacturing, our goal is to offer proven care and support as you refine your results and redefine your industry.









Refine Your Results. Redefine Your Industry.

Inorganic Ventures' capabilities are not limited to a stock catalog. In fact, manufacturing custom standards is our passion and area of expertise. Let us lead the way as you refine your results and redefine your industry with our precise customizations.




Contents

Magic Happens with a Custom Solution	15
Benefits of Ordering a Custom	16
Platinum Cobalt Color Standard	17
Customs Ordering Process	10

Custom Standards

- ✓ Made to your exact specifications
- ✓ Save time and money
- ✓ Traceable to NIST SRMs
- ✓ Produced under ISO 9001
- ✓ Produced under ISO 17025
- ✓ Produced under ISO 17034
- ✓ 5-year expiration date with TCT

MAGIC HAPPENS WITH A CUSTOM SOLUTION







Mixing individual, single element standards into a working solution requires time, resources and money.

It involves preparation costs like time intensive labor and equipment, administrative costs associated with stocking and measuring re-order points for each solution, and the responsibility of handling all supporting documentation.

Our expert chemists make magic happen in the lab so that you can put these burdens by the wayside!

Each custom blend is calculated, formulated, articulated and regulated.

All of our custom blends are certified, NIST-traceable and have been put through a rigorous stability and method validation process.

Each custom standard is produced under ISO 9001, ISO 17025 and ISO 17034.

Our custom solutions are manufactured according to your exact specifications and ready for use with no preparation required!

In addition, each custom is guaranteed up to a 5-year shelf, thanks to our Transpiration Control Technology (TCT) which puts you in control of the expiration date!

Our Technical Support group is available to facilitate sample preparation and troubleshoot any problems that may arise during testing.

62,000 BLENDS AND COUNTING

Join thousands of laboratories worldwide in purchasing our custom standards. Ditch your single element stocks and let us do the work for you! Not convinced?

Check out all the benefits of ordering a custom.

Potential issues building from single element stock products		BENEFITS OF ORDERING A CUSTOM	G
High Preparation Costs	©3	Save on labor and equipment costs. Ready for immediate use with no prep required.	•
Documentation Responsibilities		All documentation and associated paperwork is handled for you and immediately available if you face an audit.	/
Uncertainty and Instability		Certified, NIST traceable product from experts in elemental compatibility give you peace of mind.	/
Storage and Transpiration Issues	TRANSPIRATION CONTROL TECHNOLOGY	Transpiration Control Technology (TCT) provides up to a 5-year shelf life and allows for flexible storage by increasing allowable temperature range.	-
Contamination		Take advantage of our clean bottles and starting materials.	_







Customers drowning in water testing regulations?

INORGANIC VENTURES HAS A LIFELINE.



TARGET INDUSTRIES/ APPLICATIONS

- · Drinking Water
- Regulatory Monitoring
- Wastewater
- Environmental
- Trade Effluent*

TARGET AUDIENCES

- Chemists
- Method development persons
- · Scientists
- QC managers
- · Analysts/ Lab Technicians

Platinum Cobalt Color Standard Custom Part # IV-57433

PRODUCT OVERVIEW:

- ISO17034 certified Pt-Co color standard via ICP assay
- Often used to determine the level of contaminants present in water and wastewater which provides a general indication of water quality
- Formulated according to ASTM method D1209-05
- Can be used as a reference solution to analytically determine the yellow hue in liquids using a colorimetric scale method (Hazen or Pt-Co color units)
- Prepared from precise starting materials (Potassium chloroplatinate / Cobalt chloride hexahydrate) as required by the ASTM method and traceable to NIST
- Accompanied by a Certificate of Analysis which contains the UV/Vis spectra as additional information
- Sold at a value of 500 Hazen in a 500mL size
- Can be diluted for calibration or calibration verification (normally between 10 and 500 Hazen)
- Contact Inorganic Ventures for information on custom solutions at alternate Hazen values
- Packaged in our TCT bag which offers a 5-year expiration date and eliminates concerns about shipping and storage

^{*}Trade effluent is largely regulated by utilities groups and government bodies. Color is an inexpensive way to quickly gauge water quality and can save customers thousands of dollars.

THE CUSTOMS ORDERING PROCESS

How do I request a custom CRM?

Custom solutions can be requested through our convenient online quotation form. If you are unable to use our website, you may submit custom quotes through email, fax or by phone. All we need from you is a previously quoted IV part number, another manufacturer's part number, or for a brand new solution, the desired analytes, concentrations and matrix requirements.

https://www.inorganicventures.com/quote/instrumentsetup/index


What happens after I submit my request?

Your custom quote is put together by our experienced chemists.

First, they go through our extensive library of more than 63,000 blends that have been developed over the last 37 years. If they don't find a match, they start formulating your exact custom standard. During this process, the blend is reviewed for stability and chemical compatibility. Your quote will be processed within two business days!*

I received the quote and I'm ready to order my custom!

If you like what you see, place your order via phone, fax or email. Your standard will be manufactured, packaged, and shipped within 10 business days. The custom standard is protected by our Transpiration Control Technology (TCT) and retains scientific integrity for up to five years from the date of manufacture.**



- * Quotes with many solutions, complex blends, or unique requirements may take longer to process.
- ** Based on stability data, some blends may receive a shorter lot expiration date.

ICP-OES & ICP-MS

Whether you use ICP or ICP-MS, we offer a wide selection of Certified Reference Materials. At your request, we've expanded our line with new instrument setup standards. And we'll continue to improve our selection based on your feedback.



Contents

∠∪
35
35
35
38
52
53
55
18

- ✓ Up to five-year shelf life
- ✓ Traceable to NIST SRMs
- ✓ Produced under ISO 9001
- ✓ Produced under ISO 17025
- ✓ Produced under ISO 17034
- ✓ Assayed by validated wet chemical procedures
- ✓ Assayed by validated ICP-OES procedures
- ✓ Trace metallic impurities determined by ICP and ICP-MS

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

Sarium, Ba	ANALYTE	MATRIX	VOLUME	CATALOG #
Arsenic, As	Aluminum, Al	HNO ₃	125 mL	MSAL-10PPM-125ML
Sarium, Ba	Antimony, Sb	HNO ₃ / Tartaric Acid	125 mL	MSSB-10PPM-125ML
Sery Sery	Arsenic, As	HNO ₃	125 mL	MSAS-10PPM-125ML
Sismuth, Bi	Barium, Ba	HNO ₃	125 mL	MSBA-10PPM-125ML
Boron, B	Beryllium, Be	HNO ₃	125 mL	MSBE-10PPM-125ML
**Boron, **B HNO₃ 100 mL* MS10B-10PPM-100ML **Boron, **B HNO₃ 100 mL* MS11B-10PPM-100ML Cadmium, Cd HNO₃ 125 mL MSCD-10PPM-125ML Calcium, Ca HNO₃ 125 mL MSCA-10PPM-125ML Scot min, Ce HNO₃ 125 mL MSCE-10PPM-125ML Cerium, Ce HNO₃ 125 mL MSCR(3)-10PPM-125ML Cesium, Cs HNO₃ 125 mL MSCR(3)-10PPM-125ML Chromium¹³, Cr¹³ HNO₃ 125 mL MSCR(3)-10PPM-125ML Chromium¹³, Cr¹³ HNO₃ 125 mL MSCR(6)-10PPM-125ML Chromium¹³, Cr¹³ HNO₃ 125 mL MSCO-10PPM-125ML Chromium¹*, Cr¹⁴ HNO₃ 125 mL MSCO-10PPM-125ML Chromium¹*, Cr¹⁴ HNO₃ 125 mL MSCU-10PPM-125ML Chromium¹*, Cr¹⁴ HNO₃ 125 mL MSCU-10PPM-125ML Chromium²*, Cr¹⁴ HNO₃ 125 mL MSCU-10PPM-125ML Chromium³*, Cr¹⁴ HNO₃ 125 mL MSCU-10PPM-125ML Chromium³*, Cr¹⁴ HNO₃	Bismuth, Bi	HNO ₃	125 mL	MSBI-10PPM-125ML
Boron, "IB HNO₃ 100 mL* MS11B-10PPM-100ML Cadmium, Cd HNO₃ 125 mL MSCD-10PPM-125ML Calcium, Ca HNO₃ 125 mL MSCA-10PPM-125ML Cerium, Ce HNO₃ 125 mL MSCE-10PPM-125ML Cesium, Cs HNO₃ 125 mL MSCR(3)-10PPM-125ML Chromium¹³, Cr¹³ HNO₃ 125 mL MSCR(3)-10PPM-125ML Chromium¹⁴, Cr¹⁴ H₂O 125 mL MSCR(6)-10PPM-125ML Chobalt, Co HNO₃ 125 mL MSCO-10PPM-125ML Copper, Cu HNO₃ 125 mL MSCU-10PPM-125ML Germanium, Ge HNO₃ 125 mL MSGE-10PPM-125ML Gold, Au HCl 125 mL MSAU-10PPM-125ML Hafnium, Hf HNO₃ 125 mL MSHF-10PPM-125ML Holmium, Ho HNO₃ 125 mL MSHP-10PPM-125ML Holmium, In HNO₃ 125 mL MSFE-10PPM-125ML Lead, Pb HNO₃ 125 mL MSPB-10PPM-125ML Lead, Pb HNO₃ 125 mL MSPB-10PPM-125ML <td>Boron, B</td> <td>HNO₃</td> <td>125 mL</td> <td>MSB-10PPM-125ML</td>	Boron, B	HNO ₃	125 mL	MSB-10PPM-125ML
Cadmium, Cd HNO3 125 mL MSCD-10PPM-125ML Calcium, Ca HNO3 125 mL MSCA-10PPM-125ML Cerium, Ce HNO3 125 mL MSCE-10PPM-125ML Cesium, Cs HNO3 125 mL MSCR(3)-10PPM-125ML Chromium*3, Cr*3 HNO3 125 mL MSCR(3)-10PPM-125ML Chromium*4, Cr*6 H ₂ O 125 mL MSCR(6)-10PPM-125ML Cobalt, Co HNO3 125 mL MSCU-10PPM-125ML Copper, Cu HNO3 125 mL MSCU-10PPM-125ML Germanium, Ge HNO3 / HF 125 mL MSGE-10PPM-125ML Gold, Au HCI 125 mL MSAU-10PPM-125ML Hafnium, Hf HNO3 / HF 125 mL MSHF-10PPM-125ML Holmium, Ho HNO3 125 mL MSHF-10PPM-125ML Holmium, In HNO3 125 mL MSPB-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSCH-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-	⁰ Boron, ¹⁰ B	HNO ₃	100 mL*	MS10B-10PPM-100ML
Calcium, Ca HNO3 125 mL 500 mL MSCA-10PPM-125ML MSCA-10PPM-125ML MSCA-10PPM-125ML Cerium, Ce HNO3 125 mL MSCE-10PPM-125ML Cesium, Cs HNO3 125 mL MSCR(3)-10PPM-125ML Chromium*3, Cr*3 HNO3 125 mL MSCR(3)-10PPM-125ML Chromium*6, Cr*6 H ₂ O 125 mL MSCR(6)-10PPM-125ML Cobalt, Co HNO3 125 mL MSCO-10PPM-125ML Copper, Cu HNO3 125 mL MSCE-10PPM-125ML Germanium, Ge HNO3, / HF 125 mL MSGE-10PPM-125ML Gold, Au HCI 125 mL MSAU-10PPM-125ML Hafnium, Hf HNO3, / HF 125 mL MSHF-10PPM-125ML Holmium, Ho HNO3 125 mL MSHO-10PPM-125ML Indium, In HNO3 125 mL MSPB-10PPM-125ML Indium, In HNO3 125 mL MSPB-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSGCI-10PPM-125ML Magnesium, Mg HNO3	¹ Boron, ¹¹ B	HNO ₃	100 mL*	MS11B-10PPM-100ML
Carletum, Ca	Cadmium, Cd	HNO ₃	125 mL	MSCD-10PPM-125ML
Cesium, Cs HNO3 125 mL MSCS-10PPM-125ML Chromium*3, Cr*3 HNO3 125 mL MSCR(3)-10PPM-125ML Chromium*6, Cr*6 H20 125 mL MSCR(6)-10PPM-125ML Cobalt, Co HNO3 125 mL MSCO-10PPM-125ML Copper, Cu HNO3 125 mL MSCU-10PPM-125ML Germanium, Ge HNO3 / HF 125 mL MSAU-10PPM-125ML Gold, Au HCI 125 mL MSAU-10PPM-125ML Hafnium, Hf HNO3 / HF 125 mL MSHF-10PPM-125ML Holmium, Ho HNO3 125 mL MSHF-10PPM-125ML Holmium, In HNO3 125 mL MSHO-10PPM-125ML Incomplete (ada, Pb) HNO3 125 mL MSFE-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSGI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSGI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL	Calcium, Ca	HNO ₃		
Chromium*3, Cr*3 HNO3 125 mL MSCR(3)-10PPM-125ML Chromium*6, Cr*6 H20 125 mL MSCR(6)-10PPM-125ML Cobalt, Co HNO3 125 mL MSC0-10PPM-125ML Copper, Cu HNO3 125 mL MSCU-10PPM-125ML Germanium, Ge HNO3 / HF 125 mL MSGE-10PPM-125ML Gold, Au HCI 125 mL MSAU-10PPM-125ML Hafnium, Hf HNO3 / HF 125 mL MSHF-10PPM-125ML Holmium, Ho HNO3 125 mL MSHF-10PPM-125ML Indium, In HNO3 125 mL MSIN-10PPM-125ML Iron, Fe HNO3 125 mL MSFE-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSCI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML MSMG-10PPM-125ML MSMG-10PPM-125ML MSMG-10PPM-125ML MSMG-10PPM-125ML MSMG-10PPM-125ML MSMG-	Cerium, Ce	HNO ₃	125 mL	MSCE-10PPM-125ML
Chromium*6, Cr*6 H ₂ O 125 mL MSCR(6)-10PPM-125ML Cobalt, Co HNO3 125 mL MSCO-10PPM-125ML Copper, Cu HNO3 125 mL MSCU-10PPM-125ML Germanium, Ge HNO3 / HF 125 mL MSGE-10PPM-125ML Gold, Au HCI 125 mL MSAU-10PPM-125ML Hafnium, Hf HNO3 / HF 125 mL MSHF-10PPM-125ML Holmium, Ho HNO3 125 mL MSHO-10PPM-125ML Indium, In HNO3 125 mL MSIN-10PPM-125ML Indium, In HNO3 125 mL MSFE-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSCI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSGI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMN-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMN-10PPM-125ML	Cesium, Cs	HNO ₃	125 mL	MSCS-10PPM-125ML
Cobalt, Co HNO3 125 mL MSCO-10PPM-125ML Copper, Cu HNO3 125 mL MSCU-10PPM-125ML Germanium, Ge HNO3 / HF 125 mL MSGE-10PPM-125ML Gold, Au HCl 125 mL MSAU-10PPM-125ML Hafnium, Hf HNO3 / HF 125 mL MSHF-10PPM-125ML Holmium, Ho HNO3 125 mL MSHO-10PPM-125ML Indium, In HNO3 125 mL MSIN-10PPM-125ML Iron, Fe HNO3 125 mL MSFE-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSCI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMN-10PPM-125ML	Chromium+3, Cr+3	HNO ₃	125 mL	MSCR(3)-10PPM-125ML
Copper, Cu	Chromium+6, Cr+6	$H_2^{}$ 0	125 mL	MSCR(6)-10PPM-125ML
Germanium, Ge HNO3 / HF 125 mL MSGE-10PPM-125ML Gold, Au HCI 125 mL 500 mL MSAU-10PPM-125ML MSAU-10PPM-500ML Hafnium, Hf HNO3 / HF 125 mL 500 mL MSHF-10PPM-125ML MSHF-10PPM-500ML Holmium, Ho HNO3 125 mL MSHO-10PPM-125ML Indium, In HNO3 125 mL MSIN-10PPM-125ML Iron, Fe HNO3 125 mL MSPB-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSCI-10PPM-125ML Lithium, GLi HNO3 125 mL MSGLI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMN-10PPM-125ML	Cobalt, Co	HNO ₃	125 mL	MSCO-10PPM-125ML
Hold	Copper, Cu	HNO ₃	125 mL	MSCU-10PPM-125ML
Hafnium, Hf	Germanium, Ge	HNO ₃ / HF	125 mL	MSGE-10PPM-125ML
HNO3	Gold, Au	HCI		
Indium, In HNO3 125 mL MSIN-10PPM-125ML Iron, Fe HNO3 125 mL MSFE-10PPM-125ML Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSLI-10PPM-125ML PLITTION OF THE PROPERTY OF TH	Hafnium, Hf	HNO ₃ / HF		
ron, Fe	Holmium, Ho	HNO ₃	125 mL	MSHO-10PPM-125ML
Lead, Pb HNO3 125 mL MSPB-10PPM-125ML Lithium, Li HNO3 125 mL MSLI-10PPM-125ML Lithium, ⁶ Li HNO3 125 mL MSGLI-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO3 125 mL MSMG-10PPM-500ML Magnesium, Mg HNO3 125 mL MSMN-10PPM-125ML	ndium, In	HNO ₃	125 mL	MSIN-10PPM-125ML
Lithium, Li HNO3 125 mL MSLI-10PPM-125ML PLithium, Li HNO3 125 mL MSGLI-10PPM-125ML Wagnesium, Mg HNO3 125 mL MSMG-10PPM-125ML Mannanese Mn HNO3 125 mL MSMN-10PPM-125ML Mannanese Mn HNO3 125 mL MSMN-10PPM-125ML	ron, Fe	HNO ₃	125 mL	MSFE-10PPM-125ML
Lithium, ⁶ Li HNO ₃ 125 mL MS6LI-10PPM-125ML Magnesium, Mg HNO ₃ 125 mL MSMG-10PPM-125ML Magnesium, Mg HNO ₃ 125 mL MSMG-10PPM-500ML Magnesium, Mg HNO ₃ 125 mL MSMN-10PPM-125ML	Lead, Pb	HNO ₃	125 mL	MSPB-10PPM-125ML
Magnesium, Mg HNO3 125 mL 500 mL MSMG-10PPM-125ML MSMG-10PPM-500ML Magnese Mn HNO 125 mL MSMN-10PPM-125ML	Lithium, Li	HNO ₃	125 mL	MSLI-10PPM-125ML
Magnesium, Mg HNO3 500 mL MSMG-10PPM-500ML Manganese Mg HNO 125 mL MSMN-10PPM-125ML	Lithium, ⁶ Li	HNO ₃	125 mL	MS6LI-10PPM-125ML
Mannangg Min HNII	Magnesium, Mg	HNO ₃		
	Manganese, Mn	HNO ₃		

^{*}Note: Size is 100 mL not 125 mL.

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

ANALYTE	MATRIX	VOLUME	CATALOG #
Mercury, Hg	HCI	125 mL 500 mL	MSHG-10PPM-125ML MSHG-10PPM-500ML
Mercury, Hg	HNO ₃	125 mL 500 mL	MSHGN-10PPM-125ML MSHGN-10PPM-500ML
Molybdenum, Mo	NH₄OH	125 mL	MSMO-10PPM-125ML
Nickel, Ni	HNO ₃	125 mL	MSNI-10PPM-125ML
Osmium, Os	HCI	125 mL	MSOS-10PPM-125ML
Phosphorus, P	H ₂ O	125 mL	MSP-10PPM-125ML
Platinum, Pt	HCI	125 mL	MSPT-10PPM-125ML
Potassium, K	HNO ₃	125 mL	MSK-10PPM-125ML
Rhodium, Rh	HCI	125 mL	MSRH-10PPM-125ML
Rhodium, Rh	HNO ₃	125 mL	MSRHN-10PPM-125ML
Scandium, Sc	HNO ₃	125 mL	MSSC-10PPM-125ML
Selenium, Se	HNO ₃	125 mL	MSSE-10PPM-125ML
Silicon, Si	HNO ₃ / HF	125 mL	MSSI-10PPM-125ML
Silver, Ag	HNO ₃	125 mL	MSAG-10PPM-125ML
Sodium, Na	HNO ₃	125 mL 500 mL	MSNA-10PPM-125ML MSNA-10PPM-500ML
Strontium, Sr	HNO ₃	125 mL	MSSR-10PPM-125ML
Sulfur, S	$H_2^{}0$	125 mL	MSS-10PPM-125ML
Tellurium, Te	HNO ₃	125 mL	MSTEN-10PPM-125ML
Terbium, Tb	HNO ₃	125 mL	MSTB-10PPM-125ML
Thallium, Tl	HNO ₃	125 mL	MSTL-10PPM-125ML
Thorium, Th	HNO ₃	125 mL	MSTH-10PPM-125ML
Tin, Sn	HNO ₃ / HF	125 mL 500 mL	MSSN-10PPM-125ML MSSN-10PPM-500ML
Titanium, Ti	HNO ₃ / HF	125 mL	MSTI-10PPM-125ML
Tungsten, W	HNO ₃ / HF	125 mL	MSW-10PPM-125ML
Uranium, U	HNO ₃	125 mL 500 mL	MSU-10PPM-125ML MSU-10PPM-500ML
Vanadium, V	HNO ₃	125 mL	MSV-10PPM-125ML
Yttrium, Y	HNO ₃	125 mL	MSY-10PPM-125ML
Zinc, Zn	HNO ₃	125 mL 500 mL	MSZN-10PPM-125ML MSZN-10PPM-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

ANALYTE	MATRIX	VOLUME	CATALOG #
Aluminum, Al	HNO ₃	125 mL 500 mL	MSAL-100PPM-125ML MSAL-100PPM-500ML
Antimony, Sb	HNO ₃ / Tartaric Acid	125 mL	MSSB-100PPM-125ML
Arsenic, As	HNO ₃	125 mL	MSAS-100PPM-125ML
Barium, Ba	HNO ₃	125 mL	MSBA-100PPM-125ML
Beryllium, Be	HNO ₃	125 mL	MSBE-100PPM-125ML
Bismuth, Bi	HNO ₃	125 mL	MSBI-100PPM-125ML
Boron, B	HNO ₃	125 mL	MSB-100PPM-125ML
Cadmium, Cd	HNO ₃	125 mL	MSCD-100PPM-125ML
Calcium, Ca	HNO ₃	125 mL 500 mL	MSCA-100PPM-125ML MSCA-100PPM-500ML
Cerium, Ce	HNO ₃	125 mL	MSCE-100PPM-125ML
Cesium, Cs	HNO ₃	125 mL	MSCS-100PPM-125ML
Chromium ⁺³ , Cr ⁺³	HNO ₃	125 mL	MSCR(3)-100PPM-125ML
Chromium ⁺⁶ , Cr ⁺⁶	H_2^{0}	125 mL	MSCR(6)-100PPM-125ML
Cobalt, Co	HNO ₃	125 mL	MSCO-100PPM-125ML
Copper, Cu	HNO ₃	125 mL	MSCU-100PPM-125ML
Germanium, Ge	HNO ₃ / HF	125 mL	MSGE-100PPM-125ML
Gold, Au	HCI	125 mL 500 mL	MSAU-100PPM-125ML MSAU-100PPM-500ML
Hafnium, Hf	HNO ₃ / HF	125 mL 500 mL	MSHF-100PPM-125ML MSHF-100PPM-500ML
Holmium, Ho	HNO ₃	125 mL	MSHO-100PPM-125ML
Indium, In	HNO ₃	125 mL	MSIN-100PPM-125ML
Iron, Fe	HNO ₃	125 mL 500 mL	MSFE-100PPM-125ML MSFE-100PPM-500ML
Lead, Pb	HNO ₃	125 mL 500 mL	MSPB-100PPM-125ML MSPB-100PPM-500ML
Lithium, Li	HNO ₃	125 mL 500 mL	MSLI-100PPM-125ML MSLI-100PPM-500ML
⁶ Lithium, ⁶ Li	HNO ₃	125 mL	MS6LI-100PPM-125ML
Magnesium, Mg	HNO ₃	125 mL 500 mL	MSMG-100PPM-125ML MSMG-100PPM-500ML
Manganese, Mn	HNO ₃	125 mL	MSMN-100PPM-125ML
Mercury, Hg	HCI	125 mL	MSHG-100PPM-125ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

ANALYTE Mercury, Hg	MATRIX	VOLUME	CATALOG #
Moroury Ha	·		
Mercury, mg	HNO ₃	125 mL	MSHGN-100PPM-125ML
Molybdenum, Mo	NH ₄ OH	125 mL	MSMO-100PPM-125ML
Nickel, Ni	HNO₃	125 mL	MSNI-100PPM-125ML
Osmium, Os	HCI	125 mL	MSOS-100PPM-125ML
Phosphorus, P	$\rm H_{2}O$	125 mL 500 mL	MSP-100PPM-125ML MSP-100PPM-500ML
Platinum, Pt	HCI	125 mL	MSPT-100PPM-125ML
Potassium, K	HNO ₃	125 mL 500 mL	MSK-100PPM-125ML MSK-100PPM-500ML
Rhodium, Rh	HCI	125 mL	MSRH-100PPM-125ML
Rhodium, Rh	HNO ₃	125 mL	MSRHN-100PPM-125ML
Scandium, Sc	HNO ₃	125 mL 500 mL	MSSC-100PPM-125ML MSSC-100PPM-500ML
Selenium, Se	HNO ₃	125 mL	MSSE-100PPM-125ML
Silicon, Si	HNO ₃ / HF	125 mL 500 mL	MSSI-100PPM-125ML MSSI-100PPM-500ML
Silver, Ag	HNO ₃	125 mL 500 mL	MSAG-100PPM-125ML MSAG-100PPM-500ML
Sodium, Na	HNO ₃	125 mL 500 mL	MSNA-100PPM-125ML MSNA-100PPM-500ML
Strontium, Sr	HNO ₃	125 mL	MSSR-100PPM-125ML
Sulfur, S	H ₂ 0	125 mL	MSS-100PPM-125ML
Tellurium, Te	HNO ₃	125 mL	MSTEN-100PPM-125ML
Terbium, Tb	HNO ₃	125 mL	MSTB-100PPM-125ML
Thallium, Tl	HNO ₃	125 mL	MSTL-100PPM-125ML
Thorium, Th	HNO ₃	125 mL	MSTH-100PPM-125ML
Tin, Sn	HNO ₃ / HF	125 mL	MSSN-100PPM-125ML
Titanium, Ti	HNO ₃ / HF	125 mL	MSTI-100PPM-125ML
Tungsten, W	HNO ₃ / HF	125 mL 500 mL	MSW-100PPM-125ML MSW-100PPM-500ML
Uranium, U	HNO ₃	125 mL 500 mL	MSU-100PPM-125ML MSU-100PPM-500ML
Vanadium, V	HNO ₃	125 mL	MSV-100PPM-125ML
Yttrium, Y	HNO ₃	125 mL 500 mL	MSY-100PPM-125ML MSY-100PPM-500ML
Zinc, Zn	HNO ₃	125 mL 500 mL	MSZN-100PPM-125ML MSZN-100PPM-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

1,000 µg/mL

ANALYTE	MATRIX	VOLUME	CATALOG #
Aluminum, Al	HNO ₃	30 mL 125 mL 500 mL	CGAL1-30ML CGAL1-125ML CGAL1-500ML
Aluminum, Al	HCI	30 mL 125 mL 500 mL	CGALCL1-30ML CGALCL1-125ML CGALCL1-500ML
Antimony, Sb	HNO ₃ / Tartaric Acid	125 mL	CGSB1-125ML
Antimony, Sb	HNO ₃ / HF	125 mL	CGSBF1-125ML
Arsenic, As	HNO ₃	30 mL 125 mL 500 mL	CGAS1-30ML CGAS1-125ML CGAS1-500ML
Arsenic ⁺³ , As ⁺³	HCI / NaOH / NaHCO ₃	30 mL 125 mL 500 mL	CGAS(3)1-30ML CGAS(3)1-125ML CGAS(3)1-500ML
Arsenic ⁺⁵ , As ⁺⁵	H ₂ 0	30 mL 125 mL 500 mL	CGAS(5)1-30ML CGAS(5)1-125ML CGAS(5)1-500ML
Barium, Ba	HNO ₃	30 mL 125 mL 500 mL	CGBA1-30ML CGBA1-125ML CGBA1-500ML
Beryllium, Be	HNO ₃	30 mL 125 mL 500 mL	CGBE1-30ML CGBE1-125ML CGBE1-500ML
Bismuth, Bi Commonly used as an Internal Standard for ICP-MS.	HNO ₃	30 mL 125 mL 500 mL	CGBI1-30ML CGBI1-125ML CGBI1-500ML
Boron, B	NH₄OH	30 mL 125 mL 500 mL	CGB1-30ML CGB1-125ML CGB1-500ML
Bromide, Br- Suitable for analyzing Bromide by ICP-OES.	H ₂ 0	30 mL 125 mL 500 mL	CGICBR1-30ML CGICBR1-125ML CGICBR1-500ML
Cadmium, Cd	HNO_3	30 mL 125 mL 500 mL	CGCD1-30ML CGCD1-125ML CGCD1-500ML
Calcium, Ca	HNO ₃	30 mL 125 mL 500 mL	CGCA1-30ML CGCA1-125ML CGCA1-500ML
Carbon, C	HNO ₃	125 mL 500 mL	CGC1-125ML CGC1-500ML
Carbon, C Suitable for TOC applications per Standard Methods.	$\mathrm{H_{2}O}$	125 mL 500 mL	TOCKHP1-125ML TOCKHP1-500ML
Cerium, Ce	HNO ₃	30 mL 125 mL 500 mL	CGCE1-30ML CGCE1-125ML CGCE1-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

			_,= ,== ,==
ANALYTE	MATRIX	VOLUME	CATALOG #
Cesium, Cs	HNO ₃	30 mL 125 mL	CGCS1-30ML CGCS1-125ML
Chloride, CI Suitable for analyzing Chloride by ICP-OES.	$H_2^{}$ O	125 mL 500 mL	CGICCL1-125ML CGICCL1-500ML
Chromium ⁺³ , Cr ⁺³	HNO_3	30 mL 125 mL 500 mL	CGCR(3)1-30ML CGCR(3)1-125ML CGCR(3)1-500ML
Chromium*6, Cr*6	H ₂ O	30 mL 125 mL 500 mL	CGCR(6)1-30ML CGCR(6)1-125ML CGCR(6)1-500ML
Cobalt, Co	HNO ₃	30 mL 125 mL 500 mL	CGCO1-30ML CGCO1-125ML CGCO1-500ML
Copper, Cu	HNO ₃	30 mL 125 mL 500 mL	CGCU1-30ML CGCU1-125ML CGCU1-500ML
Dysprosium, Dy	HNO ₃	30 mL 125 mL 500 mL	CGDY1-30ML CGDY1-125ML CGDY1-500ML
Erbium, Er	HNO ₃	30 mL 125 mL 500 mL	CGER1-30ML CGER1-125ML CGER1-500ML
Europium, Eu	HNO ₃	30 mL 125 mL 500 mL	CGEU1-30ML CGEU1-125ML CGEU1-500ML
Gadolinium, Gd	HNO ₃	30 mL 125 mL 500 mL	CGGD1-30ML CGGD1-125ML CGGD1-500ML
Gallium, Ga	HNO_3	30 mL 125 mL 500 mL	CGGA1-30ML CGGA1-125ML CGGA1-500ML
Germanium, Ge	HNO ₃ / HF	30 mL 125 mL 500 mL	CGGE1-30ML CGGE1-125ML CGGE1-500ML
Gold, Au Can also be used to stabalize low-level Hg for ICP-MS analysis.	HCI	30 mL 125 mL 500 mL	CGAU1-30ML CGAU1-125ML CGAU1-500ML
Gold, Au	HNO ₃	30 mL 125 mL 500 mL	CGAUN1-30ML CGAUN1-125ML CGAUN1-500ML
Hafnium, Hf	HNO ₃ / HF	30 mL 125 mL 500 mL	CGHF1-30ML CGHF1-125ML CGHF1-500ML
Holmium, Ho Commonly used as an Internal Standard for ICP-MS.	HNO ₃	30 mL 125 mL 500 mL	CGH01-30ML CGH01-125ML CGH01-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

1,000 µg/mL

	nent solution? we can		1,000 μg/1111
ANALYTE	MATRIX	VOLUME	CATALOG #
Indium, In Commonly used as an Internal Standard for ICP-MS.	HNO ₃	30 mL 125 mL 500 mL	CGIN1-30ML CGIN1-125ML CGIN1-500ML
lodide, l- Suitable for analyzing lodide by ICP-OES.	H ₂ O / TEA	30 mL 125 mL 500 mL	CGICI1-30ML CGICI1-125ML CGICI1-500ML
Iridium, Ir	HCI	30 mL 125 mL 500 mL	CGIR1-30ML CGIR1-125ML CGIR1-500ML
Iron, Fe	HNO ₃	30 mL 125 mL 500 mL	CGFE1-30ML CGFE1-125ML CGFE1-500ML
Lanthanum, La	HNO ₃	30 mL 125 mL 500 mL	CGLA1-30ML CGLA1-125ML CGLA1-500ML
Lead, Pb	HNO ₃	30 mL 125 mL 500 mL	CGPB1-30ML CGPB1-125ML CGPB1-500ML
Lithium, Li	HNO ₃	30 mL 125 mL 500 mL	CGLI1-30ML CGLI1-125ML CGLI1-500ML
⁶ Lithium, ⁶Li Commonly used as an Internal Standard for ICP-MS.	HNO ₃	30 mL 125 mL	CG6LI1-30ML CG6LI1-125ML
Lutetium, Lu	HNO ₃	30 mL 125 mL 500 mL	CGLU1-30ML CGLU1-125ML CGLU1-500ML
Magnesium, Mg	HNO ₃	30 mL 125 mL 500 mL	CGMG1-30ML CGMG1-125ML CGMG1-500ML
Manganese, Mn	HNO ₃	30 mL 125 mL 500 mL	CGMN1-30ML CGMN1-125ML CGMN1-500ML
Mercury, Hg	HNO ₃	30 mL 125 mL 500 mL	CGHG1-30ML CGHG1-125ML CGHG1-500ML
Molybdenum, Mo	NH₄OH	30 mL 125 mL 500 mL	CGM01-30ML CGM01-125ML CGM01-500ML
Neodymium, Nd	HNO ₃	30 mL 125 mL 500 mL	CGND1-30ML CGND1-125ML CGND1-500ML
Nickel, Ni	HNO ₃	30 mL 125 mL 500 mL	CGNI1-30ML CGNI1-125ML CGNI1-500ML
Niobium, Nb	HNO ₃ / HF	30 mL 125 mL 500 mL	CGNB1-30ML CGNB1-125ML CGNB1-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

1,000 µg/mL

' '			, 13
ANALYTE	MATRIX	VOLUME	CATALOG #
Niobium, Nb High purity, low Tantalum	HNO ₃ / HF	125 mL 500 mL	CGNB2051-125ML CGNB2051-500ML
Osmium, Os	HCI	30 mL 125 mL 500 mL	CGOS1-30ML CGOS1-125ML CGOS1-500ML
Palladium, Pd	HCI	30 mL 125 mL 500 mL	CGPD1-30ML CGPD1-125ML CGPD1-500ML
Palladium, Pd	HNO ₃	30 mL 125 mL 500 mL	CGPDN1-30ML CGPDN1-125ML CGPDN1-500ML
Phosphorus, P	H_2O	30 mL 125 mL 500 mL	CGP1-30ML CGP1-125ML CGP1-500ML
Platinum, Pt Contains Chloride	HNO ₃	30 mL 125 mL 500 mL	CGPTN1-30ML CGPTN1-125ML CGPTN1-500ML
Platinum, Pt	HCI	30 mL 125 mL 500 mL	CGPT1-30ML CGPT1-125ML CGPT1-500ML
Platinum, Pt Chloride Free	HNO ₃	30 mL 125 mL 500 mL	CGPTN031-30ML CGPTN031-125ML CGPTN031-500ML
Potassium, K	HNO ₃	30 mL 125 mL 500 mL	CGK1-30ML CGK1-125ML CGK1-500ML
Praseodymium, Pr	HNO ₃	30 mL 125 mL 500 mL	CGPR1-30ML CGPR1-125ML CGPR1-500ML
Rhenium, Re	HNO ₃	30 mL 125 mL 500 mL	CGRE1-30ML CGRE1-125ML CGRE1-500ML
Rhodium, Rh Commonly used as an Internal Standard for ICP-MS.	HCI	30 mL 125 mL 500 mL	CGRH1-30ML CGRH1-125ML CGRH1-500ML
Rhodium, Rh Commonly used as an Internal Standard for ICP-MS.	HNO ₃	30 mL 125 mL 500 mL	CGRHN1-30ML CGRHN1-125ML CGRHN1-500ML
Rubidium, Rb	HNO ₃	30 mL 125 mL	CGRB1-30ML CGRB1-125ML
Ruthenium, Ru	HCI	30 mL 125 mL 500 mL	CGRU1-30ML CGRU1-125ML CGRU1-500ML
Samarium, Sm	HNO ₃	30 mL 125 mL 500 mL	CGSM1-30ML CGSM1-125ML CGSM1-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

ANALYTE	MATRIX	VOLUME	CATALOG #
ANALTIE	MAIRIA	30 mL	CGSC1-30ML
Scandium, Sc	HNO ₃	125 mL	CGSC1-30ML
Commonly used as an Internal Standard for ICP-MS.	- 3	500 mL	CGSC1-500ML
		30 mL	CGSE(4)1-30ML
Selenium ⁺⁴ , Se ⁺⁴	HNO ₃	125 mL	CGSE(4)1-125ML
		500 mL	CGSE(4)1-500ML
Selenium+6, Se+6	H ₂ 0	30 mL	CGSE(6)1-30ML
, 60	20	125 mL	CGSE(6)1-125ML
a''' a'a	1110 / 115	30 mL	CGSIO1-30ML
Silica, SiO ₂	HNO ₃ / HF	125 mL 500 mL	CGSIO1-125ML
			CGSIO1-500ML
Silica, SiO ₂	NaOH	125 mL 500 mL	CGSIONA1-125ML CGSIONA1-500ML
		30 mL	CGSIONAT-300ML
Silicon, Si	HNO ₃ / HF	125 mL	CGSI1-30ML CGSI1-125ML
	3, , , , ,	500 mL	CGSI1-500ML
all a	N. OU	125 mL	CGSINA1-125ML
Silicon, Si	NaOH	500 mL	CGSINA1-500ML
		30 mL	CGAG1-30ML
Silver, Ag	HNO ₃	125 mL	CGAG1-125ML
		500 mL	CGAG1-500ML
		30 mL	CGNA1-30ML
Sodium, Na	HNO ₃	125 mL	CGNA1-125ML
		500 mL	CGNA1-500ML
Ohne white one On	LINIO	30 mL	CGSR1-30ML
Strontium, Sr	HNO ₃	125 mL 500 mL	CGSR1-125ML CGSR1-500ML
		125 mL	CGMSA1-125ML
Sulfur, S Compatible if mixed with Ba and Pb.	H ₂ 0	500 mL	CGMSA1-125ML CGMSA1-500ML
		30 mL	CGS1-30ML
Sulfur, S	H ₂ 0	125 mL	CGS1-30ML
• -	2 -	500 mL	CGS1-500ML
		30 mL	CGTA1-30ML
Tantalum, Ta	HNO ₃ / HF	125 mL	CGTA1-125ML
		500 mL	CGTA1-500ML
		30 mL	CGTE1-30ML
Tellurium, Te	HCI	125 mL	CGTE1-125ML
		500 mL	CGTE1-500ML
Tollusium To	ПИО	30 mL 125 mL	CGTEN1-30ML
Tellurium, Te	HNO ₃	125 mL 500 mL	CGTEN1-125ML CGTEN1-500ML
		30 mL	CGTENT 300ML
Terbium, Tb	HNO ₃	125 mL	CGTB1-30ML
Commonly used as an Internal Standard for ICP-MS.	- 3	500 mL	CGTB1-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

1,000 μg/mL

ANALYTE	MATRIX	VOLUME	CATALOG #
Thallium, TI	HNO ₃	30 mL 125 mL 500 mL	CGTL1-30ML CGTL1-125ML CGTL1-500ML
Thorium, Th	HNO ₃	30 mL 125 mL 500 mL	CGTH1-30ML CGTH1-125ML CGTH1-500ML
Thulium, Tm	HNO ₃	30 mL 125 mL 500 mL	CGTM1-30ML CGTM1-125ML CGTM1-500ML
Tin, Sn	HCI	30 mL 125 mL	CGSNCL1-30ML CGSNCL1-125ML
Tin, Sn	HNO ₃ / HF	30 mL 125 mL 500 mL	CGSN1-30ML CGSN1-125ML CGSN1-500ML
Titanium, Ti	HNO ₃ / HF	30 mL 125 mL 500 mL	CGTI1-30ML CGTI1-125ML CGTI1-500ML
Tungsten, W	HNO ₃ / HF	30 mL 125 mL 500 mL	CGW1-30ML CGW1-125ML CGW1-500ML
Tungsten, W	H ₂ O	125 mL	CGWH201-125ML
Uranium, U	HNO ₃	30 mL 125 mL 500 mL	CGU1-30ML CGU1-125ML CGU1-500ML
Vanadium, V	HNO ₃	30 mL 125 mL 500 mL	CGV1-30ML CGV1-125ML CGV1-500ML
Ytterbium, Yb	HNO ₃	30 mL 125 mL 500 mL	CGYB1-30ML CGYB1-125ML CGYB1-500ML
Yttrium, Y Commonly used as an Internal Standard for ICP-MS.	HNO ₃	30 mL 125 mL 500 mL	CGY1-30ML CGY1-125ML CGY1-500ML
Zinc, Zn	HNO ₃	30 mL 125 mL 500 mL	CGZN1-30ML CGZN1-125ML CGZN1-500ML
Zirconium, Zr	HF	30 mL 125 mL 500 mL	CGZR1-30ML CGZR1-125ML CGZR1-500ML

See pg. 34 for our HF-free Zirconium, part number CGZRCL10-125ML or CGZRCL10-500ML.

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

ANALYTE	MATRIX	VOLUME	CATALOG #
Aluminum, Al	HNO ₃	30 mL 125 mL 500 mL	CGAL10-30ML CGAL10-125ML CGAL10-500ML
Antimony, Sb	HNO ₃ / Tartaric Acid	125 mL 500 mL	CGSB10-125ML CGSB10-500ML
Arsenic, As	HNO_3	30 mL 125 mL 500 mL	CGAS10-30ML CGAS10-125ML CGAS10-500ML
Barium, Ba	HNO ₃	125 mL 500 mL	CGBA10-125ML CGBA10-500ML
Beryllium, Be	HNO ₃	125 mL 500 mL	CGBE10-125ML CGBE10-500ML
Bismuth, Bi	HNO ₃	30 mL 125 mL 500 mL	CGBI10-30ML CGBI10-125ML CGBI10-500ML
Boron, B	$\mathrm{NH_4OH}$	125 mL 500 mL	CGB10-125ML CGB10-500ML
Cadmium, Cd	HNO ₃	125 mL 500 mL	CGCD10-125ML CGCD10-500ML
Calcium, Ca	HNO ₃	30 mL 125 mL 500 mL	CGCA10-30ML CGCA10-125ML CGCA10-500ML
Carbon, C	HNO ₃	125 mL	CGC10-125ML
Cerium, Ce	HNO ₃	30 mL 125 mL 500 mL	CGCE10-30ML CGCE10-125ML CGCE10-500ML
Cesium, Cs	HNO ₃	125 mL 500 mL	CGCS10-125ML CGCS10-500ML
Chromium ⁺³ , Cr ⁺³	HNO ₃	30 mL 125 mL 500 mL	CGCR(3)10-30ML CGCR(3)10-125ML CGCR(3)10-500ML
Cobalt, Co Commonly used as an Internal Standard for ICP-OES.	HNO ₃	30 mL 125 mL 500 mL	CGC010-30ML CGC010-125ML CGC010-500ML
Copper, Cu	HNO ₃	30 mL 125 mL 500 mL	CGCU10-30ML CGCU10-125ML CGCU10-500ML
Dysprosium, Dy	HNO ₃	30 mL 125 mL 500 mL	CGDY10-30ML CGDY10-125ML CGDY10-500ML
Erbium, Er	HNO ₃	30 mL 125 mL 500 mL	CGER10-30ML CGER10-125ML CGER10-500ML
Europium, Eu	HNO ₃	30 mL 125 mL 500 mL	CGEU10-30ML CGEU10-125ML CGEU10-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

ANALYTE	MATRIX	VOLUME	CATALOG #
Gadolinium, Gd	HNO ₃	30 mL 125 mL 500 mL	CGGD10-30ML CGGD10-125ML CGGD10-500ML
Gallium, Ga	HNO ₃	125 mL 500 mL	CGGA10-125ML CGGA10-500ML
Germanium, Ge	HNO ₃ / HF	125 mL 500 mL	CGGE10-125ML CGGE10-500ML
Gold, Au	HCI	30 mL 125 mL 500 mL	CGAU10-30ML CGAU10-125ML CGAU10-500ML
Hafnium, Hf	HNO ₃ / HF	125 mL 500 mL	CGHF10-125ML CGHF10-500ML
Holmium, Ho	HNO ₃	30 mL 125 mL 500 mL	CGH010-30ML CGH010-125ML CGH010-500ML
Indium, In Commonly used as an Internal Standard for ICP-OES.	HNO ₃	125 mL 500 mL	CGIN10-125ML CGIN10-500ML
Iridium, Ir	HCI	30 mL 125 mL 500 mL	CGIR10-30ML CGIR10-125ML CGIR10-500ML
Iron, Fe	HNO ₃	30 mL 125 mL 500 mL	CGFE10-30ML CGFE10-125ML CGFE10-500ML
Lanthanum, La	HNO ₃	30 mL 125 mL 500 mL	CGLA10-30ML CGLA10-125ML CGLA10-500ML
Lead, Pb	HNO ₃	30 mL 125 mL 500 mL	CGPB10-30ML CGPB10-125ML CGPB10-500ML
Lithium, Li	HNO ₃	30 mL 125 mL 500 mL	CGLI10-30ML CGLI10-125ML CGLI10-500ML
Lutetium, Lu	HNO ₃	30 mL 125 mL 500 mL	CGLU10-30ML CGLU10-125ML CGLU10-500ML
Magnesium, Mg	HNO ₃	30 mL 125 mL 500 mL	CGMG10-30ML CGMG10-125ML CGMG10-500ML
Manganese, Mn	HNO ₃	30 mL 125 mL 500 mL	CGMN10-30ML CGMN10-125ML CGMN10-500ML
Mercury, Hg	HNO ₃	125 mL 500 mL	CGHG10-125ML CGHG10-500ML
Molybdenum, Mo	NH₄OH	30 mL 125 mL 500 mL	CGM010-30ML CGM010-125ML CGM010-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

			1,111,11
ANALYTE	MATRIX	VOLUME	CATALOG #
Neodymium, Nd	HNO ₃	30 mL 125 mL 500 mL	CGND10-30ML CGND10-125ML CGND10-500ML
Nickel, Ni	HNO ₃	30 mL 125 mL 500 mL	CGNI10-30ML CGNI10-125ML CGNI10-500ML
Niobium, Nb	HNO ₃ / HF	125 mL	CGNB10-125ML
Niobium, Nb High purity, low Tantalum	HNO ₃ / HF	125 mL 500 mL	CGNB20510-125ML CGNB20510-500ML
Palladium, Pd	HCI	30 mL 125 mL 500 mL	CGPD10-30ML CGPD10-125ML CGPD10-500ML
Phosphorus, P	H_2O	30 mL 125 mL 500 mL	CGP10-30ML CGP10-125ML CGP10-500ML
Platinum, Pt	HCI	30 mL 125 mL 500 mL	CGPT10-30ML CGPT10-125ML CGPT10-500ML
Potassium, K	HNO ₃	30 mL 125 mL 500 mL	CGK10-30ML CGK10-125ML CGK10-500ML
Praseodymium, Pr	HNO ₃	30 mL 125 mL 500 mL	CGPR10-30ML CGPR10-125ML CGPR10-500ML
Rhenium, Re	HNO ₃	125 mL 500 mL	CGRE10-125ML CGRE10-500ML
Rhodium, Rh	HCI	30 mL 125 mL 500 mL	CGRH10-30ML CGRH10-125ML CGRH10-500ML
Rubidium, Rb	HNO ₃	125 mL 500 mL	CGRB10-125ML CGRB10-500ML
Ruthenium, Ru	HCI	30 mL 125 mL 500 mL	CGRU10-30ML CGRU10-125ML CGRU10-500ML
Samarium, Sm	HNO ₃	30 mL 125 mL 500 mL	CGSM10-30ML CGSM10-125ML CGSM10-500ML
Scandium, Sc Commonly used as an Internal Standard for ICP-OES	HNO ₃	30 mL 125 mL 500 mL	CGSC10-30ML CGSC10-125ML CGSC10-500ML
Selenium, Se	HNO ₃	30 mL 125 mL 500 mL	CGSE10-30ML CGSE10-125ML CGSE10-500ML
Silicon, Si	HNO ₃ / HF	30 mL 125 mL 500 mL	CGSI10-30ML CGSI10-125ML CGSI10-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!


ANALYTE	MATRIX	VOLUME	CATALOG #
Silver, Ag	HNO ₃	125 mL 500 mL	CGAG10-125ML CGAG10-500ML
Sodium, Na	HNO ₃	30 mL 125 mL 500 mL	CGNA10-30ML CGNA10-125ML CGNA10-500ML
Strontium, Sr	HNO ₃	125 mL 500 mL	CGSR10-125ML CGSR10-500ML
Sulfur, S Compatible if mixed with Ba and Pb.	H ₂ 0	125 mL 500 mL	CGMSA10-125ML CGMSA10-500ML
Sulfur, S	$H_2^{}0$	30 mL 125 mL 500 mL	CGS10-30ML CGS10-125ML CGS10-500ML
Tantalum, Ta	HNO ₃ / HF	125 mL	CGTA10-125ML
Tellurium, Te	HCI	125 mL 500 mL	CGTE10-125ML CGTE10-500ML
Terbium, Tb	HNO ₃	30 mL 125 mL 500 mL	CGTB10-30ML CGTB10-125ML CGTB10-500ML
Thallium, TI	HNO ₃	125 mL 500 mL	CGTL10-125ML CGTL10-500ML
Thorium, Th	HNO ₃	125 mL	CGTH10-125ML
Thulium, Tm	HNO ₃	30 mL 125 mL 500 mL	CGTM10-30ML CGTM10-125ML CGTM10-500ML
Tin, Sn	HNO ₃ / HF	30 mL 125 mL 500 mL	CGSN10-30ML CGSN10-125ML CGSN10-500ML
Titanium, Ti	HNO ₃ / HF	30 mL 125 mL 500 mL	CGTI10-30ML CGTI10-125ML CGTI10-500ML
Tungsten, W	HNO ₃ / HF	125 mL 500 mL	CGW10-125ML CGW10-500ML
Uranium, U	HNO ₃	30 mL 125 mL 500 mL	CGU10-30ML CGU10-125ML CGU10-500ML
Vanadium, V	HNO ₃	30 mL 125 mL 500 mL	CGV10-30ML CGV10-125ML CGV10-500ML
Ytterbium, Yb	HNO ₃	30 mL 125 mL 500 mL	CGYB10-30ML CGYB10-125ML CGYB10-500ML
Yttrium, Y Commonly used as an Internal Standard for ICP-OES.	HNO ₃	30 mL 125 mL 500 mL	CGY10-30ML CGY10-125ML CGY10-500ML

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.

Need a specific starting material or matrix? Custom 10 ppm single element solutions available upon request. Need a multielement solution? We can do that too!

10,000 µg/mL

ANALYTE	MATRIX	VOLUME	CATALOG #
Zinc, Zn	HNO_3	30 mL 125 mL 500 mL	CGZN10-30ML CGZN10-125ML CGZN10-500ML
Zirconium, Zr	HF	30 mL 125 mL 500 mL	CGZR10-30ML CGZR10-125ML CGZR10-500ML
Zirconium, Zr HF free	HCI	125 mL 500 mL	CGZRCL10-125ML CGZRCL10-500ML



Inorganic Ventures' Annual ICP Conference

Calling all ICP users — don't miss our annual ICP Conference held in the fall.

You will hear from Inorganic Ventures' experts on a wide range of topics, including Sample Preparation Basics for ICP, Sample and CRM Stability Considerations, Trace Metals Analysis and much more.

For more information, visit inorganic ventures.com/ICP

CYANIDE STANDARDS

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Certificate of Analysis includes lot specific trace metal impurity analysis.


Custom cyanide standards are available upon request.

1,000 µg/mL

ANALYTE	μg/mL	MATRIX	VOLUME	CATALOG #
Copper, Cu	1,000	NaCN	125 mL 500 mL	AACUCN-125ML AACUCN-500ML
Gold, Au	1,000	NaCN	125 mL 500 mL	AAAUCN-125ML AAAUCN-500ML
Silver, Ag	1,000	NaCN	125 mL 500 mL	AAAGCN-125ML AAAGCN-500ML
Zinc, Zn	1,000	NaCN	125 mL 500 mL	AAZNCN-125ML AAZNCN-500ML

Inorganic Ventures is not affiliated with the companies and brands referenced on the following pages (other than Inorganic Ventures), and their names and marks are owned by the respective company and/or brand. The names appear solely for the purpose of permitting cross-referencing and comparison of products and standards.

Cross-Reference Table Symbols



MULTI-ELEMENT STANDARDS

Products in bold are **near identical** formulations due to small differences in matrix percentages or additional elements.

Agilent/Varian (AV)				
Agilent/Varian#	Inorganic Ventures#	Page		
5183-4681	IV-STOCK-53	p.43		
5183-4688	IV-STOCK-50	p.43		
5184-3566	IV-11304	Custom		
5185-5959	IV-STOCK-74	p.44		
5185-5959	IV-19645	Custom		
5188-6524	IV-STOCK-51	p.43		
5188-6525	IV-STOCK-75	p.44		
5188-6564	AGI-TS-1	p.49		
5190-0465	IV-37576	Custom		
5190-7001	IV-ACID-BLANK	p.108		
8500-6940	IV-STOCK-27	p.41		
8500-6944	IV-STOCK-26	p.41		
8500-6948	IV-STOCK-28	p.42		
6610030000	IV-STOCK-24	p.41		
6610030100	IV-8628	Custom		
6610030400	VAR-IS-1	p.52		
6610030500	VAR-CAL-1	p.51		
6610030600	VAR-CAL-2	p.51		
6610030700	IV-STOCK-33	p.42		
ICM-240A	WW-IPC-1	p.71		

HORIBA Jobin Yvon 🐠				
Jobin Yvon#	Inorganic Ventures#	Page		
JYICP-MIX23	IV-STOCK-4	p.38		
JYICP-MIXMAJ	IV-STOCK-34	p.42		

Merck/MilliporeSigma 🚺				
Merck#	Inorganic Ventures#	Page		
109410	IV-STOCK-23	p.41		
109411	IV-STOCK-24	p.41		
109480	IV-STOCK-13	p.39		
109481	IV-STOCK-14	p.40		
109492	IV-STOCK-8	p.39		
109493	IV-STOCK-10	p.39		
109494	IV-STOCK-9	p.39		
109495	IV-STOCK-17	p.40		
109498	IV-STOCK-21	p.40		
109500	IV-STOCK-18	p.40		
110322	IV-STOCK-7	p.39		
110714	IV-STOCK-5	p.38		

NIST Multi-Element Standards 🕦				
NIST#	Inorganic Ventures#	Page		
SRM1643f	IV-STOCK-1643	p.49		

Thermo Scientific 🕕				
Thermo Scientific#	Inorganic Ventures#	Page		
1323760	THERMO-5A	p.50		
1323770	THERMO-4AREV	p.50		
ZG22950	TUNE F-X-SERIES	p.51		
BRE0009578	IV-45981	Custom		
4301 228 21401	IV-STOCK-31	p.42		

Products in bold are **near identical** formulations due to small differences in matrix percentages or additional elements.

	Perkin Elmer	PE
Perkin Elmer#	Inorganic Ventures#	Page
N0582152	IV-32705	Custom
N0681470	IV-STOCK-14	p.40
N8125032	IV-STOCK-22	p.41
N8145051	IV-STOCK-77	p.44
N8145059	IV-18218	Custom
N9300208	IV-STOCK-54	p.43
N9300218	IV-STOCK-34	p.42
N9300231	IV-STOCK-30	p.42
N9300232	IV-STOCK-26	p.41
N9300234	IV-STOCK-28	p.42
N9300233	IV-STOCK-21 & MSHGN-10PPM	p.40 p.55
N9300235	IV-STOCK-29	p.42
N9301720	IV-STOCK-21	p.40
N9301721	IV-14208	Custom
N9302946	IV-STOCK-55	p.44
N9303818	IV-STOCK-35	p.42
N9303821	PE-CHK-1	p.49
N9303832	IV-STOCK-53	p.43
N9303843	PE-TS-1	p.50
N9303941	IV-19762	Custom
N9307113	IV-25755	Custom
N9307114	IV-18652	Custom
N9307116	IV-18653	Custom

Spectro S			
Spectro# Inorganic Page Ventures#			
USA00875	CIROS-OES-TS	p.49	
USA00888	GENESIS-ICAL	p.49	

Common Multi-Element Standards 🕒		
Inorganic Ventures#	Page	
IV-STOCK-2	p.38	
IV-STOCK-3	p.38	
IV-STOCK-31	p.42	
IV-STOCK-36	p.43	
IV-STOCK-56	p.44	
IV-STOCK-57	p.44	
IV-STOCK-58	p.44	
THM-TS-1	p.50	

USP Method <232> 🕕			
Inorganic Ventures#	Page		
IV-STOCK-38	p.53		
IV-STOCK-40	p.53		
IV-STOCK-41	p.53		
IV-STOCK-60	p.53		
IV-STOCK-65	p.53		
IV-STOCK-66	p.54		
IV-STOCK-67	p.54		
IV-STOCK-68	p.54		
IV-STOCK-69	p.54		
IV-STOCK-70	p.54		

IONS

Common Multi-Ion Standards 🕕			
Inorganic Ventures#	Page		
IC-FAS-1A	p.89		
IC-SCS1	p.89		
IV-STOCK-7	p.39, 89		
IV-STOCK-59	p.89		

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

ICP Calibration Standard				
IV-STOCK-2 (F) Matrix: HNO ₃			c: HNO ₃	
IV-STOCK-2-125ML IV-STOCK-2-500ML		Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ca	10,000	Mg	10,000	
K	10,000	Na	10,000	

ICP Calibration Standard				
IV-STOCK-3 (C) Matrix: HNO ₃				
IV-STOCK-3-125ML IV-STOCK-3-500ML		Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ca	1,000	Mg	1,000	
K	1,000	Na	1,000	

ICP Calibration Standard				
IV-STOCK-4		Matrix: HNO ₃		
IV-STOCK-4-125ML IV-STOCK-4-500ML		Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ag	1,000	In	1,000	
Al	1,000	K	1,000	
В	1,000	Li	1,000	
Ва	1,000	Mg	1,000	
Bi	1,000	Mn	1,000	
Ca	1,000	Na	1,000	
Cd	1,000	Ni	1,000	
Co	1,000	Pb	1,000	
Cr	1,000	Sr	1,000	
Cu	1,000	TI	1,000	
Fe	1,000	Zn	1,000	
Ga	1,000			

	Common Multi-Element Standards
C G	Common Munti Element Standards

IY HORIBA Jobin Yvon

M	Merck/MilliporeSigma
---	----------------------

Wavelength Calibration Standard				
IV-STOCK-	5 M	Matrix:	HCI / HF	
IV-STOCK-	5-125ML	Volume:	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Al	20	Mg	1	
As	20	Mn	1	
В	2	Na	20	
Ва	2	Ni	5	
Ве	1	P	10	
Ca	10	Pb	20	
Cd	2	Sc	1	
Cr	2	Se	20	
Cu	2	Sr	1	
Fe	2	Те	20	
Hg	5	Ti	2	
K	100	Y	1	
Li	2	Zn	2	

ICP Calibration Standard				
IV-STOCK-	IV-STOCK-6		Matrix: HNO ₃	
IV-STOCK-	6-125ML	Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ag	10	Li	10	
Al	10	Mg	10	
As	100	Mn	10	
В	100	Мо	10	
Ba	10	Na	10	
Be	100	Ni	10	
Bi	10	Pb	10	
Ca	1,000	Rb	10	
Cd	10	Se	100	
Co	10	Sr	10	
Cr	10	Te	10	
Cu	10	TI	10	
Fe	100	U	10	
Ga	10	V	10	
K	10	Zn	100	

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

Cation Calibration Standard				
IV-STOCK-7 M 1 Matrix: HNO ₃			c: HNO ₃	
IV-STOCK-				
Analyte	μg/mL	Analyte	μg/mL	
Ba ⁺²	100	Mn+2	100	
Ca ⁺²	100	Na⁺	100	
K ⁺	100	NH ₄ ⁺	100	
Li*	100	Sr ⁺²	100	
Mg ⁺²	100			

ICP Calibration Standard			
IV-STOCK-8		Matrix: HNO ₃	
IV-STOCK-8-125ML IV-STOCK-8-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Al	100	K	100
В	100	Li	100
Ва	100	Mg	100
Ве	100	Mn	100
Bi	100	Na	100
Ca	100	Ni	100
Cd	100	Pb	100
Co	100	Se	100
Cr	100	Sr	100
Cu	100	Te	100
Fe	100	TI	100
Ga	100	Zn	100

ICP Calibration Standard – Toxic Elements			
IV-STOCK-9 Matrix: HNO ₃		c: HNO ₃	
IV-STOCK-9-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte µg/mL	
As	100	Pb	100
Ве	100	Se	100
Cd	100	TI	100
Ni	100		

Common Multi-Ion Standards

M	Merck/MilliporeSigma
---	----------------------

ICP Calibration Standard – Surface Water			
IV-STOCK-10		Matrix: HNO ₃	
IV-STOCK-10-125ML		Volume:	125 mL
Analyte	μg/L*	Analyte	μg/L*
As	50	Mg	15,000
В	100	Mn	30
Ba	50	Мо	100
Ве	20	Na	8,000
Bi	10	Ni	50
Ca	35,000	Pb	25
Cd	20	Se	10
Co	25	Sr	100
Cr	20	TI	10
Cu	20	V	50
Fe	100	Zn	50
K	3,000	*Parts per billi	on

ICP-MS Calibration Standard			
IV-STOCK-12 Matrix: HNO ₃		κ: HNO ₃	
IV-STOCK-	12-125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte µg/ml	
Ba	10	In	10
Ве	10	Li	10
Bi	10	Ni	10
Ce	10	Pb	10
Co	10	U	10

ICP Calib	ICP Calibration Standard – Trace Metals			
IV-STOCK-	IV-STOCK-13		Matrix: HNO ₃	
IV-STOCK-13-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Al	500	Fe	100	
As	100	Mn	100	
Ве	100	Ni	100	
Cd	25	Pb	100	
Co	100	Se	25	
Cr	100	V	250	
Cu	100	Zn	100	

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

Wavelength Calibration Standard				
IV-STOCK-14 M PE		Matrix: HCl / HNO ₃ / HF		
IV-STOCK-	IV-STOCK-14-500ML		Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL	
As	20	Na	20	
K	100	Ni	20	
La	20	P	100	
Li	20	S	100	
Mn	20	Sc	20	
Мо	20			

ICP-MS Calibration Standard			
IV-STOCK-15 Matrix: HNO ₃			c: HNO ₃
IV-STOCK-15-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte µg/mL	
Ca	10	Li	10
Fe	10	Na 10	
K	10		

ICP Calibration Standard - Alkaline Earth Element			
IV-STOCK-16 Matrix: HNO ₃			
IV-STOCK-16-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ba	1,000	Mg 1,000	
Ca	1,000	Sr	1,000

ICP Calibration Standard – HCI Soluble Elements			
IV-STOCK-17		Matrix: HCI/HNO ₃ /HF	
IV-STOCK-17-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Hf	100	Ta	100
lr	100	Ti	100
Sb	100	Zr	100
Sn	100		

GFAA Calibration Standard			
IV-STOCK-18 M		Matrix: HNO ₃	
IV-STOCK-	18-125ML	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Cu	50
Al	100	Fe	20
As	100	Mn	20
Ba	50	Ni	50
Ве	5	Pb	100
Cd	5	Sb	100
Co	50	Se	100
Cr	20	TI	100

ICP Calibration Standard				
IV-STOCK-	IV-STOCK-21 M		Matrix: HNO ₃	
IV-STOCK-21-125ML IV-STOCK-21-500ML		Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ag	10	K	10	
Al	10	Li	10	
As	10	Mg	10	
Ba	10	Mn	10	
Ве	10	Na	10	
Bi	10	Ni	10	
Ca	10	Pb	10	
Cd	10	Rb	10	
Co	10	Se	10	
Cr	10	Sr	10	
Cs	10	TI	10	
Cu	10	U	10	
Fe	10	V	10	
Ga	10	Zn	10	
In	10		•	



Merck/MilliporeSigma



Perkin Elmer

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

ICP Calibration Standard			
IV-STOCK-22 PE Matrix: HNO ₃			
IV-STOCK-22-125ML Volume: 125 mL		125 mL	
Analyte	μg/L*	Analyte	μg/L*
Cd	200	Pb	200
Cu	200	Rh	200
Mg	200	*Parts per billion	

ICP Calibration Standard				
IV-STOCK-	23 M	Matrix: HNO ₃		
IV-STOCK-	23-500ML	Volume: 500 mL		
Analyte	μg/L*	Analyte	μg/L*	
В	1	Lu	1	
Ва	1	Na	1	
Co	1	Rh	1	
Fe	1	Sc	1	
Ga	1	TI	1	
In	1	U	1	
K	1	Y	1	
Li	1	*Parts per billion		

Tuning Solution			
IV-STOCK-24 (N) (M) Matrix: HNO ₃			c: HNO ₃
IV-STOCK-		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Al	50	Mn	50
As	50	Мо	50
Ba	50	Ni	50
Cd	50	Pb	50
Co	50	Se	50
Cr	50	Sr	50
Cu	50	Zn	50
K	500		

I	ICP Calibration Standard			
IV-STOCK-26 (AV) (PE) Matrix: HNO ₃			κ: HNO ₃	
IV-STOCK-	IV-STOCK-26-125ML		125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Се	10	Pr	10	
Dy	10	Sc	10	
Er	10	Sm	10	
Eu	10	Tb	10	
Gd	10	Th	10	
Но	10	Tm	10	
La	10	Υ	10	
Lu	10	Yb	10	
Nd	10			

ICP Calibration Standard			
IV-STOCK-			
IV-STOCK-	IV-STOCK-27-125ML		125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Li	10
Al	10	Mg	10
As	10	Mn	10
Ва	10	Na	10
Ве	10	Ni	10
Ca	10	Pb	10
Cd	10	Rb	10
Co	10	Se	10
Cr	10	Sr	10
Cs	10	TI	10
Cu	10	U	10
Fe	10	V	10
Ga	10	Zn	10
K	10		



Agilent/Varian



Merck/MilliporeSigma



Perkin Elmer

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

ICP Calibration Standard			
IV-STOCK-28 (AV) (PE) Matrix: HCI / HNO ₃			
IV-STOCK-	28-125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Au	10	Rh	10
Hf	10	Ru	10
lr	10	Sb	10
Pd	10	Sn	10
Pt	10	Te	10

ICP Calibration Standard				
IV-STOCK-	OCK-29 PE Matrix: HNO ₃ / HF		HNO ₃ / HF	
IV-STOCK-	IV-STOCK-29-125ML		125 mL	
Analyte	μg/mL	Analyte	μg/mL	
В	10	S	10	
Ge	10	Si	10	
Мо	10	Та	10	
Nb	10	Ti	10	
P	10	W	10	
Re	10	Zr	10	

ICP Calibration Standard				
IV-STOCK-30 PE Matrix: HNO ₃				
IV-STOCK-30-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ве	10	Mg	10	
Bi	10	Ni	10	
Се	10	Pb	10	
Co	10	U	10	
In	10			

AV	Agilent/Varian
W.	rightent, varian

Common Multi-Element Standards

HORIBA Jobin Yvon

PE Perkin Elmer

I	ICP Calibration Standard			
IV-STOCK-31			c: HNO ₃	
IV-STOCK-	31-125ML	-125ML Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Al	1	Mg	0.2	
Ba	0.2	Mn	1	
Ca	0.2	Ni	5	
Cu	1	P	10	
K	5	Zn	0.2	

Calibration Standard – Mix Majors				
IV-STOCK-33 (Natrix: HNO ₃				
	IV-STOCK-33-125ML IV-STOCK-33-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ca	500	Mg	500	
Fe	500	Na	500	
K	500			

ICP Calibration Standard				
IV-STOCK-34 PE JY Matrix: HNO ₃				
	V-STOCK-34-125ML V-STOCK-34-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ca	5,000	Mg	5,000	
K	5,000	Na	5,000	

ICP Calibration Standard				
IV-STOCK-35 Patrix: HNO ₃				
IV-STOCK-35-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ca	1,000	Mg	1,000	
Fe	1,000	Na	1,000	
K	1.000			

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

ICP Calibration Standard				
IV-STOCK-36 (F) Matrix: HCl			ix: HCl	
IV-STOCK-		Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL	Analyte	μg/mL	
Au	100	Pt	100	
Pd	100			

Environmental Calibration Standard			
IV-STOCK-	50 AV	Matrix: HNO ₃ / HF	
IV-STOCK-	50-125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Mn	10
Al	10	Мо	10
As	10	Na	1000
Ва	10	Ni	10
Ве	10	Pb	10
Ca	1,000	Sb	10
Cd	10	Se	10
Co	10	Th	10
Cr	10	TI	10
Cu	10	U	10
Fe	1,000	V	10
K	1000	Zn	10
Mg	1000		

Internal Standard				
IV-STOCK-53 (AV) PE Matrix: HNO ₃ / HF				
IV-STOCK-	IV-STOCK-53-125ML		: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Bi	10	Sc	10	
Ge	10	Tb	10	
In	10	Υ	10	
⁶ Li	10			

AV

Agilent/Varian

C

Common Multi-Element Standards

PB

Perkin Elmer

7500 Series PA Tuning Solution 1 (commonly used with IV-Stock-52)				
IV-STOCK-	51 AV	Matrix: HNO ₃		
IV-STOCK-	51-125ML	Volume:	125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Al	5	Mn	5	
As	20	Na	5	
Ba	5	Ni	10	
Ве	20	Pb	10	
Bi	5	Sc	5	
Cd	20	Sr	5	
Co	5	Th	5	
Cr	5	TI	5	
Cu	5	U	5	
In	5	V	5	
⁶ Li	5	Υ	2.5	
Lu	5	Yb	2.5	
Mg	10	Zn	20	

7500 Series PA Tuning Solution 2 (commonly used with IV-Stock-51)				
IV-STOCK-52 Matrix: HCI				
IV-STOCK-52-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ge	10	Ru	10	
lr	5	Sb	10	
Мо	10	Sn	10	
Pd	10	Ti	5	

Interference Check Standard				
IV-STOCK-54 PE Matrix: HNO ₃				
IV-STOCK-54-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Al	1200	Mg	3000	
Ca	6000	Na	1000	
Fe	5000		•	

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

Wavecal Standard				
IV-STOCK-55 PB Matrix: HNO ₃				
IV-STOCK-55-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ba	1	Li	10	
Ca	1	Mn	10	
K	50	Na	10	
La	10	Sr	10	

ICP Calibration Standard				
IV-STOCK-56				
IV-STOCK-56-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Мо	100	Sn	100	
Sb	100	Ti	100	
Si	100			

ICP Calibration Standard				
IV-STOCK-57 (P) Matrix: HNO ₃ / HF				
IV-STOCK-57-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Мо	10	Sn	10	
Sb	10	Ti	10	

ICP Calibration Standard				
IV-STOCK-58 G Matrix: HCl			ix: HCl	
IV-STOCK-	TOCK-58-125ML Volume: 125 mL		125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Au	100	Pt	100	
lr	100	Re	100	
0s	100	Rh	100	
Pd	100	Ru	100	

A۱	Agilent/Variar
ΑV	Aylielit/ valial

Common Multi-Element Standards

P	Perkin	Elmer
---	--------	-------

ICP-MS Tuning Solution				
IV-STOCK-74 (AV) Matrix: HNO ₃				
IV-STOCK-	74-500ML	Volume:	500 mL	
Analyte	μg/L*	Analyte	μg/L*	
Ce	1	Mg	1	
Co	1	TI	1	
Li	1	Y	1	

*Parts per billion

ICP-MS Internal Standard				
IV-STOCK-75 (Natrix: HNO ₃ / HF				
IV-STOCK-75-125ML		Volume:	125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Bi	100	Lu	100	
Ge	100	Rh	100	
ln	100	Sc	100	
⁶ Li	100	Tb	100	

I	ICP-MS Tuning Solution			
IV-STOCK-	77	Matrix	c: HNO ₃	
IV-STOCK-	IV-STOCK-77-500ML Volume: 500 mL			
Analyte	μg/L*	Analyte	μg/L*	
Ве	1	Li	1	
Ce	1	Mg	1	
Fe	1	Pb	1	
In	1	U	1	

*Parts per billion

These elements are grouped for ease of use. Intended for ICP-MS and ICP-OES, they can be used individually or in any combination upon dilution into 1% HNO₃. Custom ICP-MS/OES calibration standards are available upon request.

65-Element Group

Rare Earth ICP-MS Standard				
CMS-1	C	Matrix: HNO ₃		
CMS-1-125	ML	Volume:	125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ce	10	Pr	10	
Dy	10	Sc	10	
Er	10	Sm	10	
Eu	10	Tb	10	
Gd	10	Th	10	
Но	10	Tm	10	
La	10	U	10	
Lu	10	Υ	10	
Nd	10	Yb	10	

For ICP analysis of all rare earth elements plus U and Th.

Precious Metals ICP-MS Standard				
CMS-2		Matr	ix: HCl	
			125 mL 500 mL	
Analyte	μg/mL	Analyte	μg/mL	
Au	10	Re	10	
lr	10	Rh 10		
Pd	10	Ru	10	
Pt	10	Te	10	

For ICP analysis of precious metals plus Re and Te.

Fluoride Soluble ICP-MS Standard			
CMS-3		Matrix:	HNO ₃ /HF
CMS-3-125	ML	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Ge	10	Та	10
Hf	10	Ti	10
Мо	10	W	10
Nb	10	Zr	10
Sn	10		

For ICP analysis of elements that tolerate or require HF for stability

Hot Plasma ICP-MS Complete Standard			
CMS-4	C	Matrix	c: HNO ₃
CMS-4-125 CMS-4-500		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
As	10	In	10
В	10	Pb	10
Ba	10	Sb	10
Ве	10	Se	10
Bi	10	TI	10
Cd	10	V	10
Ga	10		

For direct use in ICP analysis or as stock concentrate.

Cool Plasma ICP-MS Complete Standard			
CMS-5	C	Matrix	k: HNO ₃
CMS-5-125ML CMS-5-500ML			125 mL 500 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Li	10
Al	10	Mg	10
Ca	10	Mn	10
Co	10	Na	10
Cr	10	Ni	10
Cs	10	Rb	10
Cu	10	Sr	10
Fe	10	Zn	10
K	10		

For direct use in ICP analysis or as stock concentrate.

(F) Common Multi-Element Standard

These elements are grouped for ease of use. Intended for ICP-MS and ICP-OES, they can be used individually or in any combination upon dilution into 1% HNO₃. Custom ICP-MS/OES calibration standards are available upon request.

69-Element Group

Rare Earth ICP-MS Standard			
CCS-1	C	Matrix: HNO ₃	
CCS-1-125ML CCS-1-500ML			125 mL 500 mL
Analyte	μg/mL	Analyte	μg/mL
Ce	100	Pr	100
Dy	100	Sc	100
Er	100	Sm	100
Eu	100	Tb	100
Gd	100	Th	100
Но	100	Tm	100
La	100	U	100
Lu	100	Υ	100
Nd	100	Yb	100

For ICP analysis of all rare earth elements plus U and Th. Uranium is isotopically depleted. Can be diluted with CCS-4 and CCS-6 to working concentrations.

Precious Metals ICP-MS Standard				
CCS-2	Matrix: HCl			
CCS-2-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Au	100	Pt	100	
lr	100	Rh	100	
Pd	100	Ru	100	

For simultaneous ICP analysis of precious metals. Can be diluted with CCS-1 or CCS-5 to working concentrations. For dilution with CCS-6 please see Silver Chemical Stability article for more information about Ag stability in HCI.

Alkali, Alkaline, Non-Transition ICP-MS Standard			
CCS-4	C	Matrix: HNO ₃	
CCS-4-125ML CCS-4-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Al	100	In	100
As	100	K	100
Ba	100	Li	100
Ве	100	Mg	100
Bi	100	Na	100
Ca	100	Rb	100
Cs	100	Se	100
Ga	100	Sr	100

For use as stock concentrate for ICP analysis. Can be diluted with CCS-1 and CCS-6 to working concentrations.

Fluoride Soluble ICP-MS Standard			ndard
CCS-5	C	Matrix: HNO ₃ /HF	
CCS-5-125ML CCS-5-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
В	100	Sb	100
Ge	100	Si	100
Hf	100	Sn	100
Мо	100	Ta	100
Nb	100	Ti	100
P	100	W	100
Re	100	Zr	100
S	100		·

For ICP analysis of elements that tolerate or require HF for stability. Can be diluted with CCS-2 and CCS-6 to working concentrations. Can be diluted with CCS-4 to lower working concentrations (<10 ppm recommended).

C

Common Multi-Element Standard

These elements are grouped for ease of use. Intended for ICP-MS and ICP-OES, they can be used individually or in any combination upon dilution into 1% HNO₃. Custom ICP-MS/OES calibration standards are available upon request.

69-Element Group

Transition ICP-MS Standard			
CCS-6	C	Matrix: HNO ₃	
CCS-6-125ML CCS-6-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	100	Mn	100
Cd	100	Ni	100
Co	100	Pb	100
Cr	100	TI	100
Cu	100	V	100
Fe	100	Zn	100
Hg	100		

For use as stock concentrate for ICP analysis. Can be diluted with CCS-1 and CCS-4 to working concentrations. Contains mercury (Hg); please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

ICP-MS Refractory Elements Standard			
IV-ICPMS-7	71B <u>(</u>	Matrix: HNO ₃ / HF	
IV-ICPMS-71B-125ML IV-ICPMS-71B-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ge	10	Sn	10
Hf	10	Та	10
Мо	10	Те	10
Nb	10	Ti	10
Sb	10	W	10
Si	10	Zr	10

Can be diluted to working concentrations without additional HF for stability.

71-Element Group

ICP-MS Complete Standard			
IV-ICPMS-71A			
IV-ICPMS-71A-125ML IV-ICPMS-71A-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Lu	10
Al	10	Mg	10
As	10	Mn	10
В	10	Na	10
Ba	10	Nd	10
Ве	10	Ni	10
Ca	10	P	10
Cd	10	Pb	10
Ce	10	Pr	10
Co	10	Rb	10
Cr	10	S	10
Cs	10	Se	10
Cu	10	Sm	10
Dy	10	Sr	10
Er	10	Th	10
Eu	10	TI	10
Fe	10	Tm	10
Ga	10	U	10
Gd	10	V	10
Но	10	Yb	10
K	10	Zn	10
La	10		

Uranium is isotopically depleted. Can be diluted with other multi-element standards to working concentrations.

C

Common Multi-Element Standard

These elements are grouped for ease of use. Intended for ICP-MS and ICP-OES, they can be used individually or in any combination upon dilution into 1% HNO₃. Custom ICP-MS/OES calibration standards are available upon request.

71-Element Group

ICP-MS Precious Metals Standard			
IV-ICPMS-71C ()		Matrix: HCl	
IV-ICPMS-71C-125ML IV-ICPMS-71C-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Au	10	Pt	10
lr	10	Re	10
0s	10	Rh	10
Pd	10	Ru	10

Contains osmium (Os); avoid dilutions with oxidizing acids such as concentrated HNO3. For dilutions including Ag please see Silver Chemical Stability article for more information about Ag stability in HCI.

ICP-MS Internal Standard			
IV-ICPMS-71D () Matrix: HNO ₃			c: HNO ₃
IV-ICPMS-71D-125ML IV-ICPMS-71D-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte µg/mL	
Bi	10	Sc	10
In	10	Tb	10
⁶ Li	10	Υ	10

Covers mass range from 6-Li to 209-Bi. Certified reference material that may also be used for calibration. Can be diluted with other multi-element standards to working concentrations.

Lithium ICP-MS Standard			
MSLI-10PPM (F) Matrix: HNO ₃			
MSLI-10PPM-125ML Volume: 125 mL			
Analyte	μg/mL		
Li	10		

Mercury ICP-MS Standard			
MSHG-10PPM (F) Matrix: HCl			
MSHG-10PPM-125ML Volume: 125 mL Volume: 500 mL			
Analyte	μg/mL		
Hg 10			

Tellurium ICP-MS Standard		
MSTEN-100PPM (F) Matrix: HNO ₃		
MSTEN-100PPM-125ML Volume: 125 mL		
Analyte	μg/mL	
Te	100	

(C)

Common Multi-Element Standard

AGI Tuning Solution			
AGI-TS-1		Matrix: HNO ₃	
AGI-TS-1-125ML AGI-TS-1-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ce	10	TI	10
Co	10	Υ	10
Li	10		

ICP-MS stock tuning solution designed for dilution to working concentrations. Covers mass range from Li to Tl. Certified reference material that may also be used for calibration. Agilent P/N 5188-6564.

CIROS Tuning Solution				
CIROS-OES-TS S Matrix: HCI / HNO ₃			ICI / HNO ₃	
CIROS-OES-TS-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Fe	10	P	10	
K	10	S	50	
La	10	Sc	10	
Mg	5	Ti	10	
Mn	5			

For reprofiling optics of Spectro Ciros ICP-OES.

GENESIS Calibration Standard				
GENESIS-IC	GENESIS-ICAL S		Matrix: HNO ₃ / HCl / HF	
GENESIS-ICAL-125ML GENESIS-ICAL-500ML		Volume: Volume:		
Analyte	μg/mL	Analyte	μg/mL	
Ве	2	Na	5	
Ca	1	Ni	10	
Ce	10	P	10	
Cu	10	S	50	
Eu	10	Sc	5	
Fe	10	Si	10	
In	10	Sr	2	
K	10	Ti	10	
Li	2	V	10	
Mn	5	Υ	10	
Мо	5	Zr	10	

For reprofiling optics of Spectro Ciros ICP-OES.

Trace	Trace Metals in Water- SRM1643			
IV-STOCK-	1643 N	Matrix	c: HNO ₃	
	IV-STOCK-1643-125ML IV-STOCK-1643-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/L*	Analyte	μg/L*	
Ag	1	Mg	8,000	
Al	142	Mn	39	
As	60	Мо	121	
В	158	Na	21,000	
Ва	544	Ni	62	
Ве	14	Pb	20	
Bi	14	Rb	14	
Ca	32,000	Re	113	
Cd	7	Sb	58	
Co	27	Se	12	
Cr	20	Sr	323	
Cu	23	Te	1	
Fe	98	TI	7	
K	2,000	V	38	
Li	17	Zn	79	

^{*}Parts per billion

For quality control and method evaluation of fresh water trace element analyses. Ready to use without dilution.

Instrument Check Standard			
PE-CHK-1	PE	Matrix: HNO ₃ / HF	
PE-CHK-1-	125ML	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Mn	10
Al	10	Ni	10
As	10	Pb	10
Ва	10	Sb	10
Ве	10	Se	10
Cd	10	TI	10
Co	10	V	10
Cr	10	Zn	10
Cu	10		

For daily instrument calibration.



Agilent/Varian



Perkin Elmer



NIST



Spectro

Tuning Solution			
PE-TS-1	PE	Matrix: HNO ₃	
PE-TS-1-12 PE-TS-1-50		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ba	10	Mg	10
Ве	10	Pb	10
Ce	10	Rh	10
Co	10	TI	10
In	10	U	10
Li	10	Υ	10

For instrument set-up and calibration. Covers mass range from Li to U (isotopically depleted).

ICP-MS Tuning Solution – Tune B iCAP				
THERMO-4AREV			HNO ₃ /HCI	
THERMO-4AREV-500ML THERMO-4AREV-1L		Volume: 500 mL Volume: 1 L		
Analyte	μg/L*	Analyte	μg/L*	
Ba	1	In	1	
Bi	1	Li	1	
Ce	1	U	1	
Co	1	*Parts per billion		

Tuning solution for Thermo iCAP Q ICP-MS. Equivalent to Thermo P/N 1323770.

ICP-MS Tuning Solution – iCAP Q				
THERMO-5	THERMO-5A		Matrix: HNO ₃	
THERMO-5A-125ML THERMO-5A-250ML		Volume: 125 mL Volume: 250 mL		
Analyte	μg/L*	Analyte	μg/L*	
Ag	6	Mg	10	
Al	10	Mn	6	
Ba	4	Ni	15	
Ве	35	Rh	3	
Bi	3	Sc	8	
Ce	3	Sr	5	
Co	8	Та	3	
Cs	3	Tb	3	
Cu	15	TI	4	
Ga	10	U	3	
Но	3	Υ	3	
In	3	Zn	20	
Li	8	*Parts per billion		

Calibration standard for Thermo iCAP Q ICP-MS. Equivalent to Thermo P/N 1323760.

Tuning Solution			
THM-TS-1	C	Matrix: HNO ₃	
THM-TS-1-	125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
В	10	Lu	10
Ва	10	Na	10
Co	10	Rh	10
Fe	10	Sc	10
Ga	10	Th	10
In	10	U	10
K	10	Y	10
Li	10		

A general tuning solution suitable for numerous ICP-MS designs and models.

Common Multi-Element Standard


Perkin Elmer

Thermo Scientific

		Tuning Sol	ution
TIINF F-Y-S	EDIES C		
TUNE F-X-SERIES (1)		Matrix: HNO ₃ /HF	
TUNE F-X-SERIES- 125ML		Volume: 125 mL	
Analyte	ng/mL*	Analyte	ng/mL*
Ag	40	Na	40
Al	50	Nb	20
As	250	Nd	45
В	200	Ni	150
Ва	50	Р	1000
Ве	500	Pb	10
Bi	5	Pd	100
Ca	1000	Pr	10
Cd	100	Rb	30
Се	10	Re	15
Co	35	Sb	40
Cr	40	Sc	30
Cs	15	Se	1250
Cu	150	Si	1000
Dy	25	Sm	45
Er	15	Sn	45
Eu	10	Sr	20
Fe	20	Ta	5
Ga	45	Tb	5
Gd	45	Te	500
Ge	150	Th	5
Hf	15	Ti	500
Но	5	TI	10
In	10	Tm	5
K	35	U	5
La	10	V	40
Li	100	W	25
Lu	5	Υ	15
Mg	50	Yb	25
Mn	20	Zn	150
Мо	100	Zr	35

*Parts per billion

For detector cross-calibration on Thermo X-Series ICP-MS.



Calibration Standard			
VAR-CAL-1 (AV) Matrix: HNO ₃ / HF			HNO ₃ / HF
VAR-CAL-1-125ML VAR-CAL-1-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Мо	100	Sn	100
Sb	100	Ti	100

General ICP-OES calibration standard. Designed to be mixed with VAR-CAL-2 at working concentrations.

Calibration Standard			
VAR-CAL-2	AV	Matrix: HNO ₃	
VAR-CAL-2	-125ML	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	100	Mn	100
Al	100	Ni	100
As	100	Pb	100
Ba	100	Se	100
Be	100	Th	100
Cd	100	TI	100
Co	100	U	100
Cr	100	V	100
Cu	100	Zn	100

General ICP-OES calibration standard. Designed to be mixed with VAR-CAL-1 at working concentrations.

Calibration Standard			
VAR-CAL-7	AV	Matrix: HNO ₃ /HF	
	VAR-CAL-7-125ML VAR-CAL-7-500ML		125 mL 500 mL
Analyte	μg/mL	Analyte	μg/mL
Al	5	Mn	5
As	5	Мо	5
Ba	5	Ni	5
Cd	5	Pb	5
Co	5	Se	5
Cr	5	Sr	5
Cu	5	Zn	5
K	50		

ICP-0ES calibration standard.

Multi-Element Standards

MULTI-ELEMENT STANDARDS

Identical or near identical formulations

ICP Internal Standard				
VAR-IS-1 Matrix: HNO ₃				
VAR-IS-1-1	VAR-IS-1-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Bi	100	Sc	100	
ln	100	Tb	100	
⁶ Li	100	Υ	100	

For use as ICP-MS multi-element internal standard. Covers mass range from 6-Li to 209-Bi

	Tuning Solution				
VAR-TS-MS	s AV	Matrix: HNO ₃			
VAR-TS-MS-125ML		Volume: 125 mL			
Analyte	μg/mL	Analyte	μg/mL		
Ba	10	Mg	10		
Ве	10	Pb	10		
Се	10	Th	10		
Co	10	TI	10		
In	10				

For use as ICP-MS tuning solution. Covers mass range from 9-Be to 232-Th. Certified reference material that may also be used for calibration.

AV) Agi
w	

Agilent/Varian

HIGH-PURITY IONIZATION BUFFERS

Ionization buffers are 99.999+% pure. They are analyzed using both axial-view ICP-0ES and ICP-MS for 70+ impurities. Custom ionization buffers are available upon request.

1% Cesium Ionization Buffer			
CSN-ISB Matrix: HNO ₃			
CSN-ISB-500ML Volume: 500 mL			
Analyte μg/mL			
Cs 10,000			
High Purity buffer; ideal for Axial View ICP-OES			

For stabilizing the degree of ionization in flame AA and ICP-OES analysis.

5% Cesium Ionization Buffer			
CSN-ISB5 Matrix: HNO ₃			
CSN-ISB5-500ML Volume: 500 mL			
Analyte μg/mL			
Cs 50,000			

2% Lithium Ionization Buffer			
LINB2 Matrix: HNO ₃			
LINB2-125ML Volume: 125 mL			
Analyte μg/mL			
Li 20,000			

For stabilizing the degree of ionization in flame AA and ICP-OES analysis. Not to be used as a calibration standard, for analytical reagent use only.

Manufactured with high-purity starting materials and reagents. Products can be used for calibration of analytical instruments, validation of analytical methods, or for other applications deemed fit for purpose by the end-user. Can be diluted with other multi-element standards to working concentrations. Certificate of Analysis includes lot specific trace metal impurity analysis.

For the pharmaceutical industry, Inorganic Ventures has developed CRMs to comply with the United States Pharmacopeia (USP) general chapters on elemental impurity USP <232> limits and USP <233> procedures.

These methods are for testing inorganic impurities in pharmaceutical products by ICP. The International Conference on Harmonization (ICH) Working Group on Elemental Impurities is in the process of developing a harmonized approach for controlling these impurities as well.

USP <232> Precious Metals Elemental Impurities				
IV-STOCK-38 U Matrix: HCl				
IV-STOCK-38-125ML Volume: 125 mL			125 mL	
Analyte	μg/mL	Analyte	μg/mL	
lr	100	Pt	100	
0s	100	Rh	100	
Pd	100	Ru	100	

USP <232> Oral Elemental Impurities			
IV-STOCK-40 U Matrix: HNO ₃			c: HNO ₃
IV-STOCK-40-125ML Volume: 125 mL			125 mL
Analyte	μg/mL	Analyte	μg/mL
As	1.5	Мо	100
Cd	25	Ni	500
Cu	1000	Pb	5
Hg	15	V	100

USP <232> Parenteral Elemental Impurities				
IV-STOCK-41 U Matrix: HNO ₃			c: HNO ₃	
IV-STOCK-	41-125ML	Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
As	1.5	Мо	10	
Cd	2.5	Ni	50	
Cu	100	Pb	5	
Hg	1.5	V	10	

USP <232> Drug Substance and Excipients			
IV-STOCK-60		Matrix: HCl	
IV-STOCK-60-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
As	1.5	0s	10
Cd	0.5	Pb	0.5
Cr	1100	Pd	10
Cu	300	Pt	10
Hg	3	Rh	10
İr	10	Ru	10
Мо	300	V	10
Ni	20		

USP <232> / ICH Q3D Class 1 Oral Elemental Impurities				
IV-STOCK-65 U Matrix: HNO ₃				
IV-STOCK-65-125ML		Volume: 125 mL		
Analyte μg/mL		Analyte	μg/mL	
As 15		Hg	30	
Cd	5	Pb	5	





0

USP Method <232>

USP <232> / ICH Q3D Class 2A Oral Elemental Impurities				
IV-STOCK-66 U Matrix: HNO ₃				
IV-STOCK-66-125ML Volume: 125 mL				
Analyte µg/mL		Analyte	μg/mL	
Co	50	V	100	
Ni	200			

USP <232> / ICH Q3D Class 2B Oral Elemental Impurities				
IV-STOCK-67				
IV-STOCK-67-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte µg/mL		
Au	100	Rh	100	
lr	100	Ru	100	
0s	100	Se	150	
Pd	100	TI	8	
Pt	100			

USP <232> / ICH Q3D Class 2B Oral Elemental Impurities			
IV-STOCK-68 U Matrix: HNO ₃			
IV-STOCK-68-125ML		Volume	: 125 mL
Analyte	μg/mL	Analyte μg/mL	
Ag*	150		

^{*} Silver has been separated from the other Class 2B elements due to long-term stability concerns. However, IV-STOCK-68 can be combined with IV-STOCK-67 at working levels. Contact Technical Support or visit our Technical Forum for more information regarding Ag in HCl matrices.

USP <232> / ICH Q3D Class 3 Oral Elemental Impurities			
IV-STOCK-69 U Matrix: HNO ₃ /tr HF			INO ₃ /tr HF
IV-STOCK-69-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte µg/mL	
Ba	140	Мо	300
Cr	1100	Sb 120	
Cu	300	Sn	600
Li	55		

USP Method <232>

	USP <232> / ICH Q3D Oral Elemental Impurities			
IV-STOCK-	70 U	Matrix: HCl		
IV-STOCK-	70-125ML	Volume	: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	15	Ni	20	
As	1.5	0s	10	
Au	10	Pb	0.5	
Ва	140	Pd	10	
Cd	0.5	Pt	10	
Co	5	Rh	10	
Cr	1100	Ru	10	
Cu	300	Sb	120	
Hg	3	Se	15	
lr	10	Sn	600	
Li	55	TI	0.8	
Мо	300	V	10	

Don't see exactly what you are looking for?

With the continuous USP <232> revisions over the years, you may require an older method or possibly a newer one. Contact us to find out the best USP method for your custom manufacturing needs.

Bringing Confidence to the Cannibis Industry

In an industry where regulations and testing requirements vary by state, put your trust in Inorganic Ventures. We aim to squash inter-laboratory variations in the Cannabis industry and make it easier for your lab to get accurate results time and time again.

We offer single and multi-element standards to ensure your final product is free of dangerous heavy metals that may arise from soil contamination in agricultural production or manufacturing processes.

- Extensive documentation: Certificate of Analysis (CoA) and Safety Data Sheet (SDS)
- TCT packaging prevents transpiration, guarantees up to a 5-year shelf life, and allows for storage outside of normal lab conditions.
- 100% satisfaction guarantee



10 μg/mL

ANALYTE	MATRIX	VOLUME	CATALOG #
Arsenic, As	HNO ₃	125 mL	MSAS-10PPM-125ML
Cadmium, Cd	HNO ₃	125 mL	MSCD-10PPM-125ML
Lead, Pb	HNO ₃	125 mL	MSPB-10PPM-125ML
Mercury, Hg	HCI	125 mL 500 mL	MSHG-10PPM-125ML MSHG-10PPM-500ML
Mercury, Hg	HNO ₃	125 mL 500 mL	MSHGN-10PPM-125ML MSHGN-10PPM-500ML

100 μg/mL

ANALYTE	MATRIX	VOLUME	CATALOG #
Arsenic, As	HNO ₃	125 mL	MSAS-100PPM-125ML
Cadmium, Cd	HNO ₃	125 mL	MSCD-100PPM-125ML
Lead, Pb	HNO ₃	125 mL 500 mL	MSPB-100PPM-125ML MSPB-100PPM-500ML
Mercury, Hg	HCI	125 mL	MSHG-100PPM-125ML
Mercury, Hg	HNO ₃	125 mL	MSHGN-100PPM-125ML

1,000 μg/mL

ANALYTE	MATRIX	VOLUME	CATALOG #
Arsenic, As	HNO ₃	30 mL 125 mL 500 mL	CGAS1-30ML CGAS1-125ML CGAS1-500ML
Arsenic+3, As+3	HCI / NaOH / NaHCO ₃	30 mL 125 mL 500 mL	CGAS(3)1-30ML CGAS(3)1-125ML CGAS(3)1-500ML
Arsenic ⁺⁵ , As ⁺⁵	$\rm H_2O$	30 mL 125 mL 500 mL	CGAS(5)1-30ML CGAS(5)1-125ML CGAS(5)1-500ML
Cadmium, Cd	HNO ₃	30 mL 125 mL 500 mL	CGCD1-30ML CGCD1-125ML CGCD1-500ML
Lead, Pb	HNO ₃	30 mL 125 mL 500 mL	CGPB1-30ML CGPB1-125ML CGPB1-500ML
Mercury, Hg	HNO ₃	30 mL 125 mL 500 mL	CGHG1-30ML CGHG1-125ML CGHG1-500ML

10,000 μg/mL

ANALYTE	MATRIX	VOLUME	CATALOG #
Arsenic, As	HNO_3	30 mL 125 mL 500 mL	CGAS10-30ML CGAS10-125ML CGAS10-500ML
Cadmium, Cd	HNO ₃	125 mL 500 mL	CGCD10-125ML CGCD10-500ML
Lead, Pb	HNO_3	30 mL 125 mL 500 mL	CGPB10-30ML CGPB10-125ML CGPB10-500ML
Mercury, Hg	HNO ₃	125 mL 500 mL	CGHG10-125ML CGHG10-500ML



Does your state require testing for elements in addition to the Big 4? Request a custom quote! As the leading manufacturer of custom inorganic standards, we've produced tens of thousands of unique custom blends for laboratories worldwide.

While our USP <232>/ICH Q3D stock products were formulated for the pharmaceutical industry, these products can be used to test heavy metals in cannabis. The Big 4 (Arsenic, Mercury, Cadmium, and Lead) are common analytes for cannabis testing.

USP <232> / ICH Q3D Class 1 Oral Elemental Impurities			
IV-STOCK-65-125ML Volume: 125 mL Matrix: HNO ₃			
Analyte	μg/mL	Analyte	μg/mL
As	15	Hg	30
Cd	5	Pb	5


The following are custom products. They are available to order, but not are not stock items.

Custom Heavy Metal Standard			
IV-6239 Matrix: HNO ₃			
Analyte	μg/mL	Analyte	μg/mL
As	15	Hg	3
Cd	2	Pb	5

Custom Heavy Metal Standard				
IV-48592 Matrix: HNO ₃				
Analyte	μg/mL	Analyte	μg/mL	
As	2	Hg	1	
Cd	2	Pb	5	

Don't see what you need?

Contact us with the solution part number and instrument manufacturer you're seeking, and we'll check our extensive library of solutions.



Over the years, we've developed a unique line of EPA standards. If you do not see what you are looking for, please contact us with an EPA custom request and we will get you competitive pricing guaranteed.



Contents

ILM03.0	59
ILMO4.0	61
ILM05.2 & ILM05.3	63
Method 200.7	66
Method 200.8	76
Method 1311	79
Method 6020	80
Nood a Custom CDM2	10

- ✓ Up to five-year shelf life
- ✓ Traceable to NIST SRMs
- ✓ Produced under ISO 9001
- ✓ Produced under ISO 17025
- ✓ Produced under ISO 17034
- ✓ Assayed by validated Wet Chemical procedures
- ✓ Assayed by validated instrument procedures

LM03.0

Standards for ILMO3.0 are designed for use with ICP-OES. Custom EPA standards are available upon request.

Calibration Standard				
CLPP-CAL-1		Matrix: HNO₃ Dilution 1:100		
CLPP-CAL-	1-125ML	Volume:	125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	250	Fe	1,000	
Al	2,000	K	5,000	
Ba	2,000	Mg	5,000	
Ве	50	Mn	500	
Ca	5,000	Na	5,000	
Co	500	Ni	500	
Cr	200	V	500	
Cu	250	Zn	500	

For use as ICP calibration standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or CLPP-SPK-2 for suitable Sb reference standard.

Calibration Standard			
CLPP-CAL-3		Matrix: HNO ₃ Dilution 1:100	
CLPP-CAL-3-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
As	1,000	Se	1,000
Cd	500	TI	1,000
Pb	1,000		

For use as ICP calibration standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or CLPP-SPK-2 for suitable Sb reference standard.

Calibration Standard		
CGSB1 Matrix: HNO ₃ /Tartaric Acid Dilution 1:100		
CGSB1-125ML	Volume: 125 mL	
Analyte	μg/mL	
Sb	1,000	

CICV Standards - Continuing and Initial Calibration Verification

CICV Standard [†]			
QCP-CICV-1		Matrix: HNO ₃ Dilution 1:100 or 1:500	
QCP-CICV-1-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	125	Fe	500
Al	1,000	K	2,500
Ba	1,000	Mg	2,500
Ве	25	Mn	250
Ca	2,500	Na	2,500
Co	250	Ni	250
Cr	100	V	250
Cu	125	Zn	250

For use as initial/continuing calibration verification standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or QCP-CICV-2 for suitable Sb reference standard.

CICV Standard [†]		
QCP-CICV-2 Matrix: HNO ₃ /Tartaric Aci Dilution 1:100 or 1:500		
QCP-CICV-2-125ML Volume: 125 mL		
Analyte	μg/mL	
Sb	500	

For use as initial/continuing calibration verification standard in EPA Contract Laboratory Program (CLP) methods. For analyses requiring antimony (Sb). Designed to be diluted to working concentrations with QCP-CICV-1 and/or QCP-CICV-3.

CICV Standard [†]			
QCP-CICV-3		Matrix: HNO ₃ Dilution 1:100 or 1:500	
QCP-CICV-3-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
As	500	Se	500
Cd	250	TI	500
Pb	500		

For use as initial/continuing calibration verification standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or QCP-CICV-2 for suitable Sb reference standard.

 $^{{\}bf tManufactured\ from\ in-house\ Second\ Source\ concentrates,\ whenever\ possible}.$

CRDL Standards - Contract Required Detection Limit

We can create any CRDL standard to best fit your needs.

Custom solutions are our specialty.



Soil & Water Spike Standards

Spike Standard*			
CLPP-SPK-1		Matrix: HNO₃ Dilution 1:1,000	
CLPP-SPK-1-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	50	Cu	250
Al	2,000	Fe	1,000
Ba	2,000	Mn	500
Ве	50	Ni	500
Co	500	V	500
Cr	200	Zn	500

For use as ICP-OES soil or water spike standard in EPA Contract Laboratory Program (CLP) methods.

Spike Standard*		
CLPP-SPK-2 Matrix: HNO ₃ /Tarta Dilution 1:1,00		
CLPP-SPK-2-125ML	Volume: 125 mL	
Analyte	μg/mL	
Sb	500	

For use as Sb spike standard in EPA Contract Laboratory Program (CLP) methods.

*Instructions included

Interference Check Standards

For use as ICP-OES soil or water spike standard in EPA Contract Laboratory Program (CLP) methods.

Interference Check Standard			
CLPP-ICS-A		Matrix: HNO ₃ Dilution 1:10	
CLPP-ICS-A-125ML CLPP-ICS-A-500ML		Volume: 125 mL Volume: 500 mL	
Analyte µg/mL		Analyte	μg/mL
Al	5,000	Fe	2,000
Ca	5,000	Mg	5,000

Interference Check Standard			
CLPP-ICS-B		Matrix: HNO ₃ Dilution 1:100	
CLPP-ICS-B-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	100	Cu	50
Ва	50	Mn	50
Ве	50	Ni	100
Cd	100	Pb	100
Co	50	V	50
Cr	50	Zn	100

Standards for ILMO4.0 are designed for use with ICP-0ES. Custom EPA standards are available upon request.

Calibration Standards

Calibration Standard			
CLPP-CAL-1		Matrix: HNO ₃ Dilution 1:100	
CLPP-CAL-1-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	250	Fe	1,000
Al	2,000	K	5,000
Ba	2,000	Mg	5,000
Ве	50	Mn	500
Ca	5,000	Na	5,000
Co	500	Ni	500
Cr	200	V	500
Cu	250	Zn	500

For use as ICP calibration standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or CLPP-SPK-2 for suitable Sb reference standard.

Calibration Standard			
CLPP-CAL-3		Matrix: HNO ₃ Dilution 1:100	
CLPP-CAL-3-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
As	1,000	Se	1,000
Cd	500	TI	1,000
Pb	1,000		

For use as ICP calibration standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or CLPP-SPK-2 for suitable Sb reference standard.

Calibration Standard		
CGSB1 Matrix: HNO ₃ /Tartaric Acid Dilution 1:100		
CGSB1-125ML	Volume: 125 mL	
Analyte	μg/mL	
Sb	1,000	

CICV Standards – Continuing and Initial Calibration Verification

CICV Standard [†]			
QCP-CICV-1		Matrix: HNO ₃ Dilution 1:100 or 1:500	
QCP-CICV-	1-125ML	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	125	Fe	500
Al	1,000	K	2,500
Ba	1,000	Mg	2,500
Ве	25	Mn	250
Ca	2,500	Na	2,500
Co	250	Ni	250
Cr	100	V	250
Cu	125	Zn	250

For use as initial/continuing calibration verification standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or QCP-CICV-2 for suitable Sb reference standard.

CICV Standard [†]			
QCP-CICV-2 Matrix: HNO ₃ /Tartaric Acid Dilution 1:100 or 1:500			
QCP-CICV-2-125ML Volume: 125 mL			
Analyte μg/mL			
Sb 500			

For use as initial/continuing calibration verification standard in EPA Contract Laboratory Program (CLP) methods. For analyses requiring antimony (Sb). Designed to be diluted to working concentrations with QCP-CICV-1 and/or QCP-CICV-3.

CICV Standard [†]				
QCP-CICV-3 Matrix: HNO ₃ Dilution 1:100 or 1:500			:: HNO ₃ 00 or 1:500	
QCP-CICV-	3-125ML	Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
As	500	Se	500	
Cd	250	TI	500	
Pb	500			

For use as initial/continuing calibration verification standard in EPA Contract Laboratory Program (CLP) methods. Does not contain antimony (Sb). Please see CGSB1 or QCP-CICV-2 for suitable Sb reference standard.

[†]Manufactured from in-house Second Source concentrates, whenever possible

CRDL Standards - Contract Required Detection Limit

We can create any CRDL standard to best fit your needs.

Custom solutions are our specialty.



Soil & Water Spike Standards

Spike Standard*				
CLPP-SPK-1		Matrix: HNO ₃ Dilution 1:1,000		
CLPP-SPK-	1-125ML	Volume	: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	50	Cu	250	
Al	2,000	Fe	1,000	
Ba	2,000	Mn	500	
Ве	50	Ni	500	
Co	500	V	500	
Cr	200	Zn	500	

^{*}Instructions included.

For use as ICP-OES soil or water spike standard in EPA Contract Laboratory Program (CLP) methods.



Don't see what you need?

Contact us with the solution part number and instrument manufacturer you're seeking, and we'll check our extensive library of solutions.

Interference Check Standards

Interference Check Standard A			
CLPP-ICS-A Matrix: HNO ₃ Dilution 1:10			
CLPP-ICS-		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Al	5,000	Fe	2,000
Ca	5,000	Mg	5,000

For use as ICP-OES interference check standard in EPA Contract Laboratory Program (CLP) methods.

Interference Check Standard B4			
CLPP-ICS-B4		Matrix: HNO ₃ Dilution 1:100	
CLPP-ICS-	B4-125ML	Volume	: 125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	20	Mn	50
As	10	Ni	100
Ba	50	Pb	5
Ве	50	Sb	60
Cd	100	Se	5
Co	50	TI	10
Cr	50	V	50
Cu	50	Zn	100

For use as ICP-OES interference check standard in EPA Contract Laboratory Program (CLP) methods.

CRQL Standards - Contract Required Quantitation Limit

CRQL Standard			
CLP-AES-CRQL-2		Matrix: HNO ₃ Dilution 1:100 (water samples) 1:500 (soil samples)	
CLP-AES-CF	QL-2-125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	1	K	500
Al	20	Mg	500
As	1	Mn	1.5
Ba	20	Na	500
Ве	0.5	Ni	4
Ca	500	Pb	1
Cd	0.5	Sb	6
Co	5	Se	3.5
Cr	1	TI	2.5
Cu	2.5	V	5
Fe	10	Zn	6

For use as CRQL (Contract Required Quantitation Limit) ICP standard.

Interference Check Standards

Interference Check Standard A			
CLPP-ICS-A Matrix: HNO ₃ Dilution 1:10			
CLPP-ICS-		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Al	5,000	Fe	2,000
Ca	5,000	Mg	5,000

For use as ICP-OES interference check standard in EPA Contract Laboratory Program (CLP) methods.

Inter	Interference Check Standard B4			
CLPP-ICS-B4		Matrix: HNO₃ Dilution 1:100		
CLPP-ICS-	B4-125ML	Volume	: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	20	Mn	50	
As	10	Ni	100	
Ba	50	Pb	5	
Ве	50	Sb	60	
Cd	100	Se	5	
Co	50	TI	10	
Cr	50	V	50	
Cu	50	Zn	100	

For use as ICP-OES interference check standard in EPA Contract Laboratory Program (CLP) methods.

Soil & Water Spike Standards

Spike Standard			
CLP-MS-SPK		Matrix: HNO ₃ Dilution 1:100	
CLP-MS-SI	PK-125ML	Volume	: 125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	5	Mn	50
Al	200	Ni	50
As	4	Pb	2
Ba	200	Sb	10
Ве	5	Se	1
Cd	5	TI	5
Co	50	V	50
Cr	20	Zn	50
Cu	25		

For use as ICP soil or water spike standard in EPA Contract Laboratory Program (CLP) methods

	Spike Standard			
CLPP-SPK-1		Matrix: HNO ₃ Dilution 1:1,000		
CLPP-SPK-	-1-125ML	Volume	: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	50	Cu	250	
Al	2,000	Fe	1,000	
Ва	2,000	Mn	500	
Ве	50	Ni	500	
Co	500	V	500	
Cr	200	Zn	500	

For use as ICP-OES soil or water spike standard in EPA Contract Laboratory Program (CLP) methods

Internal Standards & Tuning Solutions

Internal Standard			
6020ISS Matrix: HNO ₃ Dilution 1:100			
6020ISS-12 6020ISS-50	-		: 125 mL : 500 mL
Analyte	μg/mL	Analyte	μg/mL
Bi	10	Rh	10
Но	10	Sc	10
In	10	Tb	10
⁶ Li	10	Υ	10

Internal standard for ICP-MS in all versions of EPA Method 6020.

Tuning Solution				
2008TS		Matrix: HNO ₃ Dilution 1:100 to 1:1,000		
2008TS-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte μg/mL		
Ве	10	Mg 10		
Co	10	Pb	10	
In	10			

For use as ICP-MS tuning solution in EPA Method 200.8.

Tuning Solution				
6020TS Matrix: HNO ₃ Dilution 1:100				
6020TS-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte µg/mL		
Co	10	Li 10		
In	10	TI 10		

For use as general tuning solution suitable for numerous ICP-MS designs and models. Covers mass range from Li to TI. Certified reference material that may also be used for calibration.

Blank & Rinse Solutions

Blank & Rinse solutions are prepared using double-distilled reagents and 18 megohm (M Ω) deionized water. They come packaged in ultra-clean LDPE bottles and are ready to use. Custom solutions are available upon request.

2% (v/v) Nitric Acid Rinse			
CLP-MS-RINSE Matrix: HNO ₃			
CLP-MS-RINSE-125ML Volume: 125 mL Volume: 500 mL			

See pg. 108 for more Blank & Rinse Solution options.

For use as ultra-pure nitric acid ICP rinse or blank solution. Suitable for EPA Contract Laboratory Program (CLP) methods. Manufactured using ultra-high purity HNO3, >18 M Ω deionized water, and packaged in specially cleaned LDPE bottles. Certificate includes trace metal impurity values representative of typical analyses.

200.7 Calibration

Standards for Method 200.7 are designed for use with ICP-OES. Custom EPA standards are available upon request. Standards are designed for Method 200.7, Method 3120, Method 6010A Rev. 1 and Method 200.7 CLP-M.

Calibration Standard				
CLPP-SPK-2 Matrix: HNO ₃ /Tartaric Ac Dilution 1:100			HNO ₃ /Tartaric Acid ilution 1:100	
CLPP-SPK-2-125ML Volume: 125 mL			ume: 125 mL	
Analyte	μg/mL		λ(nm)	
Sb	500		206.833	

For use as Sb spike standard in EPA Contract Laboratory Program (CLP) methods.

Calibration Standard			
WW-CAL-1A		Matrix: HNO ₃ Dilution 1:100	
WW-CAL-1A-125ML		Volume: 125 mL	
Analyte	μg/	mL	λ(nm)
Ag	5	0	328.068
As	1,000		193.759
В	100		249.678
Ba	100		493.409
Ca	1,000		315.887
Cd	200		226.502
Cu	200		324.754
Mn	200		257.610
Se	500		196.090
Sr*	10	00	421.552

For use as ICP-OES calibration standard I in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions

 ${\tt *NOTE:}$ Sr does not exhibit spectral interference problems with any of the EPA Method 200.7 analytes.

Calibration Standard				
WW-CAL-2	Matrix: HNO ₃ / HF Dilution 1:100		trix: HNO ₃ / HF ilution 1:100	
WW-CAL-2-125	Volume: 125 mL			
Analyte	μg/mL		λ(nm)	
K	2,000		766.491	
Li	500		670.784	
Мо	1,000		203.844	
Na	1,000		588.995	
Ti	1,000 334.9		334.941	

For use as ICP-0ES calibration standard II in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Calibration Standard				
WW-CAL-3		Matrix: HNO ₃ Dilution 1:100		
WW-CAL-3-125ML		Volume: 125 mL		
Analyte	μg/mL		λ(nm)	
Ce	200		413.765	
Co	200		228.616	
Р	1,000		214.914	
V	20	00	292.402	

For use as ICP-OES calibration standard III in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

200.7 Calibration

Calibration Standard				
WW-CAL-4A		Matrix: HNO ₃ Dilution 1:100		
WW-CAL-4A-125ML		Volume: 125 mL		
Analyte	μg/mL		λ (nm)	
Al	1,000		308.215	
Cr	50	00	205.552	
Hg	200		194.227	
Zn	50	00	213.856	

For use as ICP-OES calibration standard IV (Part A) in EPA Method 200.7. Designed to be mixed with WW-CAL-4B at working concentrations. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Calibration Standard				
WW-CAL-4B		Matrix: HNO ₃ / HF Dilution 1:100		
WW-CAL-4B-125ML		Volume: 125 mL		
Analyte	μg/mL		λ(nm)	
SiO ₂	1,000		251.611	
Sn	400		189.980	

For use as ICP-OES calibration standard IV (Part B) in EPA Method 200.7. Designed to be mixed with WW-CAL-4A at working concentrations. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Calibration Standard				
WW-CAL-5		Matrix: HNO ₃ Dilution 1:100		
WW-CAL-5-125MI	L Volume: 125 mL			
Analyte	μg/mL		λ(nm)	
Be	100		313.042	
Fe	1,000		259.940	
Mg	1,000		279.079	
Ni	200		231.604	
Pb	1,000		220.353	
TI		500	190.864	

For use as ICP-0ES calibration standard V in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

200.7 Interference Checks

Interference Check Standard			
CGSB1 Matrix: HNO ₃ /Tartaric Acid			
CGSB1-125ML Volume: 125 mL			
Analyte	μg/mL		
Sb	1,000		

Interference Check Standard				
2007ICS-1 Matrix: HNO ₃ / HF Dilution 1:100				
2007ICS-1-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte µg/mL		
В	500	Si 230		
Мо	300	Ti 1,000		

For use as ICP-OES interference check standard in EPA Method 200.7.

Interference Check Standard			
2007ICS-3	2007ICS-3		: HNO ₃ n 1:100
2007ICS-3	-125ML	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	300	K	20,000
As	1,000	Mn	200
Ва	300	Ni	300
Ве	100	Pb	1,000
Cd	300	Se	500
Co	300	TI	1,000
Cr	300	V	300
Cu	300	Zn	300

For use as ICP-OES interference check standard in EPA Method 200.7.

Interference Check Standard			
2007ICS-4 Matrix: HNO ₃ Dilution 1:50			
2007ICS-4	-125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Al	3,000	Mg	7,500
Ca	15,000	Na	2,500
Fe	12,500		

For use as ICP-OES interference check standard in EPA Method 200.7.

Method 200.7

EPA STANDARDS

200.7 Quality Controls

Quality Control Standard [†]			
QCP-QCS-1		Matrix: HNO ₃ Dilution 1:100	
QCP-QCS-1-125	ML	Vo	lume: 125 mL
Analyte	µg/	mL	λ (nm)
Ag	2	5	328.068
Al	10	00	308.215
As	20	00	193.759
В	10	00	249.678
Ва	10	00	493.409
Ве	10	00	313.042
Ca	10	00	315.887
Cd	10	00	226.502
Ce	10	00	413.765
Co	10	00	228.616
Cr	10	00	205.552
Cu	10	00	324.754
Fe	10	00	259.940
Hg	20	00	194.227
K	50	00	766.491
Li	10	00	670.784
Mg	10	00	279.079
Mn	10	00	257.610
Na	10	00	588.995
Ni	10	00	231.604
P	50	00	214.914
Pb	200		220.353
Se	10	00	196.090
Sr	10	00	421.552
TI	50	00	190.864
V	10	00	292.402
Zn	10	00	213.856

For use as ICP-OES QC standard in EPA Method 200.7.
Based upon Revisions 3.3 and 4.4 and suitable for all 200.7
versions

Quality Control Standard [†]			
QCP-QCS-2	Matrix: HNO ₃ / HF Dilution 1:100		k: HNO ₃ / HF ition 1:100
QCP-QCS-2-125M	L	Volume: 125 mL	
Analyte	μg/mL λ(nm)		λ(nm)
Мо	100		203.844
Sb	200		206.833
SiO ₂	500		251.611
Sn		500	189.980
Ti		100	334.941

For use as ICP-OES QC standard in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Quality Control Standard [†]			
IV-7		Matrix: HNO ₃ / HF Dilution 1:100	
IV-7-125MI	-	Volume	: 125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	100	K	1,000
Al	100	Na	100
В	100	Si	50
Ba	100		

For use as a certified reference standard in ICP applications. Can be diluted with other standards to working concentrations.

Don't see what you need?

Contact us with the solution part number and instrument manufacturer you're seeking, and we car check our extensive library of solutions



†Manufactured from in-house Second Source concentrates, whenever possible.

200.7 Quality Controls

For use as a certified reference standard in ICP applications. Can be diluted with other standards to working concentrations.

Quality Control Standard [†]			
IV-19		Matrix: H Dilutio	NO ₃ / HF n 1:100
IV-19-125M	IL	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
As	100	Мо	100
Ве	100	Ni	100
Ca	100	Pb	100
Cd	100	Sb	100
Co	100	Se	100
Cr	100	Ti	100
Cu	100	TI	100
Fe	100	V	100
Mg	100	Zn	100
Mn	100		

Quality Control Standard [†]				
IV-21		Matrix: HNO ₃ / HF Dilution 1:100		
IV-21-125N	IL	Volume:	125 mL	
Analyte	μg/mL	Analyte	μg/mL	
As	100	Мо	100	
Ве	100	Ni	100	
Ca	100	Pb	100	
Cd	100	Sb	100	
Co	100	Se	100	
Cr	100	Sr	100	
Cu	100	Ti	100	
Fe	100	TI	100	
Li	100	V	100	
Mg	100	Zn	100	
Mn	100			

0				
Q	Quality Control Standard [†]			
IV-26			INO ₃ / HF n 1:100	
IV-26-125N IV-26-500I			125 mL 500 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	100	Mg	100	
Al	100	Mn	100	
As	100	Мо	100	
В	100	Na	100	
Ba	100	Ni	100	
Ве	100	Pb	100	
Ca	100	Sb	100	
Cd	100	Se	100	
Co	100	Si	50	
Cr	100	Ti	100	
Cu	100	TI	100	
Fe	100	V	100	
K	1,000	Zn	100	

Quality Control Standard [†]			
IV-28		Matrix: H Dilution	NO ₃ / HF n 1:100
IV-28-125M IV-28-500M		Volume: Volume:	125 mL 500 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	100	Mg	100
Al	100	Mn	100
As	100	Мо	100
В	100	Na	100
Ba	100	Ni	100
Ве	100	Pb	100
Ca	100	Sb	100
Cd	100	Se	100
Co	100	Si	50
Cr	100	Sr	100
Cu	100	Ti	100
Fe	100	TI	100
K	1,000	V	100
Li	100	Zn	100

[†]Manufactured from in-house Second Source concentrates, whenever possible.

Rev. 3.3 & 4.4 Calibrations – Standards may be used for either revision.

Calibration Standard				
CLPP-SPK-2 Matrix: HNO ₃ /Tartaric Acid Dilution 1:100				
CLPP-SPK-2-125ML Volume: 125 mL			ume: 125 mL	
Analyte	μg/mL		λ(nm)	
Sb	50	00	206.833	

For use as Sb spike standard in EPA Contract Laboratory Program (CLP) methods.

Calibration Standard				
WW-CAL-1A		Matrix: HNO ₃ Dilution 1:100		
WW-CAL-1A-125ML Vo		Vol	ume: 125 mL	
Analyte	μд/	mL	λ(nm)	
Ag	5	0	328.068	
As	1,0	00	193.759	
В	10	00	249.678	
Ba	100		493.409	
Ca	1,000		315.887	
Cd	20	00	226.502	
Cu	20	00	324.754	
Mn	200		257.610	
Se	50	00	196.090	
Sr	10	00	421.552	

NOTE: Sr does not exhibit spectral interference problems with any of the EPA Method 200.7 analytes

For use as ICP-OES calibration standard I in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Calibration Standard				
WW-CAL-2		Matrix: HNO ₃ / HF Dilution 1:100		
WW-CAL-2-125	AL-2-125ML		lume: 125 mL	
Analyte	μg/mL		λ(nm)	
K	2,000		766.491	
Li	500		670.784	
Мо	1,000		203.844	
Na	1,000		588.995	
Ti	1,0	00	334.941	

For use as ICP-OES calibration standard II in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Calibration Standard				
WW-CAL-3		Matrix: HNO ₃ Dilution 1:100		
WW-CAL-3-125ML		Volume: 125 mL		
Analyte	μg/mL		λ (nm)	
Ce	200		413.765	
Co	200		228.616	
Р	1,000		214.914	
V	20	00	292.402	

For use as ICP-OES calibration standard III in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Calibration Standard				
WW-CAL-4A		Matrix: HNO₃ Dilution 1:100		
WW-CAL-4A-125ML		Volume: 125 mL		
Analyte	μg/mL		λ(nm)	
Al	1,000		308.215	
Cr	500		205.552	
Hg	200		194.227	
Zn	50	00	213.856	

For use as ICP-OES calibration standard IV (Part A) in EPA Method 200.7. Designed to be mixed with WW-CAL-4B at working concentrations. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Calibration Standard				
WW-CAL-4B Matrix: HNO ₃ / HF Dilution 1:100				
WW-CAL-4B-125ML Volume: 125 mL			ume: 125 mL	
Analyte	μg/mL		λ(nm)	
SiO ₂	1,000		251.611	
Sn	400		189.980	

For use as ICP-OES calibration standard IV (Part B) in EPA Method 200.7. Designed to be mixed with WW-CAL-4A at working concentrations. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Rev. 3.3 & 4.4 Calibrations – Standards may be used for either revision.

Calibration Standard				
WW-CAL-5		Matrix: HNO ₃ Dilution 1:100		
WW-CAL-5-125ML		Volume: 125 mL		
Analyte	μg/mL		λ(nm)	
Ве	100		313.042	
Fe	1,000		259.940	
Mg	1,000		279.079	
Ni	200		231.604	
Pb	1,000		220.353	
TI	50	00	190.864	

For use as ICP-OES calibration standard V in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Rev. 3.3 & 4.4 Instrument Performance
Checks – Standards may be used for either revision.

Instrum	ent Perf	ormano	e Check	
WW-IPC-1		Matrix: HNO ₃ Dilution 1:100		
WW-IPC-1-125ML		Volume: 125 mL		
Analyte	μg/	mL	λ(nm)	
Ag	2	5	328.068	
Al	20	00	308.215	
As	20	00	193.759	
В	20	00	249.678	
Ba	20	00	493.409	
Ве	20	00	313.042	
Ca	20	00	315.887	
Cd	20	00	226.502	
Ce	20	00	413.765	
Co	200		228.616	
Cr	20	00	205.552	
Cu	20	00	324.754	
Fe	20	00	259.940	
Hg	20	00	194.227	
K	1,0	00	766.491	
Li	20	00	670.784	
Mg	200		279.079	
Mn	200		257.610	
Na	200		588.995	
Ni	200		231.604	
Р	1,000		214.914	
Pb	200		220.353	
Se	200		196.090	
Sr	200		421.552	
TI	200		190.864	
V	200		292.402	
Zn	20	00	213.856	

Performance Check solution for EPA Method 200.7. Designed to be mixed with WW-IPC-2 at working concentrations. Based upon Revision 4.4 and suitable for all 200.7 versions.

Instrument Performance Check				
WW-IPC-2		Matrix: HNO ₃ / HF Dilution 1:100		
WW-IPC-2-125N	-2-125ML		Volume: 125 mL	
Analyte	μg/mL		λ(nm)	
Мо	200		203.844	
Sb	200		206.833	
SiO ₂	1,000		251.611	
Sn	200		189.980	
Ti	200		334.941	

Performance Check solution for EPA Method 200.7. Designed to be mixed with WW-IPC-1 or WW-IPC-3 at working concentrations. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions

Instrument Performance Check				
WW-IPC-3	Matrix: HNO ₃ Dilution 1:100		Matrix: HNO ₃ ilution 1:100	
WW-IPC-3-125ML		Volume: 125 mL		
Analyte	μg,	mL	λ(nm)	
Ag	2	5	328.068	
Al	20	00	308.215	
As	20	00	193.759	
В	20	00	249.678	
Ba	20	00	493.409	
Be	20	00	313.042	
Ca	20	00	315.887	
Cd	20	00	226.502	
Co	20	00	228.616	
Cr	200		205.552	
Cu	20	00	324.754	
Fe	20	00	259.940	
K	1,0	00	766.491	
Li	20	00	670.784	
Mg	20	00	279.079	
Mn	20	00	257.610	
Na	20	00	588.995	
Ni	20	00	231.604	
Р	1,0	00	214.914	
Pb	20	00	220.353	
Se	20	00	196.090	
Sr	20	00	421.552	
TI	20	00	190.864	
V	20	00	292.402	
Zn	20	200 213.856		

Performance Check solution for EPA Method 200.7.
Designed to be mixed with WW-IPC-2 at working concentrations. Does not contain mercury (Hg). Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.



You can't put time in a bottle. But we can save it in a bag.

Transpiration Control Technology (TCT)

Based on years of study and data evaluation, we improved the way we deliver our quality products. **inorganicventures.com/tct**.

Rev. 3.3 & 4.4 Laboratory Fortified Stocks — Standards may be used for either revision.

Laborator	y Fortific	ed Stoc	k Solution	
WW-LFS-1		Matrix: HNO ₃ Dilution 1:100		
WW-LFS-1-125ML		Vol	lume: 125 mL	
Analyte	μg/	mL	λ(nm)	
Ag	7.	5	328.068	
Al	20	0	308.215	
As	8	0	193.759	
В	3	0	249.678	
Ba	2	0	493.409	
Be	2	0	313.042	
Ca	10	0	315.887	
Cd	2	0	226.502	
Се	20	0	413.765	
Co	20		228.616	
Cr	40		205.552	
Cu	3	0	324.754	
Fe	30	0	259.940	
Hg	7	0	194.227	
K	1,0	00	766.491	
Li	2	0	670.784	
Mg	20	0	279.079	
Mn	20		257.610	
Na	300		588.995	
Ni	50		231.604	
P	600		214.914	
Pb	100		220.353	
Se	200		196.090	
Sr	20		421.552	
TI	200		190.864	
V	30		292.402	
Zn	2	0	213.856	

Laboratory Fortified Stock Solution for EPA Method 200.7. Designed to be mixed with WW-LFS-2 at working concentrations. Suitable for use with all 200.7 versions.

Laboratory Fortified Stock Solution				
WW-LFS-2		Matrix: HNO ₃ / HF Dilution 1:100		
WW-LFS-2-125	WW-LFS-2-125ML		Volume: 125 mL	
Analyte	μg/mL		λ(nm)	
Мо	40		203.844	
Sb	80		206.833	
SiO ₂	200		251.611	
Sn	70		189.980	
Ti	2	0	334.941	

Laboratory Fortified Stock Solution for EPA Method 200.7. Designed to be mixed with WW-LFS-1 at working concentrations. Suitable for use with all 200.7 versions.

Rev. 3.3 & 4.4 Quality Controls - Standards may be used for either revision.

Quality Control Standard [†]				
QCP-QCS-1	QCP-QCS-1		Matrix: HNO ₃ Dilution 1:100	
QCP-QCS-1-125	QCP-QCS-1-125ML		Volume: 125 mL	
Analyte	μg/	mL	λ(nm)	
Ag	2	5	328.068	
Al	10	00	308.215	
As	20	00	193.759	
В	10	00	249.678	
Ba	10	00	493.409	
Be	10	00	313.042	
Ca	10	00	315.887	
Cd	10	00	226.502	
Ce	10	00	413.765	
Со	10	00	228.616	
Cr	100		205.552	
Cu	100		324.754	
Fe	10	00	259.940	
Hg	20	00	194.227	
K	50	00	766.491	
Li	10	00	670.784	
Mg	100		279.079	
Mn	100		257.610	
Na	100		588.995	
Ni	100		231.604	
Р	500		214.914	
Pb	200		220.353	
Se			196.090	
Sr	100 421.552		421.552	
TI	50	00	190.864	
V	10	00	292.402	
Zn	10	00	213.856	

For use as ICP-OES QC standard in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Quality Control Standard [†]			
QCP-QCS-2		Matrix: HNO ₃ / HF Dilution 1:100	
QCP-QCS-2-125	25ML Volume: 125 mL		ume: 125 mL
Analyte	μg/mL		λ (nm)
Мо	100		203.844
Sb	200		206.833
SiO ₂	50	00	251.611
Sn	500		189.980
Ti	10	00	334.941

For use as ICP-OES QC standard in EPA Method 200.7. Based upon Revisions 3.3 and 4.4 and suitable for all 200.7 versions.

Quality Control Standard [†]			
IV-7		Matrix: HNO ₃ / HF Dilution 1:100	
IV-7-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	100	K	1,000
Al	100	Na	100
В	100	Si	50
Ba	100		

For use as a certified reference standard in ICP applications. Can be diluted with other standards to working concentrations.

 $^{{\}bf tManufactured\ from\ in\text{-}house\ Second\ Source\ concentrates,\ whenever\ possible.}$

Rev. 3.3 & 4.4 Quality Controls — Standards may be used for either revision.

For use as a certified reference standard in ICP applications. Can be diluted with other standards to working concentrations.

Q	Quality Control Standard [†]		
IV-19		Matrix: HNO ₃ / HF Dilution 1:100	
IV-19-125M	IL	Volume	125 mL
Analyte	μg/mL	Analyte	μg/mL
As	100	Мо	100
Ве	100	Ni	100
Ca	100	Pb	100
Cd	100	Sb	100
Co	100	Se	100
Cr	100	Ti	100
Cu	100	TI	100
Fe	100	V	100
Mg	100	Zn	100
Mn	100		

Quality Control Standard [†]			d†
IV-21		Matrix: HNO ₃ / HF Dilution 1:100	
IV-21-125N	IL	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
As	100	Мо	100
Ве	100	Ni	100
Ca	100	Pb	100
Cd	100	Sb	100
Co	100	Se	100
Cr	100	Sr	100
Cu	100	Ti	100
Fe	100	TI	100
Li	100	V	100
Mg	100	Zn	100
Mn	100		

Quality Control Standard [†]			d [†]
IV-26		Matrix: HNO ₃ / HF Dilution 1:100	
IV-26-125N IV-26-500N			: 125 mL : 500 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	100	Mg	100
Al	100	Mn	100
As	100	Мо	100
В	100	Na	100
Ba	100	Ni	100
Ве	100	Pb	100
Ca	100	Sb	100
Cd	100	Se	100
Co	100	Si	50
Cr	100	Ti	100
Cu	100	TI	100
Fe	100	V	100
K	1,000	Zn	100

Q	Quality Control Standard [†]		
IV-28		Matrix: HNO ₃ / HF Dilution 1:100	
IV-28-125M IV-28-500M			125 mL 500 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	100	Mg	100
Al	100	Mn	100
As	100	Мо	100
В	100	Na	100
Ва	100	Ni	100
Ве	100	Pb	100
Ca	100	Sb	100
Cd	100	Se	100
Co	100	Si	50
Cr	100	Sr	100
Cu	100	Ti	100
Fe	100	TI	100
K	1,000	V	100
Li	100	Zn	100

 $[\]verb|+Manufactured| from in-house Second Source concentrates, whenever possible.$

Standards for Method 200.8 are designed for use with ICP-MS. Custom EPA standards are available upon request.

Rev. 4.4 & 5.4 Calibration – See individual products for recommended revisions.

Calibration Standard			
2008CAL-1 Matrix: HNO ₃ / HF Dilution 1:100		NO₃ / HF n 1:100	
2008CAL-1-125ML		Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Мо	20	Sb	20

Designed for Rev. 4.4 and 5.4.

For use as ICP-MS calibration standard in EPA Method 200.8

	Calibration Standard		
2008CAL-2		Matrix: HNO ₃ Dilution 1:100	
2008CAL-2-125ML 2008CAL-2-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	20	Mn	20
Al	20	Ni	20
As	20	Pb	20
Ba	20	Se	20
Ве	20	Th	20
Cd	20	TI	20
Co	20	U	20
Cr	20	V	20
Cu	20	Zn	20

Designed for Rev. 4.4.

For use as ICP-MS calibration standard in EPA Method 200.8.

Calibration Standard		
WW-MSCAL-1 Matrix: HNO ₃ Dilution 1:1,000		
WW-MSCAL-1-125ML Volume: 125 mL		
Analyte	μg/mL	
Hg 5		

Designed for Rev. 5.4.

For use as ICP-MS calibration standard in EPA Method 200.8. Can be combined with WW-MSCAL-2 at working concentrations if Au is used to stabilize Hg. Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

	Calibration Standard		
WW-MSCAL-2		Matrix: HNO ₃ Dilution 1:100	
WW-MSCA	WW-MSCAL-2-125ML		125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	20	Mn	20
Al	20	Ni	20
As	20	Pb	20
Ba	20	Se	100
Ве	20	Th	20
Cd	20	TI	20
Co	20	U	20
Cr	20	V	20
Cu	20	Zn	20

Designed for Rev. 5.4.

For use as ICP-MS calibration standard in EPA Method 200.8. Uranium is isotopically depleted. Does not contain mercury (Hg). Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

Standards for Method 200.8 are designed for use with ICP-MS. Custom EPA standards are available upon request.

Rev. 4.4 & 5.4 Calibration – See individual products for recommended revisions.

Mercury Standard	
MSHG-1PPM Matrix: HCl	
MSHG-1PPM-125ML MSHG-1PPM-500ML	Volume: 125 mL Volume: 500 mL
Analyte	μg/mL
Hg	1

Mercury Standard			
IV-STOCK-73	Matrix: 10% v/v HCl		
IV-STOCK-73-125ML Volume: 125 mL			
Analyte	μg/L*		
Hg 100			

Mercury Standard			
IV-STOCK-72 Matrix: 7% v/v HNO ₃			
IV-STOCK-72-125ML Volume: 125 mL			
Analyte	μg/L*		
Hg 100			

^{*}Parts per billion

Rev. 4.4 & 5.4 Internal Standards

Internal Standard			
2008ISS Matrix: HNO ₃ Dilution 1:100 to 1:1,000			
2008ISS-12 2008ISS-5		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte µg/mL	
Bi	20	Tb	20
In	20	Υ	20
Sc	20		

Designed for Rev. 4.4 and 5.4. Recommended working level is 200 $\mu g/L$ for Rev. 4.4; 20-200 $\mu g/L$ for Rev. 5.4. Use this solution with CGAUN1 for Rev. 5.4 if Hg is to be determined by direct analysis.

Mercury Preservation Solution		
CGAUN1	Matrix: HNO ₃ Dilution 1:100	
CGAUN1-30ML Volume: 30 mL CGAUN1-125ML Volume: 125 mL CGAUN1-500ML Volume: 500 mL		
Analyte	μg/mL	
Au	1,000	

Designed for Rev. 5.4. Add an aliquot of this solution to 2008ISS, sufficient to provide a concentration of 100 $\mu g/L$ in the final dilution of all blanks, calibration standards, and samples.

Rev. 4.4 & 5.4 Quality Controls

Quality Control Standard [†]			
QCP-QCS-3		Matrix: HNO ₃ Dilution 1:100	
QCP-QCS-3-125ML QCP-QCS-3-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Mn	10
Al	10	Мо	10
As	10	Na	10
Ва	10	Ni	10
Ве	10	Pb	10
Ca	10	Sb	10
Cd	10	Se	50
Co	10	Th	10
Cr	10	TI	10
Cu	10	U	10
Fe	10	V	10
K	10	Zn	10
Mg	10		

Designed for Rev. 4.4 and 5.4.

For use as ICP-MS quality control standard in EPA Method 200.8. Uranium is isotopically depleted. Does not contain mercury (Hg). Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

Quality Control Standard [†]			
QCP-QCS-4 Matrix: HNO ₃ Dilution 1:100			
QCP-QCS-4-125ML Volume: 125 mL			
Analyte	μg/mL		
Hg 5			

Designed for Rev. 4.4 and 5.4.

For use as ICP-MS mercury (Hg) quality control standard in EPA Method 200.8. Can be combined with QCP-QCS-3 at working concentrations if Au is used to stabilize Hg, though trace chloride from Au may cause Ag stability problems. Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions, and the Silver Chemical Stability article for more information about Ag stability in the presence of chloride.

†Manufactured from in-house Second Source concentrates, whenever possible.

Rev. 4.4 & 5.4 Tuning

Tuning Solution			
2008TS Matrix: HNO ₃ Dilution 1:100 to 1:1,000		c: HNO ₃ 00 to 1:1,000	
2008TS-12	5ML	Volume: 125 mL	
Analyte	μg/mL	Analyte µg/mL	
Ве	10	Mg	10
Со	10	Pb 10	
In	10		

Designed for Rev. 4.4 and 5.4.

For use as ICP-MS tuning solution in EPA Method 200.8.

For use in EPA Toxicity Characteristic Leachate Procedure (TCLP). Custom EPA standards are available upon request.

TCLP Hg Standard			
TCLP-AA-HG Matrix: HNO ₃ Dilution: As required			
TCLP-AA-HG-125ML Volume: 125 mL			
Analyte	μg/mL		
Hg 20			

For use in EPA Toxicity Characteristic Leachate Procedure (TCLP).

TCLP Standard			
TCLP-1REV		Matrix: HNO ₃ Dilution: As required	
TCLP-1REV-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte µg/m	
Ag	25	Cr	25
As	25	Pb	25
Ba	500	Se	5
Cd	5		

For use in EPA Toxicity Characteristic Leachate Procedure (TCLP).

Don't see what you need?

Contact us with the solution part number and instrument manufacturer you're seeking, and we'll check our extensive library of solutions.



Standards for Method 6020 are designed for use with ICP-MS. Custom EPA standards are available upon request.

CLP-M Version 8

Calibration Standard			
6020CAL-1		Matrix: HNO ₃ / HF Dilution 1:100	
6020CAL-1-125ML		Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	20	K	20
Al	20	Mg	20
As	20	Mn	20
Ba	20	Na	20
Ве	20	Ni	20
Ca	20	Pb	20
Cd	20	Sb	20
Co	20	Se	20
Cr	20	TI	20
Cu	20	V	20
Fe	20	Zn	20

For use as ICP-MS calibration standard in EPA Method 6020. Does not contain mercury (Hg). Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

Interference Check Standard				
			rix: HNO ₃ Ition 1:10	
6020ICS-8A-125ML 6020ICS-8A-500ML		Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL	Analyte	μg/mL	
Al	1,000	Mg	1,000	
С	2,000	Мо	20	
Ca	3,000	Na	2,500	
CI-	18,000	P	1,000	
Fe	2,500	S	1,000	
K	1,000	Ti	20	

For evaluating ICP-MS interferences and corrections in EPA Method 6020A or 6020B. Based upon 6020A Revision 1 Solution A.

Internal Standard			
6020ISS Matrix: HNO ₃ Dilution 1:100			
6020ISS-125ML 6020ISS-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte µg/mL	
Bi	10	Rh	10
Но	10	Sc	10
In	10	Tb	10
⁶ Li	10	Υ	10

Internal standard for ICP-MS in all versions of EPA Method 6020.

	Spike Standard - Soil				
6020SPK-S Matrix: HNO ₃ Dilution 1:100					
6020SPK-	020SPK-S-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL		
Ag	10	Ni	25		
As	10	Pb	20		
Ва	50	Sb	20		
Ве	5	Se	5		
Cd	10	TI	5		
Co	20	V	30		
Cr	50	Zn	50		
Cu	50				

Matrix spike for solid samples.

Standards for Method 6020 are designed for use with ICP-MS. Custom EPA standards are available upon request.

CLP-M Version 8

Spike Standard – Water				
6020SPK-W		Matrix: HNO ₃ Dilution 1:100		
6020SPK-V	6020SPK-W-125ML		125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	5	Mn	20	
As	10	Ni	20	
Ba	50	Pb	10	
Ве	5	Sb	20	
Cd	5	Se	5	
Co	20	TI	5	
Cr	20	V	20	
Cu	20	Zn	50	
Fe	100			

Matrix spike for aqueous samples.

Tuning Solution Matrix: HNO, 6020TS Dilution 1:100 6020TS-125ML Volume: 125 mL **Analyte** μg/mL **Analyte** μg/mL Co 10 Li 10 ΤI In 10 10

For use as general tuning solution suitable for numerous ICP-MS designs and models. Covers mass range from Li to TI. Certified reference material that may also be used for calibration.

CLP-M Version 9

Calibration Standard			
6020CAL-1		Matrix: HNO ₃ / HF Dilution 1:100	
6020CAL-1	-125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	20	K	20
Al	20	Mg	20
As	20	Mn	20
Ba	20	Na	20
Ве	20	Ni	20
Ca	20	Pb	20
Cd	20	Sb	20
Co	20	Se	20
Cr	20	TI	20
Cu	20	V	20
Fe	20	Zn	20

For use as ICP-MS calibration standard in EPA Method 6020. Does not contain mercury (Hg). Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

Interference Check Standard				
		Matrix Dilutio	: HNO ₃ on 1:10	
			125 mL 500 mL	
Analyte	μg/mL	Analyte	μg/mL	
Al	1,000	Mg	1,000	
С	2,000	Мо	20	
Ca	3,000	Na	2,500	
CI-	21,215	P	1,000	
Fe	2,500	S	1,000	
K	1,000	Ti	20	

For evaluating ICP-MS interferences and corrections in EPA Method 6020A or 6020B. Based upon 6020A Revision 1 Solution A. Suitable for analyses with higher chloride contents.

Interference Check Standard				
6020ICS-9B		Matrix: HNO ₃ Dilution 1:100		
6020ICS-9B-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Ag	5	Mn	20	
As	10	Ni	20	
Cd	10	Se	10	
Co	20	V	20	
Cr	20	Zn	10	
Cu	20			

For evaluating ICP-MS interferences and corrections in EPA Method 6020A or 6020B. Based upon 6020A Revision 1 Solution B. Does not contain mercury (Hg). Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

Internal Standard				
6020ISS Matrix: HNO ₃ Dilution 1:100				
6020ISS-125ML 6020ISS-500ML		Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL	Analyte	μg/mL	
Bi	10	Rh	10	
Но	10	Sc	10	
In	10	Tb	10	
⁶ Li	10	Υ	10	

Internal standard for ICP-MS in all versions of EPA Method 6020.

Spike Standard – Soil			
6020SPK-S Matrix: HNO 3 Dilution 1:100			
6020SPK-S	5-125ML	Volume: 125 mL	
Analyte	μg/mL	Analyte	μg/mL
Ag	10	Ni	25
As	10	Pb	20
Ва	50	Sb	20
Ве	5	Se	5
Cd	10	TI	5
Co	20	V	30
Cr	50	Zn	50
Cu	50		

Matrix spike for solid samples.

	Spike Standard – Water			
6020SPK-W		Matrix: HNO ₃ Dilution 1:100		
6020SPK-1	6020SPK-W-125ML		: 125 mL	
Analyte	μg/mL	Analyte	μg/mL	
Ag	5	Mn	20	
As	10	Ni	20	
Ва	50	Pb	10	
Ве	5	Sb	20	
Cd	5	Se	5	
Co	20	TI	5	
Cr	20	V	20	
Cu	20	Zn	50	
Fe	100			

Matrix spike for aqueous samples.

Tuning Solution				
6020TS Matrix: HNO ₃ Dilution 1:100			: HNO ₃ n 1:100	
6020TS-125ML		Volume: 125 mL		
Analyte	μg/mL	Analyte	μg/mL	
Co	10	Li	10	
ln	10	TI	10	

For use as general tuning solution suitable for numerous ICP-MS designs and models. Covers mass range from Li to TI. Certified reference material that may also be used for calibration.

REV. 0

Calibration Standard			
6020CAL-1		Matrix: HNO ₃ / HF Dilution 1:100	
6020CAL-1	-125ML	Volume:	125 mL
Analyte	μg/mL	Analyte	μg/mL
Ag	20	K	20
Al	20	Mg	20
As	20	Mn	20
Ba	20	Na	20
Ве	20	Ni	20
Ca	20	Pb	20
Cd	20	Sb	20
Co	20	Se	20
Cr	20	TI	20
Cu	20	V	20
Fe	20	Zn	20

For use as ICP-MS calibration standard in EPA Method 6020. Does not contain mercury (Hg). Please see the Mercury Chemical Stability article for more information regarding accurate Hg analyses in multi-element solutions.

	Internal Standard				
6020ISS		Matrix: HNO ₃ Dilution 1:100			
	020ISS-125ML Volume: 1 020ISS-500ML Volume: 5				
Analyte	μg/mL	Analyte	μg/mL		
Bi	10	Rh	10		
Но	10	Sc	10		
In	10	Tb	10		
⁶ Li	10	Υ	10		

Internal standard for ICP-MS in all versions of EPA Method 6020.

Interference Check Standard			
		Matrix Dilutio	: HNO ₃ on 1:10
			125 mL 500 mL
Analyte	μg/mL	Analyte	μg/mL
Al	1,000	Mg	1,000
C	2,000	Мо	20
Ca	1,000	Na	1,000
CI-	10,000	P	1,000
Fe	1,000	S	1,000
K	1,000	Ti	20

For evaluating ICP-MS interferences and corrections in EPA Method 6020. Based upon Revision 0 Solution A.

Interference Check Standard					
6020ICS-0B Matrix: HNO ₃ Dilution 1:100					
6020ICS-0B-125ML		Volume: 125 mL			
Analyte	μg/mL	Analyte µg/m			
Ag	2	Cu	2		
As	2	Mn 2			
Cd	2	Ni 2			
Co	2	Zn 2			
Cr	2				

For evaluating ICP-MS interferences and corrections in EPA Method 6020. Based upon Revision 0 Solution B.

	Spike Standard – Soil				
6020SPK-S Matrix: HNO ₃ Dilution 1:100					
6020SPK-S	6020SPK-S-125ML		: 125 mL		
Analyte	μg/mL	Analyte	μg/mL		
Ag	10	Ni	25		
As	10	Pb	20		
Ba	50	Sb 20			
Ве	5	Se 5			
Cd	10	TI	5		
Co	20	V 30			
Cr	50	Zn	50		
Cu	50				

Matrix spike for solid samples.

REV. 0

Spike Standard – Water					
6020SPK-V	V	Matrix: HNO ₃ Dilution 1:100			
6020SPK-V	V-125ML	Volume: 125 mL			
Analyte	μg/mL	Analyte	μg/mL		
Ag	5	Mn	20		
As	10	Ni	20		
Ba	50	Pb	10		
Ве	5	Sb	20		
Cd	5	Se	5		
Co	20	TI	5		
Cr	20	V	20		
Cu	20	Zn	50		
Fe	100				

Matrix spike for aqueous samples.

Tuning Solution					
6020TS Matrix: HNO ₃ Dilution 1:100					
6020TS-12	5ML	Volume: 125 mL			
Analyte	μg/mL	Analyte µg/mL			
Co	10	Li 10			
In	10	TI	10		

For use as general tuning solution suitable for numerous ICP-MS designs and models. Covers mass range from Li to TI. Certified reference material that may also be used for calibration.



Now, YOU control the expiration date.

With TCT, concerns about shipping and storage conditions are eliminated, as transpiration is no longer an issue. This saves you money and simplifies research by removing the need to constantly inventory and restock CRMs.

Find out more at inorganicventures.com/tct.

ION CHROMATOGRAPHY

If you've been searching for an atypical Ion Chromatography standard, look no further.

Over the years, we've developed the most complete line of IC standards on the market. Our technicians have stabilized more than a dozen rare anion and cation standards thatyou won't find anywhere else.



Contents

Anion Standards	86
Cation Standards	88
Multi-Ion Standards	89
Eluent Concentrates	90
EPA Standards	91
Need a Custom CRM?	18

- ✓ Up to five-year shelf life
- ✓ Traceable to NIST SRMs
- ✓ Produced under ISO 9001
- Produced under ISO 17025
- ✓ Produced under ISO 17034
- ✓ Assayed by validated Wet Chemical procedures
- Assayed by validated IC procedures

ANION STANDARDS

Custom anion standards are available upon request.

1,000 μg/mL

	,			, 13.
ANALYTE	MATRIX	STARTING MATERIAL	VOLUME	CATALOG #
Acetate, C ₂ H ₃ O ₂ -	H ₂ 0	Sodium acetate	125 mL 500 mL	ICOAC1-125ML ICOAC1-500ML
Adipate, C ₆ H ₈ O ₄ - ²	H_2^0	Adipic acid	125 mL	ICADP1-125ML
Benzoate, C ₆ H ₅ CO ₂ -	H_2^0	Benzoic acid	125 mL	ICBEN1-125ML
Bromate, BrO ₃ -	H ₂ 0	KBrO ₃	125 mL 500 mL	ICBRO31-125ML ICBRO31-500ML
Bromide, Br-	H ₂ 0	KBr	125 mL 500 mL	ICBR1-125ML ICBR1-500ML
Butyrate, C ₄ H ₇ O ₂ -	H ₂ O	Butyric acid	125 mL	ICBTR1-125ML
Carbonate, CO ₃ -²	H ₂ 0	Na_2CO_3	125 mL 500 mL	ICCO31-125ML ICCO31-500ML
Chlorate, CIO ₃ -	H ₂ 0	KCIO ₃	125 mL 500 mL	ICCLO31-125ML ICCLO31-500ML
Chloride, CI-	H ₂ 0	KCI	125 mL 500 mL	ICCL1-125ML ICCL1-500ML
Chlorite, CIO ₂ -	H ₂ 0	NaClO ₂	125 mL 500 mL	ICCL021-125ML ICCL021-500ML
Chromate, CrO ₄ -2	H_2^0	$(NH_4)_2 Cr_2O_7$	125 mL	ICCRO41-125ML
Citrate, C ₆ H ₅ O ₇ -3	H ₂ 0	Citric acid	125 mL 500 mL	ICCIT1-125ML ICCIT1-500ML
Cyanide, NaCN	H_2^0	Sodium cyanide	20 mL	CN-1000-25-20ML
Fluoride, F-	H ₂ 0	NaF	125 mL 500 mL	ICF1-125ML ICF1-500ML
Formate, HCO ₂ -	H ₂ 0	Sodium formate	125 mL 500 mL	ICHCO1-125ML ICHCO1-500ML
Glutarate, C ₅ H ₆ O ₄ -2	H_2^0	Glutaric acid	125 mL	ICGTR1-125ML
Glycolate, C ₂ H ₃ O ₃ -	H_2^0	Glycolic acid	125 mL	ICGLY1-125ML
lodide, I-	H ₂ 0 / stabilizer	NH₄I	125 mL 500 mL	ICI1-125ML ICI1-500ML
Lactate, C ₃ H ₅ O ₃ -	H_2^0	Lactic acid	125 mL	ICLCT1-125ML
Malate, C ₄ H ₄ O ₅ - ²	H_2^0	Malic acid	125 mL	ICMLA1-125ML
Maleate, C ₄ H ₂ O ₄ - ²	H_2^0	Maleic acid	125 mL	ICMLE1-125ML
Malonate, C ₃ H ₂ O ₄ - ²	H ₂ 0	Malonic acid	125 mL	ICML01-125ML
Methanesulfonate, CH ₃ SO ₃ -	H ₂ O	Methanesulfonic acid	125 mL	ICMSA1-125ML
Nitrate, NO ₃ -	H ₂ 0	NaNO ₃	125 mL 500 mL	ICN031-125ML ICN031-500ML
Nitrate as Nitrogen	$H_2^{}$ 0	NaNO ₃	125 mL 500 mL	ICNNO31-125ML ICNNO31-500ML
Nitrilotriacetate, NC ₆ H ₆ O ₆ -3	H_2^0	Nitrilotriacetic acid	125 mL	ICNTA1-125ML
Nitrite, NO ₂ -	H ₂ 0	NaNO ₂	125 mL 500 mL	ICNO21-125ML ICNO21-500ML
Nitrite as Nitrogen	H ₂ 0	NaNO ₂	125 mL 500 mL	ICNNO21-125ML ICNNO21-500ML

ANION STANDARDS

Custom anion standards are available upon request.

1,000 μg/mL

ANALYTE	MATRIX	STARTING MATERIAL	VOLUME	CATALOG #
Oxalate, C ₂ O ₄ -²	H ₂ 0	Sodium oxalate	125 mL 500 mL	ICOXA1-125ML ICOXA1-500ML
Perchlorate, CIO ₄ -	H ₂ 0	KCIO ₄	125 mL 500 mL	ICCLO41-125ML ICCLO41-500ML
Phosphate, PO ₄ - ³	H ₂ 0	$\mathrm{NH_4H_2PO_4}$	125 mL 500 mL	ICP041-125ML ICP041-500ML
Phosphate as Phosphorus	H ₂ 0	$\mathrm{NH_4H_2PO_4}$	125 mL 500 mL	ICPP041-125ML ICPP041-500ML
Phthalate, C ₆ H ₄ (CO ₂) ₂ - ²	H ₂ 0	Potassium hydrogen phthalate	125 mL	ICKHP1-125ML
Propionate, C ₂ H ₅ CO ₂ -	$H_2^{}$ 0	Sodium propionate	125 mL	ICOPR1-125ML
Succinate, C ₄ H ₄ O ₄ - ²	H ₂ O	Succinic acid	125 mL	ICSCC1-125ML
Sulfate, SO ₄ - ²	H ₂ 0	K_2SO_4	125 mL 500 mL	ICSO41-125ML ICSO41-500ML
Tartrate, C ₄ H ₄ O ₆ - ²	H ₂ O	Tartaric acid	125 mL	ICTRTR1-125ML
Thiocyanate, SCN-	H ₂ O	KSCN	125 mL	ICSCN1-125ML
Thiosulfate, S ₂ O ₃ - ²	H ₂ 0	Sodium thiosulfate	125 mL 500 mL	ICS2031-125ML ICS2031-500ML

Custom anion standards are available upon request.

10,000 μg/mL

ANALYTE	MATRIX	STARTING MATERIAL	VOLUME	CATALOG #
Chloride, Cl-	H ₂ O	KCI	125 mL 500 mL	ICCL10-125ML ICCL10-500ML
Sulfate, SO ₄ -2	H ₂ 0	K_2SO_4	125 mL 500 mL	ICSO410-125ML ICSO410-500ML

Custom anion standards are available upon request.

100 ppm

ANALYTE	MATRIX	STARTING MATERIAL	VOLUME	CATALOG #
Nitrite, NO ₂ -	H ₂ 0	100	125 mL	ICN02-100PPM-125ML

CATION STANDARDS

Custom cation standards are available upon request.

1,000 μg/mL

ANALYTE	MATRIX	STARTING MATERIAL	VOLUME	CATALOG #
3 -Methoxypropylamine ${\rm CH_3O(CH_2)_3NH_2}$	HCI	3-Methoxypropylamine	125 mL	ICMPA1-125ML
Ammonium, NH ₄ +	H_2^0	NH₄CI	125 mL 500 mL	ICNH41-125ML ICNH41-500ML
Ammonium as Nitrogen	H ₂ 0	NH₄CI	125 mL 500 mL	ICNNH41-125ML ICNNH41-500ML
Barium, Ba ⁺²	HNO ₃	Ba(NO ₃) ₂	125 mL	ICBA1-125ML
Calcium, Ca+2	HNO ₃	CaO	125 mL 500 mL	ICCA1-125ML ICCA1-500ML
Cesium, Cs⁺	HNO ₃	CsNO ₃	125 mL	ICCS1-125ML
Diethanolamine, (HOCH ₂ CH ₂) ₂ NH	H_2^0	Diethanolamine	125 mL	ICDEA1-125ML
Dimethylamine, NH(CH ₃) ₂	HCI	Dimethylamine	125 mL	ICDMA1-125ML
Lithium, Li ⁺	HNO ₃	Li ₂ CO ₃	125 mL	ICLI1-125ML
Magnesium, Mg⁺²	HNO ₃	Mg metal	125 mL 500 mL	ICMG1-125ML ICMG1-500ML
$\begin{aligned} & \text{Monoethanolamine,} \\ & \text{HOCH}_2\text{CH}_2\text{NH}_2 \end{aligned}$	H ₂ 0	Monoethanolamine	125 mL 500 mL	ICMEA1-125ML ICMEA1-500ML
Monomethylamine, NH ₂ CH ₃	HCI	Monomethylamine	125 mL	ICMMA1-125ML
Potassium, K⁺	HNO ₃	KNO ₃	125 mL 500 mL	ICK1-125ML ICK1-500ML
Rubidium, Rb⁺	HNO ₃	$RbNO_3$	125 mL	ICRB1-125ML
Sodium, Na ⁺	HNO ₃	Na_2CO_3	125 mL 500 mL	ICNA1-125ML ICNA1-500ML
Strontium, Sr+2	HNO ₃	SrCO ₃	125 mL	ICSR1-125ML
Tetramethylammonium, $N^+(CH_3)_4$	$H_2^{}0$	Tetramethylammonium hydroxide	125 mL	ICTMAH1-125ML
Triethanolamine, (HOCH ₂ CH ₂) ₃ N	H ₂ 0	Triethanolamine	125 mL	ICTEA1-125ML
Triethylamine, (CH ₃ CH ₂) ₃ N	HCI	Triethylamine	125 mL	ICTA1-125ML
Trimethylamine, $(CH_3)_3N$	HCI	Trimethylamine	125 mL	ICTMA1-125ML

MULTI-ION STANDARDS

Anion Calibration Standard					
IC-FAS-1A	IC-FAS-1A Matrix: H ₂ 0				
IC-FAS-1A-125ML IC-FAS-1A-500ML		Volume: 125 mL Volume: 500 mL			
Analyte	μg/mL	Analyte μg/mL			
Br-	100	NO ₂ -	100		
CI-	30	PO₄-3 150			
F-	20	SO₄- ² 150			
NO ₃ -	100				

For anion analysis of water samples by ion chromatography (IC). Contains 7 "common anions" as defined by EPA and Standard Methods.

Cation Calibration Standard						
IC-SCS1 Matrix: HNO ₃						
IC-SCS1-125ML Volume: 125 mL			: 125 mL			
Analyte	μg/mL	Analyte µg/mL				
Ca ⁺²	1,000	Mg ⁺² 200				
K+	200	Na ⁺ 200				
Li ⁺	50	NH ₄ ⁺	400			

Used for daily calibration.

For cation analysis of water samples by ion chromatography (IC).

Cation Calibration Standard			
IV-STOCK-7		Matrix: HNO ₃	
IV-STOCK-7-125ML IV-STOCK-7-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Ba ⁺²	100	Mn ⁺²	100
Ca ⁺²	100	Na⁺	100
K ⁺	100	NH ₄ ⁺	100
Li ⁺	100	Sr ⁺²	100
Mg ⁺²	100		

Used for daily calibration.

For use as a certified reference standard in ion chromatography (IC) applications.

Anion Calibration Standard			
IV-STOCK-59		Matrix: H ₂ 0	
IV-STOCK-59-125ML IV-STOCK-59-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	Analyte	μg/mL
Br-	1000	NO ₂ -	1000
CI-	1000	PO ₄ -3	1000
F-	1000	SO ₄ -2	1000
NO	1000		

For use as a certified reference standard in ion chromatography (IC) applications.

Anion Mix A		
IV-STOCK-61	Matrix: H ₂ 0	
IV-STOCK-61-125ML IV-STOCK-61-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	Range	
Br-	20	
F-	10	
NO ₂ -	20	
\$0 ₄ -2	30	
CI-	20	
NO ₃ -	20	
PO ₄ -3	30	

For use as a certified reference standard in ion chromatography (IC) applications.

Cation Mix B		
IV-STOCK-62	Matrix: H ₂ 0	
IV-STOCK-62-125ML	Volume: 125 mL	
Analyte	Range	
Ca	2.0	
K	2.5	
Li	0.2	
Mg	2.0	
Na	1.5	
NH ₄ +	1.5	

For use as a certified reference standard in ion chromatography (IC) applications.



MULTI-ION STANDARDS

Anion Mix 4		
IV-STOCK-63 Matrix: H ₂ 0		
IV-STOCK-63-125ML	Volume: 125 mL	
Analyte	Range	
Br-	40	
F-	20	
NO ₂ -	40	
CI-	40	
NO ₃ -	40	
SO ₄ -2	40	

For use as a certified reference standard in ion chromatography (IC) applications.

Anion Mix 5		
IV-STOCK-64	Matrix: H ₂ 0	
IV-STOCK-64-125ML IV-STOCK-64-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	Range	
Br-	50	
CI-	50	
F	25	
NO ₃ -	50	
NO ₂ -	50	
PO ₄ -3	50	
\$0 ₄ -2	50	

For use as a certified reference standard in ion chromatography (IC) applications.

Custom eluent concentrates are available upon request.

0.18 M Sodium Carbonate/0.17 M Sodium Bicarbonate			
ELUENT1817-100ML Volume: 100 mL Matrix: H ₂ 0 ELUENT1817-500ML Volume: 500 mL Dilution: 1:100			
For preparation of 1.8 mM CO ₃ -2 / 1.7 mM HCO ₃ - eluent.			

This solution is a reagent and is not intended to be used as a certified reference material. Concentrate (100x); To prepare 1.8 mM carbonate/1.7 mM bicarbonate eluent for IC applications; ISO 17034 Reference Material; Supplied with Product Information Sheet.

0.35 M Sodium Carbonate/0.10 M Sodium Bicarbonate		
ELUENT3510-100ML Volume: 100 mL Matrix: H ₂ O ELUENT3510-500ML Volume: 500 mL Dilution: 1:100		
For preparation of 3.5 mM CO ₃ ⁻² / 1.0 mM HCO ₃ ⁻ eluent.		

This solution is a reagent and is not intended to be used as a certified reference material. Concentrate (100x); To prepare 3.5 mM carbonate/1.0 mM bicarbonate eluent for IC applications; ISO 17034 Reference Material; Supplied with Product Information Sheet

0.5 M Sodium Bicarbonate		
BICARB-100ML BICARB-500ML	Volume: 100 mL Volume: 500 mL	Matrix: H ₂ 0 Dilution: 1:100
For preparation of various CO ₃ ⁻² / HCO ₃ - eluents.		

This solution is a reagent and is not intended to be used as a certified reference material. Concentrate; To prepare carbonate/bicarbonate eluent for IC applications; ISO 17034 Reference Material; Supplied with Product Information Sheet.

0.5 M Sodium Carbonate			
CARB-100ML CARB-500ML	Volume: 100 mL Volume: 500 mL	Matrix: H ₂ 0 Dilution: 1:100	
For preparation of various CO ₃ ² / HCO ₃ - eluents.			

This solution is a reagent and is not intended to be used as a certified reference material. Concentrate; To prepare carbonate/bicarbonate eluent for IC applications; ISO 17034 Reference Material; Supplied with Product Information Sheet.

1.8 M Methanesulfonic Acid		
MSAELUENT-100MLVolume: 100 mLMatrix: H20MSAELUENT-500MLVolume: 500 mLDilution: 1:100		
For preparation of 18 mM CH ₃ SO ₃ H eluent for analyzing cations.		

This solution is a reagent and is not intended to be used as a certified reference material. Concentrate (100x); To prepare 18 mM methanesulfonic acid eluent for IC applications; ISO 17034 Reference Material; Supplied with Product Information Sheet.

300.0 Rev. 2.1 Part A / 300.1 Part A Custom EPA standards are available upon request.

0.18 M Sodium Carbonate/0.17 M Sodium Bicarbonate		
ELUENT1817-100ML	Volume: 100 mL	Matrix: H₂0
ELUENT1817-500ML	Volume: 500 mL	Dilution 1:100

For preparation of 1.8 mM CO₃-2 / 1.7 mM HCO₃- eluent.

This solution is a reagent and is not intended to be used as a certified reference material. Concentrate (100x); To prepare 1.8 mM carbonate/1.7 mM bicarbonate eluent for IC applications; ISO 17034 Reference Material; Supplied with Product Information Sheet.

Calibration Standard				
300-CAL-A-125ML 300-CAL-A-500ML		Volume: 125 mL Matrix: H ₂ 0 Volume: 500 mL Dilution 1:10 to 1:10		
Analyte	μg/mL	Analyte		μg/mL
Br-	100	Nitrite as Nitroge	n	30
CI-	30	Nitrate as Nitroge	n	25
F-	20	Phosphate as Phosph	orus	50
SO ₄ -2	150			

For use as ion chromatography calibration standard in EPA Method 300.0. Also suitable for use as common anions standard in EPA Method 300.1.

Dichloroacetate Standard			
ICDCA-S-125ML ICDCA-S-500ML	Volume: 125 mL Volume: 500 mL		Matrix: H ₂ 0
Analyte			μg/mL
Cl ₂ HC ₂ O ₂ -			500

For use as a surrogate analyte.

For use as a surrogate analyte in ion chromatography (IC) analysis.

300.0 Rev. 2.1 Part A / 300.1 Part A Custom EPA standards are available upon request.

Laboratory Fortification Stock Standard				
300-LFS-A-125ML		Volume: 125 mL	Matrix: H ₂ 0 Dilution 1:100 to 1:1,000	
Analyte	μg/mL	Analyte		μg/mL
Br-	1,000	Nitrite as Nitroge	n	300
CI-	300	Nitrate as Nitroge	n	300
F-	200	Phosphate as Phosph	orus	500
\$0 ₄ -2	1,500			

This standard is used to prepare the Laboratory Fortified Blank and the Laboratory Fortified Sample Matrix

For use as ion chromatography laboratory fortified blank or fortified sample matrix solution in EPA Method 300.0. Also suitable for use as common anions fortified blank or fortified sample matrix solution in EPA Method 300.1.

QC Standard/Instrument Performance Check [†]				
QCP-QCS-5-125ML		Volume: 125 mL Matrix: H ₂ 0 Dilution 1:10 to 1:10		atrix: H ₂ 0 n 1:10 to 1:100
Analyte	μg/mL	Analyte		μg/mL
Br-	50	Nitrite as Nitroge	n	15
CI-	15	Nitrate as Nitroge	n	10
F-	10	Phosphate as Phosph	orus	25
\$0 ₄ -2	75	†Manufactured from in-house Secon	d Source conc	entrates.

Can be used to prepare the QC Sample or the IPC Solution.

For use as a general ion chromatogrpahy quality control standard

300.1 Part B Custom EPA standards are available upon request.

Bromate		
ICBR031	Matrix: H ₂ O	
ICBR031-125ML ICBR031-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
BrO ₃ -	1,000	

Bromide			
ICBR1	Matrix: H ₂ 0		
ICBR1-125ML ICBR1-500ML	Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL		
D.	1,000		

Chlorite		
ICCL021	Matrix: H ₂ 0	
ICCL021-125ML ICCL021-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
CIO ₂ -	1,000	

NOTE: Contains less than 10ppm ${\rm CIO_3}^-$.

Chlorate		
ICCL031	Matrix: H ₂ O	
ICCL031-125ML ICCL031-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
CIO ₃ -	1,000	

Dichloroacetate Standard		
ICDCA-S	Matrix: H ₂ 0	
ICDCA-S-125ML ICDCA-S-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
Cl ₂ HC ₂ O ₂ -	500	

For use as a surrogate analyte.

Custom EPA standards are available upon request.


1,400 µmhos/cm Conductivity at 25°C		
CON1400-25	Matrix: H ₂ 0	
CON1400-25-125ML CON1400-25-500ML CON1400-25-1L	Volume: 125 mL Volume: 500 mL Volume: 1 L	

For the calibration of analytical instruments and validation of analytical methods as appropriate. Preserved with antimicrobial agent.

Perchlorate		
ICCLO41	Matrix: H ₂ 0	
ICCLO41-125ML ICCLO41-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
CIO ₄ -	1,000	

ATOMIC ABSORPTION

If Atomic Absorption (AA) is your technique of choice, we think you'll appreciate our full line of AA standards.



Contents

Single-Element Standards	.9!
Modifiers, Buffers & Releasing Agents	98
Instrument Cross-Reference Table	31

- ✓ Up to five-year shelf life
- ✓ Traceable to NIST SRMs
- ✓ Produced under ISO 9001
- ✓ Assayed by validated procedures

SINGLE-ELEMENT STANDARDS

For the calibration of analytical instruments and validation of analytical methods as appropriate.

1,000 μg/mL

			1,000 μg/1111
ANALYTE	MATRIX	VOLUME	CATALOG #
Aluminum, Al	HNO ₃	125 mL 500 mL	AAAL1-125ML AAAL1-500ML
Antimony, Sb	HNO ₃ / Tartaric Acid	125 mL 500 mL	AASB1-125ML AASB1-500ML
Arsenic, As	HNO ₃	125 mL 500 mL	AAAS1-125ML AAAS1-500ML
Barium, Ba	HNO ₃	125 mL 500 mL	AABA1-125ML AABA1-500ML
Beryllium, Be	HNO ₃	125 mL 500 mL	AABE1-125ML AABE1-500ML
Bismuth, Bi	HNO ₃	125 mL 500 mL	AABI1-125ML AABI1-500ML
Boron, B	NH₄OH	125 mL 500 mL	AAB1-125ML AAB1-500ML
Cadmium, Cd	HNO ₃	125 mL 500 mL	AACD1-125ML AACD1-500ML
Calcium, Ca	HNO ₃	125 mL 500 mL	AACA1-125ML AACA1-500ML
Cerium, Ce	HNO ₃	125 mL 500 mL	AACE1-125ML AACE1-500ML
Cesium, Cs	HNO ₃	125 mL 500 mL	AACS1-125ML AACS1-500ML
Chromium, Cr	HNO ₃	125 mL 500 mL	AACR1-125ML AACR1-500ML
Cobalt, Co	HNO ₃	125 mL 500 mL	AACO1-125ML AACO1-500ML
Copper, Cu	HNO ₃	125 mL 500 mL	AACU1-125ML AACU1-500ML
Dysprosium, Dy	HNO ₃	125 mL 500 mL	AADY1-125ML AADY1-500ML
Erbium, Er	HNO ₃	125 mL 500 mL	AAER1-125ML AAER1-500ML
Europium, Eu	HNO ₃	125 mL 500 mL	AAEU1-125ML AAEU1-500ML
Gadolinium, Gd	HNO ₃	125 mL 500 mL	AAGD1-125ML AAGD1-500ML
Gallium, Ga	HNO ₃	125 mL 500 mL	AAGA1-125ML AAGA1-500ML
Germanium, Ge	HNO ₃ / HF	125 mL 500 mL	AAGE1-125ML AAGE1-500ML
Gold, Au	HCI	125 mL 500 mL	AAAU1-125ML AAAU1-500ML
Hafnium, Hf	HNO ₃ / HF	125 mL 500 mL	AAHF1-125ML AAHF1-500ML
Holmium, Ho	HNO ₃	125 mL 500 mL	AAHO1-125ML AAHO1-500ML
Indium, In	HNO ₃	125 mL 500 mL	AAIN1-125ML AAIN1-500ML

SINGLE-ELEMENT STANDARDS

$1,000 \ \mu g/mL$

ANALYTE	MATRIX	VOLUME	CATALOG #
Iridium, Ir	HCI	125 mL 500 mL	AAIR1-125ML AAIR1-500ML
Iron, Fe	HNO ₃	125 mL 500 mL	AAFE1-125ML AAFE1-500ML
Lanthanum, La	HNO ₃	125 mL 500 mL	AALA1-125ML AALA1-500ML
Lead, Pb	HNO ₃	125 mL 500 mL	AAPB1-125ML AAPB1-500ML
Lithium, Li	HNO ₃	125 mL 500 mL	AALI1-125ML AALI1-500ML
Lutetium, Lu	HNO ₃	125 mL 500 mL	AALU1-125ML AALU1-500ML
Magnesium, Mg	HNO ₃	125 mL 500 mL	AAMG1-125ML AAMG1-500ML
Manganese, Mn	HNO ₃	125 mL 500 mL	AAMN1-125ML AAMN1-500ML
Mercury, Hg	HNO ₃	125 mL 500 mL	AAHG1-125ML AAHG1-500ML
Molybdenum, Mo	NH ₄ OH	125 mL 500 mL	AAMO1-125ML AAMO1-525ML
Neodymium, Nd	HNO ₃	125 mL 500 mL	AAND1-125ML AAND1-500ML
Nickel, Ni	HNO ₃	125 mL 500 mL	AANI1-125ML AANI1-500ML
Niobium, Nb	HNO ₃ / HF	125 mL 500 mL	AANB1-125ML AANB1-500ML
Palladium, Pd	HCI	125 mL 500 mL	AAPD1-125ML AAPD1-500ML
Phosphorus, P	H ₂ O	125 mL 500 mL	AAP1-125ML AAP1-500ML
Platinum, Pt	HCI	125 mL 500 mL	AAPT1-125ML AAPT1-500ML
Potassium, K	HNO ₃	125 mL 500 mL	AAK1-125ML AAK1-500ML
Praseodymium, Pr	HNO ₃	125 mL 500 mL	AAPR1-125ML AAPR1-500ML
Rhenium, Re	HNO ₃	125 mL 500 mL	AARE1-125ML AARE1-500ML
Rhodium, Rh	HCI	125 mL 500 mL	AARH1-125ML AARH1-500ML
Rubidium, Rb	HNO ₃	125 mL 500 mL	AARB1-125ML AARB1-500ML
Ruthenium, Ru	HCI	125 mL 500 mL	AARU1-125ML AARU1-500ML
Samarium, Sm	HNO ₃	125 mL 500 mL	AASM1-125ML AASM1-500ML
Scandium, Sc	HNO ₃	125 mL 500 mL	AASC1-125ML AASC1-500ML

SINGLE-ELEMENT STANDARDS

$1,000 \ \mu g/mL$

ANALYTE	MATRIX	VOLUME	CATALOG #
Selenium, Se	HNO ₃	125 mL 500 mL	AASE1-125ML AASE1-500ML
Silicon, Si	HNO ₃ / HF	125 mL 500 mL	AASI1-125ML AASI1-500ML
Silver, Ag	HNO ₃	125 mL 500 mL	AAAG1-125ML AAAG1-500ML
Sodium, Na	HNO ₃	125 mL 500 mL	AANA1-125ML AANA1-500ML
Strontium, Sr	HNO ₃	125 mL 500 mL	AASR1-125ML AASR1-500ML
Sulfur, S	H ₂ O	125 mL 500 mL	AAS1-125ML AAS1-500ML
Tantalum, Ta	HNO ₃ / HF	125 mL 500 mL	AATA1-125ML AATA1-500ML
Tellurium, Te	HCI	125 mL 500 mL	AATE1-125ML AATE1-500ML
Terbium, Tb	HNO ₃	125 mL 500 mL	AATB1-125ML AATB1-500ML
Thallium, Tl	HNO ₃	125 mL 500 mL	AATL1-125ML AATL1-500ML
Thorium, Th	HNO ₃	125 mL 500 mL	AATH1-125ML AATH1-500ML
Thulium, Tm	HNO ₃	125 mL 500 mL	AATM1-125ML AATM1-500ML
Tin, Sn	HNO ₃ / HF	125 mL 500 mL	AASN1-125ML AASN1-500ML
Titanium, Ti	HNO ₃ / HF	125 mL 500 mL	AATI1-125ML AATI1-500ML
Tungsten, W	HNO ₃ / HF	125 mL 500 mL	AAW1-125ML AAW1-500ML
Uranium, U	HNO ₃	125 mL 500 mL	AAU1-125ML AAU1-500ML
Vanadium, V	HNO ₃	125 mL 500 mL	AAV1-125ML AAV1-500ML
Ytterbium, Yb	HNO ₃	125 mL 500 mL	AAYB1-125ML AAYB1-500ML
Yttrium, Y	HNO ₃	125 mL 500 mL	AAY1-125ML AAY1-500ML
Zinc, Zn	HNO ₃	125 mL 500 mL	AAZN1-125ML AAZN1-500ML
Zirconium, Zr	HF	125 mL 500 mL	AAZR1-125ML AAZR1-500ML

MODIFIERS, BUFFERS & RELEASING AGENTS

Custom modifiers, buffers and releasing agents are available upon request.

1% Lanthanum Releasing Agent*			
LACB1 Matrix: HCl			
LACB1-500ML Volume: 500 mL			
Analyte	μg/mL		
La 10,000			

Used as a releasing agent (primarily for Ca in the presence of phosphate).

2% Lithium Ionization Buffer*			
LINB2 Matrix: HNO ₃			
LINB2-125ML Volume: 125 mL			
Analyte μg/mL			
Li 20,000			

Supplies an excess of electrons to plasma/flame to minimize impact of ionization interferences.

1% Magnesium Nitrate Modifier*			
MM-MG-10 Matrix: H ₂ 0			
MM-MG-10-125ML Volume: 125 mL			
Analyte	μg/mL		
$Mg(NO_3)_2$ 10,000			

Used to change the volatility of the sample to prevent loss of analyte or to facilitate removal of interfering matrix components.

4% Phosphate Modifier*			
MM-P-40 Matrix: H ₂ 0			
MM-P-40-125ML Volume: 125 mL			
Analyte μg/mL			
PO ₄ 40,000			

Used to change the volatility of the sample to prevent loss of analyte or to facilitate removal of interfering matrix components.

0.5% Palladium Modifier*			
MM-PD-5 Matrix: HNO ₃			
MM-PD-5-125ML Volume: 125 mL Volume: 500 mL			
Analyte	μg/mL		
Pd 5,000			

Used to change the volatility of the sample to prevent loss of analyte or to facilitate removal of interfering matrix components.

1% Palladium Modifier*			
MM-PD-10 Matrix: HNO ₃			
MM-PD-10-125ML Volume: 125 mL Volume: 500 mL			
Analyte	μg/mL		
Pd	10,000		

Used to change the volatility of the sample to prevent loss of analyte or to facilitate removal of interfering matrix components.

0.3% Palladium / 0.2% Magnesium Nitrate Modifier*			
MM-PDMG-32 Matrix: HNO ₃			
MM-PDMG-32-125ML MM-PDMG-32-500ML		Volume: 125 mL Volume: 500 mL	
Analyte	Analyte µg/mL		μg/mL
Mg(NO ₃) ₂ , 2,000		Pd	3,000

Used to change the volatility of the sample to prevent loss of analyte or to facilitate removal of interfering matrix components.

^{*}Not to be used as a calibration standard, for analytical reagent use only. ISO 17034 Reference Material; Supplied with Product Information Sheet.

WATER QC

Our priority is your total satisfaction. Should you ever have a problem with any standard, Water QC or otherwise, let us know. We'll immediately investigate the problem by testing a retained sample of your solution. If the error is on our end, you'll be offered a full refund or a free replacement – your choice.



Contents

Need	a Custom	CRM?			. 18

- ✓ Up to five-year shelf life
- ✓ Traceable to NIST SRMs
- **Produced under ISO 9001**
- **Produced under ISO 17025**
- Produced under ISO 17034
- ✓ Assayed by optimal validated procedures

WATER STANDARDS

Custom potable water standards for certain products are available upon request.

Bromate			
ICBR031	Matrix: H ₂ 0		
ICBR031-125ML ICBR031-500ML	Volume: 125 mL Volume: 500 mL		
Analyte	μg/mL		
BrO ₃ -	1,000		

Chlorate		
ICCL031	Matrix: H ₂ O	
ICCL031-125ML ICCL031-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
CIO ₃ -	1,000	

Bromide		
ICBR1	Matrix: H ₂ 0	
ICBR1-125ML ICBR1-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
Br-	1,000	

Chlorite		
ICCL021	Matrix: H ₂ 0	
ICCL021-125ML ICCL021-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
CIO ₂ -	1,000	

NOTE: Contains less than 10ppm CIO $_{\rm 3}$ -.

1,000 µg/mL Total Cyanide		
CN-1000-25-20ML	Volume: 20 mL Matrix: H ₂ 0	
Analyte	μg/mL	
CN-	1,000	

For the determination of cyanide in aqueous samples.

Mercury Standard		
MSHG-1PPM	Matrix: HCl	
MSHG-1PPM-125ML MSHG-1PPM-500ML	Volume: 125 mL Volume: 500 mL	
Analyte	μg/mL	
Hg	1	

Custom wastewater standards are available upon request.

ANALYTE	MATRIX	STARTING MATERIAL	μg/ML	VOLUME	CATALOG #
Total Organic Carbon, TOC	H ₂ 0	KHP	1,000	125 mL	TOCKHP1-125ML
	2			500 mL	TOCKHP1-500ML

WET CHEMISTRY

Each pH standard is compatible with your instrumentation and meets all requirements for calibration by a true Certified Reference Material. Each standard is traceable to a NIST SRM and is engineered for long-term stability. Manufactured under our ISO 17034 accreditation, each pH standard comes with a CoA and a temperature chart for your convenience. Each product is packaged in our TCT technology with a multi-year shelf life and a one-year* expiration date from opening. All product labels and SDS are GHS-compliant.



Contents

Wet Chemical Standards	
Conductivity Standards	102
pH Standards and Colored pH Standards	103
Cyanide Standards	104
pH Buffers Specially Formulated	
for USP <791>	10
Sample Preparation Dissolution Reagents & Stabilizers	106
Fusion Fluxes	
Certified Titrants	107
Reagents	108
Need a Custom CRM?	15

At times, Wet Chemistry involves some difficult and unusual techniques. If you find yourself in a bind, give us a call. One of our experts will be happy to assist you. Plus, we offer analytical advice and in-depth technical guides on our website, inorganic ventures.com.

- ✓ Up to five-year shelf life
- ✓ Traceable to NIST SRMs
- ✓ Produced under ISO 9001
- ✓ Produced under ISO 17025
- ✓ Produced under ISO 17034
- Assayed by optimal validated procedures

* For most products.

WET CHEMICAL STANDARDS

For the calibration of analytical instruments and validation of analytical methods as appropriate. Preserved with antimicrobial agent. Custom conductivity standards are available upon request.

2 μmhos/cm Conductivity at 25°C		
Matrix: H ₂ 0		
CON2-25-125ML Volume: 125 mL		
CON2-25-500ML	Volume: 500 mL	

5 μmhos/cm Conductivity at 25°C		
Matrix: H ₂ 0		
CON5-25-125ML Volume: 125 mL		
CON5-25-500ML	Volume: 500 mL	

10 µmhos/cm Conductivity at 25°C		
Matrix: H ₂ 0		
CON10-25-125ML Volume: 125 mL		
CON10-25-500ML	Volume: 500 mL	

84 µmhos/cm Conductivity at 25°C			
Matrix: H ₂ 0			
CON84-25-125ML Volume: 125 mL			
CON84-25-500ML	Volume: 500 mL		
CON84-25-1L	Volume: 1 L		

100 µmhos/cm Conductivity at 25°C			
Matrix: H ₂ 0			
CON100-25-125ML Volume: 125 mL			
CON100-25-500ML	Volume: 500 mL		
CON100-25-1L	Volume: 1 L		

147 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON147-25-125ML	Volume: 125 mL
CON147-25-500ML	Volume: 500 mL
CON147-25-1L	Volume: 1 L

500 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON500-25-125ML	Volume: 125 mL
CON500-25-500ML	Volume: 500 mL
CON500-25-1L	Volume: 1 L

1,000 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON1000-25-125ML	Volume: 125 mL
CON1000-25-500ML	Volume: 500 mL
CON1000-25-1L	Volume: 1 L

1,200 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON1200-25-125ML	Volume: 125 mL
CON1200-25-500ML	Volume: 500 mL
CON1200-25-1L	Volume: 1 L

1,400 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON1400-25-125ML	Volume: 125 mL
CON1400-25-500ML	Volume: 500 mL
CON1400-25-1L	Volume: 1 L

1,413 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON1413-25-125ML	Volume: 125 mL
CON1413-25-500ML	Volume: 500 mL
CON1413-25-1L	Volume: 1 L

1,430 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON1430-25-125ML	Volume: 125 mL
CON1430-25-500ML	Volume: 500 mL
CON1430-25-1L	Volume: 1 L

10,000 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON10000-25-125ML	Volume: 125 mL
CON10000-25-500ML	Volume: 500 mL
CON10000-25-1L	Volume: 1 L

100,000 µmhos/cm Conductivity at 25°C	
Matrix: H ₂ 0	
CON100000-25-125ML	Volume: 125 mL
CON100000-25-500ML	Volume: 500 mL
CON100000-25-1L	Volume: 1 L

WET CHEMICAL STANDARDS

For the calibration of analytical instruments and validation of analytical methods as appropriate. Preserved with antimicrobial agent. Custom pH standards are available upon request.

pH 1.68	
Potassium tetroxalate	
PH-1.68-250ML	Volume: 250 mL
PH-1.68-500ML	Volume: 500 mL
PH-1.68-1L	Volume: 1 L
PH-1.68-4L	Volume: 4 L

pH 2	
Potassium chloride and hydrochloric acid	
PH-2-250ML Volume: 250 mL	
PH-2-500ML	Volume: 500 mL
PH-2-1L	Volume: 1 L
PH-2-4L	Volume: 4 L
PH-2-10L	Volume: 10 L

pH 3	
Potassium acid phthalate and hydrochloric acid	
PH-3-250ML Volume: 250 mL	
PH-3-500ML	Volume: 500 mL
PH-3-1L	Volume: 1 L
PH-3-4L	Volume: 4 L
PH-3-10L	Volume: 10 L

pH 4	
Potassium acid phthalate	
PH-4-250ML Volume: 250 mL	
PH-4-500ML	Volume: 500 mL
PH-4-1L	Volume: 1 L
PH-4-4L	Volume: 4 L
PH-4-10L	Volume: 10 L

pH 4 RED	
Potassium acid phthalate	
PHRED-4-250ML	Volume: 250 mL
PHRED-4-500ML	Volume: 500 mL
PHRED-4-1L	Volume: 1 L
PHRED-4-4L	Volume: 4 L
PHRED-4-10L	Volume: 10 L

pH 5	
Potassium acid phthalate and sodium hydroxide	
PH-5-250ML Volume: 250 mL	
PH-5-500ML	Volume: 500 mL
PH-5-1L	Volume: 1 L
PH-5-4L	Volume: 4 L

pH 6	
Monobasic potassium phosphate and sodium hydroxide	
PH-6-250ML Volume: 250 mL	
PH-6-500ML	Volume: 500 mL
PH-6-1L	Volume: 1 L
PH-6-4L	Volume: 4 L
PH-6-10L	Volume: 10 L

pH 6.86	
Potassium phosphate and dibasic sodium phosphate	
PH-6.86-250ML	Volume: 250 mL
PH-6.86-500ML	Volume: 500 mL
PH-6.86-1L	Volume: 1 L
PH-6.86-4L	Volume: 4 L
PH-6.86-10L	Volume: 10 L

pH 7	
Monobasic potassium phosphate and sodium hydroxide	
PH-7-250ML Volume: 250 mL	
PH-7-500ML	Volume: 500 mL
PH-7-1L	Volume: 1 L
PH-7-4L	Volume: 4 L
PH-7-10L	Volume: 10 L

pH 7 YELLOW	
Monobasic potassium phosphate and sodium hydroxide	
PHYELLOW-7-250ML Volume: 250 mL	
PHYELLOW-7-500ML	Volume: 500 mL
PHYELLOW-7-1L	Volume: 1 L
PHYELLOW-7-4L	Volume: 4 L
PHYELLOW-7-10L	Volume: 10 L

WET CHEMICAL STANDARDS

pH 8	
Monobasic potassium phosphate and sodium hydroxide	
PH-8-250ML	Volume: 250 mL
PH-8-500ML	Volume: 500 mL
PH-8-1L	Volume: 1 L
PH-8-4L	Volume: 4 L
PH-8-10L	Volume: 10 L

pH 9		
Boric acid, potassium chloride and sodium hydroxide		
PH-9-250ML Volume: 250 mL		
PH-9-500ML	Volume: 500 mL	
PH-9-1L	Volume: 1 L	
PH-9-4L	Volume: 4 L	
PH-9-10L	Volume: 10 L	

pH 9.18	
Sodium borate decahydrate	
PH-9.18-250ML	Volume: 250 mL
PH-9.18-500ML	Volume: 500 mL
PH-9.18-1L	Volume: 1 L

pH 10	
Sodium bicarbonate and sodium carbonate	
PH-10-250ML Volume: 250 mL	
PH-10-500ML	Volume: 500 mL
PH-10-1L	Volume: 1 L
PH-10-4L	Volume: 4 L
PH-10-10L	Volume: 10 L

pH 10 BLUE	
Sodium bicarbonate and sodium carbonate	
PHBLUE-10-250ML Volume: 250 mL	
PHBLUE-10-500ML	Volume: 500 mL
PHBLUE-10-1L	Volume: 1 L
PHBLUE-10-4L	Volume: 4 L
PHBLUE-10-10L	Volume: 10 L

pH 11		
Dibasic sodium phosphate and sodium hydroxide		
PH-11-250ML Volume: 250 mL		
PH-11-500ML	Volume: 500 mL	
PH-11-1L	Volume: 1 L	
PH-11-4L	Volume: 4 L	
PH-11-10L	Volume: 10 L	

pH 12		
Potassium chloride and sodium hydroxide		
PH-12-250ML Volume: 250 mL		
PH-12-500ML	Volume: 500 mL	
PH-12-1L	Volume: 1 L	
PH-12-4L	Volume: 4 L	
PH-12-10L	Volume: 10 L	

pH 12.47	
Sodium hydroxide and potassium chloride	
PH-12.47-250ML Volume: 250 mL	
PH-12.47-500ML Volume: 500 mL	
PH-12.47-1L	Volume: 1 L

Cyanide Standards

Custom cyanide standards are available upon request.

1,000 ug/mL Total Cyanide	
CN-1000-25-20ML	Volume: 20 mL Matrix: H ₂ 0
Analyte	μg/mL
CN-	1,000



Leave buffer preparation to the experts.

Your pH meter will thank you.

pH BUFFERS SPECIALLY FORMULATED FOR USP <791>

For analysts in the pharmaceutical industry tasked with maintaining proper pH meter calibration in accordance with USP <791>, Inorganic Ventures' CRMs deliver confidence, control, and support.

Our pH buffers are NIST-traceable and manufactured and tested under ISO 17034 and ISO 17025 guidelines. Each standard is accompanied by a detailed Certificate of Analysis (CoA), displaying certified values for multiple temperatures. In addition, these solutions are formulated to meet USP <791> specifications* and are ready to use right out of the bottle.

pH Buffer Features:

- NIST-traceable standards, certified within 5% of the nominal values and associated uncertainties of no more than 0.05 pH units.
- Packaged in Transpiration Control Technology (TCT) which guarantees scientific integrity for up to 5-years from the date of manufacture.
- · Ready to use with no preparation required.

WE OFFER A COMPLETE LINE OF PH CALIBRATION STANDARDS, SUITABLE FOR CALIBRATION AS SPECIFIED IN USP <791>.

PRODUCT OFFERINGS	
pH-1.68	
pH-4.01	
pH-6.86	
pH-9.18	
pH-10.01	77
pH-12.45*	
o ensure solution stability, pH 12.45 is ormulated using KCI/NaOH.	1 2000

Do you need a specific pH value not listed above or require a specific formulation?

We have the scientific expertise to refine formulations and address your specific needs. Simply contact IV for a custom quote or to learn about our complete line of pH buffer stock standards.



SAMPLE PREPARATION

Dissolution Reagents & Stabilizers

Dissolution Reagents are designed for the preparation and measurement of samples containing silica mixed with fluoride insoluble elements, including zeolites, alumina and/or silica based catalysts, sand, limestone, coal fly ash and talc.

These products permit the simple dissolution of silicates without additional equipment, and are designed for ICP measurement of Si and other elements using traditional glass-based sample introduction systems.

The following products are intended to be used together; UA-1 for sample dissolution and UNS-1 for neutralization and stabilization. Please see the article titled Elemental Analysis of Zeolites on our website for more information. Custom dissolution reagents for specific applications are available upon request, and please contact us for more information.

Acid Dissolution Reagent UA-1-500ML Volume: 500 mL Recommended for the dissolution of aluminosilicates, such as zeolites.

Stabilizing Reagent	
UNS-1-500ML Volume: 500 mL UNS-1-2.5L Volume: 2.5 L	
Designed for use with UA-1.	

Fusion Fluxes

Lithium Carbonate FF-LI2C03-500G Volume: 500 g FF-LI2C03-2.5KG Volume: 2.5 Kg

See section 13 of the Reliable Measurements Guide found on our website for a sample preparation method designed to work perfectly with this product.

For use as a high-purity flux in fusion sample preparation methods. Suitable for lower-temperature fusion methods. Do not use with Pt crucibles. Please see the Trace Analysis Guide on our website for more information regarding fusion sample preparation methods.

Don't see exactly what you're looking for?

Give us a call. Custom reference materials are our specialty.



CERTIFIED TITRANTS

These Certified Titrants are traceable to NIST and accredited to ISO 17034. Custom certified titrants are available upon request.

0.05M EDTA	
0.05M-EDTA-500ML	Matrix: H ₂ O Volume: 500 mL
0.05M EDTA, 500mL	

0.5M EDTA	
0.5M-EDTA-500ML	Matrix: H ₂ O Volume: 500 mL
0.5M EDTA, 500mL	

0.1M Hydrochloric Acid	
0.1M-HCL-500ML	Matrix: H ₂ 0 Volume: 500 mL
0.1M Hydrochloric Acid, 500mL	

1.0M Hydrochloric Acid	
1.0M-HCL-500ML Matrix: H ₂ O Volume: 500 mL	
1.0M Hydrochloric Acid, 500mL	

0.1M Nitric Acid	
0.1M-HN03-500ML Matrix: H ₂ 0 Volume: 500 mL	
0.1M Nitric Acid, 500mL	

1.0M Nitric Acid	
1.0M-HN03-500ML	Matrix: H ₂ 0 Volume: 500 mL
1.0M Nitric Acid, 500mL	

0.1M Perchloric Acid			
0.1M-HCL04-500ML	Matrix: H ₂ O/0.1M HClO ₄ in Glacial Acetic Acid Volume: 500 mL		
0.1M Perchloric Acid, 500mL			

0.1N Silver Nitrate			
0.1N-AGNO3-500ML	Matrix: H ₂ O Volume: 500 mL		
0.1N Silver Nitrate, 500mL			

0.1M Sodium Hydroxide		
0.1M-NAOH-500ML Matrix: H ₂ O Volume: 500 mL		
0.1M Sodium Hydroxide, 500mL		

0.1N Sodium Thiosulfate			
0.1N-NA2S2O3-500ML	Matrix: H ₂ O Volume: 500 mL		
0.1N Sodium Thiosulfate 500 mL. Prepared and standardized according to USP specifications.			

1M Sodium Hydroxide		
1M-NAOH-500ML	Matrix: H ₂ O Volume: 500 mL	
1M Sodium Hydroxide, 500mL		

WET CHEMISTRY REAGENTS

Blank & Rinse Solutions

Blank & Rinse solutions are prepared using double-distilled reagents and 18 megohm (M Ω) deionized water. They come packaged in ultra-clean LDPE bottles and are ready to use. Custom solutions are available upon request.

2% (v/v) Nitric Acid Rinse			
CLP-MS-RINSE	Matrix: HNO ₃		
Ultra Pure	Dilution: Ready to Use		
CLP-MS-RINSE-125ML	Volume: 125 mL		
CLP-MS-RINSE-500ML	Volume: 500 mL		

Deionized Blank			
IV-DI-BLANK Matrix: H ₂ 0			
IV-DI-BLANK-500ML IV-DI-BLANK-1L	Volume: 500 mL Volume: 1 L		

For use with ICP-MS. Designed for ILM05.2 and ILM05.3.

5% (v/v) Nitric Acid Blank			
IV-ACID-BLANK Ultra Pure Matrix: HNO ₃			
IV-ACID-BLANK-500ML IV-ACID-BLANK-1L	Volume: 500 mL Volume: 1 L		

AA Standards	
Modifiers, Buffers, & Releasing Agents	98
Single-Element Standards	95-9/
Anion Standards	00 00
Multi-lon Standards	
Single-Ion Standards	86-88
Buffers	
AA	98
ICP & ICP-MS	52
Calibration Blank & Rinse Solutions	66 108
Cannabis Standards	•
Cation Standards	
Multi-Ion Standards	89-90
Single-Ion Standards	
Conductivity Standards	
Continuing and Initial Calibration	
Verification Standards (CICV)	59, 61, 63
Contract Required Detection Limit	
Standards (CRDL)	60
Contract Required Quantitation Limit	
Standards (CRQL)	64
Cyanide Standards	
Anion Standards	86
ICP & ICP-MS	
Water Standards	
Wet Chemistry	104
Dichloroacetate Standard	91, 93
Dissolution Reagents & Stabilizers	
Eluents for Anions and Cations	90-91
EPA Methods	
200.7	66-75
200.8	
300.0	
300.1	
314.0	
1311	
6020	
ILM03.0	
ILMO4.0	
ILM05.2	63-66
ILM05.3	63-66
Toxicity Characteristic Leachate Procedure (TCLP)	
Fusion Fluxes	106
ICP, ICP-MS, and ICP-OES/AES Standards	
Multi-Element	
Single-Flement	20-34

Instrument Cross-Reference Table	
Instrument Performance Check	
Interference Check Standards (ICS)43	
Internal Standards 43-44, 48,	, 52, 65, 77, 80, 82-83
Ion Chromatography Standards	
Multi-Ion Standards	
Single-Ion Standards	86-88
Ionization Buffers	52, 98
Laboratory Fortifying Stock Solutions	73
Matrix Modifiers	
Mercury Preservation Solution	77
Mercury Standard	77, 100
Modifiers	98
pH Standards	
Calibration	103-104
Wet Chemistry	
•	
Quality Control Standards (QC)	
ICP & ICP-MS	
Ion Chromatography	92
Releasing Agents	98
Sample Preparation	
Dissolution Reagents	
Blank & Rinse Solutions	
Fusion Fluxes	
Single-Ion Standards	
Soil Spike Standards	
Total Organic Carbon (TOC)	100
Toxicity Characteristic Leachate	
Procedure Standard (TCLP)	79
Tuning Solutions41, 43-44, 49, 50-	-52, 65, 78, 81-82, 84
USP <232> – Elemental Impurities	
Compliance Standards	53-54
Water Standards	100
Water Spike Standards	
Wet Chemistry Standards	.00, 02, 03, 61-62, 64
Certified Titrants	10
Conductivity Standards	
Cyanide Standards	
Dissolution Reagents and Stabilizers	
Fusion Fluxes	
pH Standards and Colored pH Standards	
Paganta	

0.05M-EDTA-500ML	107	AACD1-500ML	95	AAPB1-125ML	96	AAZR1-500ML	
0.5M-EDTA-500ML		AACE1-125ML	95	AAPB1-500ML	96	AGI-TS-1-125ML	
0.1M-HCL-500ML	107	AACE1-500ML	95	AAPD1-125ML	96	AGI-TS-1-500ML	49
0.1M-HCLO4-500ML	107	AACO1-125ML	95	AAPD1-500ML	96		
0.1M-HN03-500ML	107	AAC01-500ML	95	AAPR1-125ML	96	BICARB-100ML	90
0.1M-NAOH-500ML	107	AACR1-125ML	95	AAPR1-500ML	96	BICARB-500ML	90
0.1N-AGN03-500ML		AACR1-500ML	95	AAPT1-125ML	96		
1.0M-HCL-500ML		AACS1-125ML	95	AAPT1-500ML	96	CARB-100ML	91
1.0M-HN03-500ML		AACS1-500ML		AARB1-125ML		CARB-500ML	
1M-NOAH-500ML		AACU1-125ML		AARB1-500ML		CCS-1-125ML	
0.1N-NA2S2O3-500ML		AACU1-500ML		AARE1-125ML		CCS-1-500ML	
2007ICS-1-125ML		AACUCN-125ML		AARE1-500ML		CCS-2-125ML	
2007ICS-1-125ML		AACUCN-500ML		AARH1-125ML		CCS-4-125ML	
2007ICS-3-125ML 2007ICS-4-125ML		AADY1-125ML		AARH1-500ML		CCS-4-723ML	
2007103-4-125ML 2008CAL-1-125ML				AARU1-125ML	•	CCS-5-125ML	
		AADY1-500ML					
2008CAL-2-125ML		AAER1-125ML		AARU1-500ML		CCS-5-500ML	
2008CAL-2-500ML		AAER1-500ML		AAS1-125ML		CCS-6-125ML	
2008ISS-125ML		AAEU1-125ML		AAS1-500ML		CCS-6-500ML	
2008ISS-500ML		AAEU1-500ML		AASB1-125ML		CG6LI1-125ML	
2008TS-125ML	•	AAFE1-125ML		AASB1-500ML		CG6LI1-30ML	
300-CAL-A-125ML		AAFE1-500ML		AASC1-125ML	96	CGAG10-125ML	
300-CAL-A-500ML		AAGA1-125ML		AASC1-500ML		CGAG10-500ML	33
300-LFS-A-125ML		AAGA1-500ML	95	AASE1-125ML	97	CGAG1-125ML	
6020CAL-1-125ML	80, 81, 83	AAGD1-125ML	95	AASE1-500ML	97	CGAG1-30ML	28
6020ICS-0A-125ML	83	AAGD1-500ML	95	AASI1-125ML	97	CGAG1-500ML	
6020ICS-0A-500ML	83	AAGE1-125ML	95	AASI1-500ML	97	CGAL10-125ML	30
6020ICS-0B-125ML	83	AAGE1-500ML	95	AASM1-125ML	96	CGAL10-30ML	30
6020ICS-8A-125ML	80	AAHF1-125ML	95	AASM1-500ML	96	CGAL10-500ML	
6020ICS-8A-500ML		AAHF1-500ML	95	AASN1-125ML	97	CGAL1-125ML	
6020ICS-9A-125ML		AAHG1-125ML		AASN1-500ML		CGAL1-30ML	
6020ICS-9A-500ML		AAHG1-500ML		AASR1-125ML		CGAL1-500ML	
6020ICS-9B-125ML		AAH01-125ML		AASR1-500ML		CGALCL1-125ML	
6020ISS-125ML		AAH01-500ML		AATA1-125ML		CGALCL1-30ML	
6020ISS-500ML		AAIN1-125ML		AATA1-500ML		CGALCL1-500ML	
6020SPK-S-125ML		AAIN1-500ML		AATB1-125ML		CGAS(3)1-125ML	
6020SPK-W-125ML		AAIR1-125ML		AATB1-500ML		CGAS(3)1-125ML	
6020TS-125ML		AAIR1-500ML		AATE1-125ML		CGAS(3)1-500ML	•
002013-123WIL	03, 01, 02, 04	AAK1-300ML		AATE1-123ML		CGAS(5)1-300ML	
A A A O 1 10 F M I	0.7					` '	•
AAAG1-125ML		AAK1-500ML		AATH1-125ML		CGAS(5)1-30ML	
AAAG1-500ML		AALA1-125ML		AATH1-500ML		CGAS(5)1-500ML	
AAAGCN-125ML		AALA1-500ML		AATI1-125ML		CGAS10-125ML	,
AAAGCN-500ML		AALI1-125ML		AATI1-500ML		CGAS10-30ML	
AAAL1-125ML		AALI1-500ML		AATL1-125ML		CGAS10-500ML	,
AAAL1-500ML		AALU1-125ML		AATL1-500ML		CGAS1-125ML	······ = ·, • •
AAAS1-125ML		AALU1-500ML		AATM1-125ML		CGAS1-30ML	
AAAS1-500ML		AAMG1-125ML		AATM1-500ML		CGAS1-500ML	•
A A A U 1-125 M L		AAMG1-500ML	96	AAU1-125ML		CGAU10-125ML	
AAAU1-500ML	95	AAMN1-125ML	96	AAU1-500ML	97	CGAU10-30ML	
AAAUCN-125ML	35	AAMN1-500ML	96	AAV1-125ML		CGAU10-500ML	31
AAAUCN-500ML	35	AAM01-125ML	96	AAV1-500ML	97	CGAU1-125ML	25
AAB1-125ML	95	AAM01-500ML	96	AAW1-125ML	97	CGAU1-30ML	25
AAB1-500ML	95	AANA1-125ML	97	AAW1-500ML	97	CGAU1-500ML	25
AABA1-125ML		AANA1-500ML	97	AAY1-125ML	97	CGAUN1-125ML	
AABA1-500ML		AANB1-125ML		AAY1-500ML		CGAUN1-30ML	
AABE1-125ML		AANB1-500ML		AAYB1-125ML		CGAUN1-500ML	•
AABE1-500ML		AAND1-125ML		AAYB1-500ML		CGB10-125ML	
AABI1-125ML		AAND1-500ML		AAZN1-125ML		CGB10-500ML	
AABI1-500ML		AANI1-125ML		AAZN1-125ML		CGB1-125ML	
AACA1-125ML		AANI1-500ML		AAZNCN-125ML		CGB1-30ML	
AACA1-500ML		AAP1-125ML		AAZNCN-500ML		CGB1-500ML	
AACD1-125ML	95	AAP1-500ML	96	AAZR1-125ML	9/	CGBA10-125ML	30

CGBA10-500ML	30	CGDY10-30ML	30	CGICI1-30ML	26	CGNA10-500ML	33
CGBA1-125ML		CGDY10-500ML		CGICI1-500ML	26	CGNA1-125ML	
CGBA1-30ML	24	CGDY1-125ML	25	CGIN10-125ML	31	CGNA1-30ML	28
CGBA1-500ML	24	CGDY1-30ML	25	CGIN10-500ML	31	CGNA1-500ML	28
CGBE10-125ML	30	CGDY1-500ML	25	CGIN1-125ML	26	CGNB10-125ML	32
CGBE10-500ML	30	CGER10-125ML	30	CGIN1-30ML	26	CGNB1-125ML	26
CGBE1-125ML	24	CGER10-30ML	30	CGIN1-500ML	26	CGNB1-30ML	26
CGBE1-30ML	24	CGER10-500ML	30	CGIR10-125ML		CGNB1-500ML	26
CGBE1-500ML	24	CGER1-125ML	25	CGIR10-30ML	31	CGNB20510-125ML	32
CGBI10-125ML		CGER1-30ML	25	CGIR10-500ML		CGNB20510-500ML	32
CGBI10-30ML		CGER1-500ML		CGIR1-125ML		CGNB2051-125ML	
CGBI10-500ML		CGEU10-125ML		CGIR1-30ML		CGNB2051-500ML	
CGBI1-125ML		CGEU10-30ML		CGIR1-500ML		CGND10-125ML	
CGBI1-30ML		CGEU10-500ML		CGK10-125ML		CGND10-30ML	
CGBI1-500ML		CGEU1-125ML		CGK10-30ML		CGND10-500ML	
CGC10-125ML		CGEU1-30ML		CGK10-500ML		CGND1-125ML	
CGC1-125ML		CGEU1-500ML		CGK1-125ML		CGND1-30ML	
CGC1-500ML		CGFE10-125ML		CGK1-30ML		CGND1-500ML	
CGCA10-125ML		CGFE10-30ML		CGK1-500ML		CGNI10-125ML	
CGCA10-30ML		CGFE10-500ML		CGLA10-125ML		CGN110-30ML	
CGCA10-500ML		CGFE1-125ML		CGLA10-30ML		CGN110-500ML	
CGCA1-125ML		CGFE1-125ML		CGLA10-500ML		CGN11-125ML	
CGCA1-125ML CGCA1-30ML		CGFE1-500ML				CGN11-125ML	
CGCA1-30ML				CGLA1-125ML		CGNI1-30ML	
		CGGA10-125ML		CGLA1-30ML			
CGCD10-125ML		CGGA10-500ML		CGLA1-500ML		CGOS1-125ML	
CGCD10-500ML		CGGA1-125ML		CGLI10-125ML		CGOS1-30ML	
CGCD1-125ML		CGGA1-30ML		CGLI10-30ML		CGOS1-500ML	
CGCD1-30ML	•	CGGA1-500ML		CGLI10-500ML		CGP10-125ML	
CGCD1-500ML	,	CGGD10-125ML		CGLI1-125ML		CGP10-30ML	
CGCE10-125ML		CGGD10-30ML		CGLI1-30ML		CGP10-500ML	
CGCE10-30ML		CGGD10-500ML		CGLI1-500ML		CGP1-125ML	
CGCE10-500ML		CGGD1-125ML		CGLU10-125ML		CGP1-30ML	
CGCE1-125ML		CGGD1-30ML		CGLU10-30ML		CGP1-500ML	
CGCE1-30ML		CGGD1-500ML		CGLU10-500ML		CGPB10-125ML	. ,
CGCE1-500ML		CGGE10-125ML		CGLU1-125ML		CGPB10-30ML	•
CGC010-125ML		CGGE10-500ML		CGLU1-30ML		CGPB10-500ML	•
CGC010-30ML		CGGE1-125ML		CGLU1-500ML		CGPB1-125ML	•
CGC010-500ML		CGGE1-30ML	25	CGMG10-125ML		CGPB1-30ML	•
CGC01-125ML		CGGE1-500ML		CGMG10-30ML		CGPB1-500ML	.,
CGC01-30ML		CGHF10-125ML		CGMG10-500ML		CGPD10-125ML	
CGC01-500ML	25	CGHF10-500ML	31	CGMG1-125ML	26	CGPD10-30ML	
CGCR(3)10-125ML		CGHF1-125ML		CGMG1-30ML		CGPD10-500ML	
CGCR(3)10-30ML		CGHF1-30ML	25	CGMG1-500ML	26	CGPD1-125ML	
CGCR(3)10-500ML	30	CGHF1-500ML	25	CGMN10-125ML	31	CGPD1-30ML	27
CGCR(3)1-125ML	25	CGHG10-125ML	31, 56	CGMN10-30ML	31	CGPD1-500ML	27
CGCR(3)1-30ML	25	CGHG10-500ML	31, 56	CGMN10-500ML	31	CGPDN1-125ML	27
CGCR(3)1-500ML	25	CGHG1-125ML	26, 56	CGMN1-125ML	26	CGPDN1-30ML	27
CGCR(6)1-125ML	25	CGHG1-30ML	26, 56	CGMN1-30ML	26	CGPDN1-500ML	27
CGCR(6)1-30ML		CGHG1-500ML	26, 56	CGMN1-500ML		CGPR10-125ML	
CGCR(6)1-500ML		CGH010-125ML	31	CGM010-125ML		CGPR10-30ML	
CGCS10-125ML		CGH010-30ML		CGM010-30ML		CGPR10-500ML	
CGCS10-500ML		CGH010-500ML		CGM010-500ML		CGPR1-125ML	
CGCS1-125ML		CGH01-125ML		CGM01-125ML		CGPR1-30ML	
CGCS1-30ML		CGH01-30ML		CGM01-30ML		CGPR1-500ML	
CGCU10-125ML		CGH01-500ML		CGM01-500ML		CGPT10-125ML	
CGCU10-30ML		CGICBR1-125ML		CGMSA10-125ML		CGPT10-30ML	
CGCU10-500ML		CGICBR1-30ML		CGMSA10-500ML		CGPT10-500ML	
CGCU1-125ML		CGICBR1-500ML		CGMSA1-125ML		CGPT1-125ML	
CGCU1-30ML		CGICCL1-125ML		CGMSA1-500ML		CGPT1-30ML	
CGCU1-500ML		CGICCL1-500ML		CGNA10-125ML		CGPT1-500ML	
CGDY10-125ML		CGICI1-125ML		CGNA10-125ML		CGPTN1-125ML	
		UUIUII IZUIVIL	∠∪	OUITA 10-00 WIL		OUI 1111 IZUIVIL	∠/

INDEX

CGPTN1-30ML	27	CGSI01-125ML	28	CGTM1-30ML	29	CMS-2-500ML	45
CGPTN1-500ML	27	CGSI01-30ML	28	CGTM1-500ML	29	CMS-3-125ML	
CGPTN031-125ML	27	CGSI01-500ML	28	CGU10-125ML	33	CMS-4-125ML	45
CGPTN031-30ML	27	CGSIONA1-125ML	28	CGU10-30ML	33	CMS-4-500ML	45
CGPTN031-500ML	27	CGSIONA1-500ML	28	CGU10-500ML	33	CMS-5-125ML	45
CGRB10-125ML	32	CGSM10-125ML		CGU1-125ML	29	CMS-5-500ML	45
CGRB10-500ML		CGSM10-30ML		CGU1-30ML		CN-1000-25-20ML8	
CGRB1-125ML	27	CGSM10-500ML	32	CGU1-500ML	29	CON100000-25-125ML	102
CGRB1-30ML		CGSM1-125ML		CGV10-125ML		CON100000-25-1L	
CGRE10-125ML		CGSM1-30ML		CGV10-30ML		CON100000-25-500ML	
CGRE10-500ML		CGSM1-500ML		CGV10-500ML		CON100000-25-125ML	
CGRE1-125ML		CGSN10-125ML		CGV1-125ML		CON10000-25-1L	
CGRE1-30ML		CGSN10-30ML		CGV1-30ML		CON10000-25-500ML	
CGRE1-500ML		CGSN10-500ML		CGV1-500ML		CON10000-25-300ML	
				CGW10-125ML			
CGRH10-125ML		CGSN1-125ML				CON1000-25-1L	
CGRH10-30ML		CGSN1-30ML		CGW10-500ML		CON1000-25-500ML	
CGRH10-500ML		CGSN1-500ML		CGW1-125ML		CON100-25-125ML	
CGRH1-125ML		CGSNCL1-125ML		CGW1-30ML		CON100-25-1L	
CGRH1-30ML		CGSNCL1-30ML		CGW1-500ML		CON100-25-500ML	
CGRH1-500ML		CGSR10-125ML		CGWH201-125ML		CON10-25-125ML	
CGRHN1-125ML		CGSR10-500ML		CGY10-125ML		CON10-25-500ML	
CGRHN1-30ML	27	CGSR1-125ML		CGY10-30ML		CON1200-25-125ML	102
CGRHN1-500ML	27	CGSR1-30ML	28	CGY10-500ML	33	CON1200-25-1L	
CGRU10-125ML	32	CGSR1-500ML	28	CGY1-125ML	29	CON1200-25-500ML	102
CGRU10-30ML	32	CGTA10-125ML	33	CGY1-30ML	29	CON1400-25-125ML	93, 102
CGRU10-500ML	32	CGTA1-125ML	28	CGY1-500ML	29	CON1400-25-1L	93, 102
CGRU1-125ML		CGTA1-30ML		CGYB10-125ML	33	CON1400-25-500ML	93. 102
CGRU1-30ML	27	CGTA1-500ML		CGYB10-30ML		CON1413-25-125ML	
CGRU1-500ML		CGTB10-125ML		CGYB10-500ML		CON1413-25-1L	
CGS10-125ML		CGTB10-30ML		CGYB1-125ML		CON1413-25-500ML	
CGS10-30ML		CGTB10-500ML		CGYB1-30ML		CON1430-25-125ML	
CGS10-500ML		CGTB1-125ML		CGYB1-500ML		CON1430-25-1L	
CGS1-125ML		CGTB1-30ML		CGZN10-125ML		CON1430-25-500ML	
CGS1-30ML		CGTB1-500ML		CGZN10-125WL		CON147-25-125ML	
		CGTE10-125ML		CGZN10-30ML		CON147-25-125ML	
CGS1-500ML							
CGSB10-125ML		CGTE10-500ML		CGZN1-125ML		CON147-25-500ML	
CGSB10-500ML		CGTE1-125ML		CGZN1-30ML		CON2-25-125ML	
CGSB1-125ML		CGTE1-30ML		CGZN1-500ML		CON2-25-500ML	
CGSBF1-125ML		CGTE1-500ML		CGZR10-125ML		CON500-25-125ML	
CGSC10-125ML		CGTEN1-125ML		CGZR10-30ML		CON500-25-1L	
CGSC10-30ML		CGTEN1-30ML		CGZR10-500ML		CON500-25-500ML	
CGSC10-500ML		CGTEN1-500ML		CGZR1-125ML	29	CON5-25-125ML	
CGSC1-125ML		CGTH10-125ML		CGZR1-30ML	29	CON5-25-500ML	102
CGSC1-30ML	28	CGTH1-125ML		CGZR1-500ML	29	CON84-25-125ML	102
CGSC1-500ML	28	CGTH1-30ML	29	CGZRCL10-125ML	34	CON84-25-1L	102
CGSE(4)1-125ML	28	CGTH1-500ML	29	CGZRCL10-500ML	34	CON84-25-500ML	102
CGSE(4)1-30ML	28	CGTI10-125ML	33	CIROS-OES-TS-125ML	49	CSN-ISB-500ML	52
CGSE(4)1-500ML		CGTI10-30ML	33	CLP-AES-CRQL-2-125ML	64	CSN-ISB5-500ML	52
CGSE(6)1-125ML	28	CGTI10-500ML	33	CLP-MS-RINSE-125ML	66. 108		
CGSE(6)1-30ML		CGTI1-125ML		CLP-MS-RINSE-500ML	•	ELUENT1817-100ML	90.91
CGSE10-125ML		CGTI1-30ML		CLP-MS-SPK-125ML		ELUENT1817-500ML	
CGSE10-30ML		CGTI1-500ML		CLPP-CAL-1-125ML		ELUENT3510-100ML	•
CGSE10-500ML		CGTL10-125ML		CLPP-CAL-3-125ML		ELUENT3510-500ML	
CGSI10-125ML		CGTL10-123ML		CLPP-ICS-A-125ML		LLOLITIOUIU JUUIVIL	
CGSI10-125ML						FF-LI2CO3-2.5KG	100
		CGTL1-125ML		CLPP-ICS-A-500ML			
CGSI10-500ML		CGTL1-30ML		CLPP-ICS-B-125ML		FF-LI2C03-500G	106
CGSI1-125ML		CGTL1-500ML		CLPP-ICS-B4-125ML	•	OENEO10 1041 405141	
CGSI1-30ML		CGTM10-125ML		CLPP-SPK-1-125ML		GENESIS-ICAL-125ML	
CGSI1-500ML		CGTM10-30ML		CLPP-SPK-2-125ML		GENESIS-ICAL-500ML	49
CGSINA1-125ML		CGTM10-500ML		CMS-1-125ML			
CGSINA1-500ML	28	CGTM1-125ML	29	CMS-2-125ML	45		

ICADP1-125ML		ICNN021-125ML	86	IV-STOCK-4-500ML	38	IV-STOCK-70-125ML	54
ICBA1-125ML	88	ICNN021-500ML	86	IV-STOCK-5-125ML	38	IV-STOCK-72-125ML	77
ICBEN1-125ML	86	ICNN031-125ML	86	IV-STOCK-6-125ML	38	IV-STOCK-73-125ML	77
ICBR1-125ML		ICNN031-500ML		IV-STOCK-7-125ML	39. 89	IV-STOCK-74-500ML	
ICBR1-500ML		ICNO21-125ML		IV-STOCK-7-500ML		IV-STOCK-75-125ML	
ICBR031-125ML		ICNO21-500ML		IV-STOCK-8-125ML	•	IV-STOCK-77-500ML	
ICBR031-500ML		ICNO2-100PPM-125ML		IV-STOCK-8-500ML		IV-STOCK-1643-125ML	
ICBTR1-125ML		ICNO31-125ML		IV-STOCK-9-125ML		IV-STOCK-1643-500ML	
						1V-310CK-1043-300ML	49
ICCA1-125ML		ICNO31-500ML		IV-STOCK-10-125ML			
ICCA1-500ML		ICNTA1-125ML		IV-STOCK-12-125ML		LACB1-500ML	
ICCIT1-125ML		ICOAC1-125ML		IV-STOCK-13-125ML		LINB2-125ML	52, 98
ICCIT1-500ML		ICOAC1-500ML		IV-STOCK-14-500ML			
ICCL10-125ML		ICOPR1-125ML		IV-STOCK-15-125ML		MM-MG-10-125ML	
ICCL10-500ML	87	ICOXA1-125ML	87	IV-STOCK-16-125ML	40	MM-P-40-125ML	
ICCL1-125ML	86	ICOXA1-500ML	87	IV-STOCK-17-125ML	40	MM-PD-10-125ML	98
ICCL1-500ML	86	ICP041-125ML	87	IV-STOCK-18-125ML	40	MM-PD-10-500ML	98
ICCL021-125ML	86. 93. 100	ICP041-500ML	87	IV-STOCK-21-125ML	40	MM-PD-5-125ML	
ICCL021-500ML	86, 93, 100	ICPP041-125ML		IV-STOCK-21-500ML		MM-PD-5-500ML	
ICCL031-125ML		ICPP041-500ML		IV-STOCK-22-125ML		MM-PDMG-32-125ML	
ICCL031-500ML		ICRB1-125ML		IV-STOCK-23-500ML		MM-PDMG-32-500ML	
		ICS2031-125ML		IV-STOCK-23-300ML		MS10B-10PPM-100ML	
ICCL041-125ML						MS11B-10PPM-100ML	
ICCL041-500ML	. ,	ICS2031-500ML		IV-STOCK-24-500ML			
ICC031-125ML		ICSCC1-125ML		IV-STOCK-26-125ML		MS6LI-100PPM-125ML	
ICCO31-500ML		ICSCN1-125ML		IV-STOCK-27-125ML		MS6LI-10PPM-125ML	
ICCR041-125ML		IC-SCS1-125ML		IV-STOCK-28-125ML		MSAELUENT-100ML	
ICCS1-125ML		ICSO410-125ML	87	IV-STOCK-29-125ML		MSAELUENT-500ML	
ICDCA-S-125ML		ICSO410-500ML	87	IV-STOCK-30-125ML	42	MSAG-100PPM-125ML	22
ICDCA-S-500ML	91, 93	ICSO41-125ML	87	IV-STOCK-31-125ML	42	MSAG-100PPM-500ML	22
ICDEA1-125ML	88	ICSO41-500ML	87	IV-STOCK-33-125ML	42	MSAG-10PPM-125ML	21
ICDMA1-125ML		ICSR1-125ML	88	IV-STOCK-33-500ML	42	MSAL-100PPM-125ML	22
ICF1-125ML		ICTA1-125ML		IV-STOCK-34-125ML		MSAL-100PPM-500ML	
ICF1-500ML		ICTEA1-125ML		IV-STOCK-34-500ML		MSAL-10PPM-125ML	
IC-FAS-1A-125ML		ICTMA1-125ML		IV-STOCK-35-125ML		MSAS-100PPM-125ML	
IC-FAS-1A-500ML		ICTMAH1-125ML		IV-STOCK-36-125ML		MSAS-10PPM-125ML	
ICGLY1-125ML		ICTRTR1-125ML		IV-STOCK-36-500ML		MSAU-100PPM-125ML	•
ICGTR1-125ML						MSAU-100PPM-500ML	
		IV-7-125ML		IV-STOCK-38-125ML			
ICHC01-125ML		IV-19-125ML		IV-STOCK-40-125ML		MSAU-10PPM-125ML	
ICHC01-500ML		IV-21-125ML		IV-STOCK-41-125ML		MSAU-10PPM-500ML	
ICI1-125ML		IV-26-125ML	. ,	IV-STOCK-50-125ML		MSB-100PPM-125ML	
ICI1-500ML		IV-26-500ML	- , -	IV-STOCK-51-125ML		MSB-10PPM-125ML	
ICK1-125ML		IV-28-125ML		IV-STOCK-52-125ML		MSBA-100PPM-125ML	
ICK1-500ML		IV-28-500ML	69, 75	IV-STOCK-53-125ML	43	MSBA-10PPM-125ML	
ICKHP1-125ML	87	IV-6239	57	IV-STOCK-54-125ML	43	MSBE-100PPM-125ML	22
ICLCT1-125ML	86	IV-48592	57	IV-STOCK-55-125ML	44	MSBE-10PPM-125ML	20
ICLI1-125ML		IV-ACID-BLANK-1L	108	IV-STOCK-56-125ML	44	MSBI-100PPM-125ML	22
ICMEA1-125ML		IV-ACID-BLANK-500ML		IV-STOCK-57-125ML		MSBI-10PPM-125ML	
ICMEA1-500ML		IV-DI-BLANK-1L		IV-STOCK-58-125ML		MSCA-100PPM-125ML	
ICMG1-125ML		IV-DI-BLANK-500ML		IV-STOCK-59-125ML		MSCA-100PPM-500ML	
ICMG1-500ML		IV-ICPMS-71A-125ML		IV-STOCK-59-500ML		MSCA-10PPM-125ML	
ICMLA1-125ML		IV-ICPMS-71A-500ML		IV-STOCK-59-300ML		MSCA-10PPM-500ML	
ICMLE1-125ML		IV-ICPMS-71B-125ML		IV-STOCK-61-125ML		MSCD-100PPM-125ML	
ICML01-125ML		IV-ICPMS-71B-500ML		IV-STOCK-61-500ML		MSCD-10PPM-125ML	
ICMMA1-125ML		IV-ICPMS-71C-125ML		IV-STOCK-62-125ML		MSCE-100PPM-125ML	
ICMPA1-125ML		IV-ICPMS-71C-500ML		IV-STOCK-63-125ML		MSCE-10PPM-125ML	
ICMSA1-125ML		IV-ICPMS-71D-125ML		IV-STOCK-64-125ML		MSCO-100PPM-125ML	
ICNA1-125ML		IV-ICPMS-71D-500ML	48	IV-STOCK-64-500ML		MSCO-10PPM-125ML	
ICNA1-500ML		IV-STOCK-2-125ML	38	IV-STOCK-65-125ML	53, 57	MSCR(3)-100PPM-125ML	
ICNH41-125ML		IV-STOCK-2-500ML		IV-STOCK-66-125ML	54	MSCR(3)-10PPM-125ML	
ICNH41-500ML	88	IV-STOCK-3-125ML	38	IV-STOCK-67-125ML	54	MSCR(6)-100PPM-125ML	
ICNNH41-125ML		IV-STOCK-3-500ML		IV-STOCK-68-125ML	54	MSCR(6)-10PPM-125ML	
ICNNH41-500ML		IV-STOCK-4-125ML		IV-STOCK-69-125ML		MSCS-100PPM-125ML	

INDEX

BY CATALOG NUMBER

MSCS-10PPM-125ML	20	MSSB-100PPM-125ML	22	PH-4-1L	103	PH-12-500ML	104
MSCU-100PPM-125ML	22	MSSB-10PPM-125ML		PH-4-4L	103	PH-12-1L	104
MSCU-10PPM-125ML	20	MSSC-100PPM-125ML	22	PH-4-10L	103	PH-12-4L	104
MSFE-100PPM-125ML	22	MSSC-100PPM-500ML	22	PHRED-4-250ML	103	PH-12-10L	104
MSFE-100PPM-500ML	22	MSSC-10PPM-125ML	21	PHRED-4-500ML	103	PH-12.47-250ML	104
MSFE-10PPM-125ML	20	MSSE-100PPM-125ML	22	PHRED-4-1L	103	PH-12.47-500ML	104
MSGE-100PPM-125ML	22	MSSE-10PPM-125ML	21	PHRED-4-4L	103	PH-12.47-1L	104
MSGE-10PPM-125ML	20	MSSI-100PPM-125ML	22	PHRED-4-10L	103		
MSHF-100PPM-125ML	22	MSSI-100PPM-500ML	22	PH-5-250ML	103	QCP-CICV-1-125ML	59, 61, 63
MSHF-100PPM-500ML		MSSI-10PPM-125ML		PH-5-500ML	103	QCP-CICV-2-125ML	
MSHF-10PPM-125ML		MSSN-100PPM-125ML		PH-5-1L		QCP-CICV-3-125ML	
MSHF-10PPM-500ML	20	MSSN-10PPM-125ML		PH-5-4L		QCP-QCS-1-125ML	
MSHG-100PPM-125ML		MSSN-10PPM-500ML		PH-6-250ML		QCP-QCS-2-125ML	
MSHG-10PPM-125ML		MSSR-100PPM-125ML		PH-6-500ML	103	QCP-QCS-3-125ML	
MSHG-10PPM-500ML		MSSR-10PPM-125ML		PH-6-1L		QCP-QCS-3-500ML	
MSHG-1PPM-125ML		MSTB-100PPM-125ML		PH-6-4L		QCP-QCS-4-125ML	
MSHG-1PPM-500ML		MSTB-10PPM-125ML		PH-6-10L		QCP-QCS-5-125ML	9
MSHGN-100PPM-125ML	•	MSTEN-100PPM-125ML		PH-6.86-250ML		Q01 Q00 0 120ME	
MSHGN-10PPM-125ML	•	MSTEN-10PPM-125ML		PH-6.86-500ML		TCLP-1REV-125ML	70
MSHGN-10PPM-500ML		MSTH-100PPM-125ML		PH-6.86-1L		TCLP-AA-HG-125ML	
MSHO-100PPM-125ML	•	MSTH-10PPM-125ML		PH-6.86-4L		THERMO-4AREV-1L	
MSH0-10PPM-125ML		MSTI-100PPM-125ML		PH-6.86-10L		THERMO-4AREV-500ML	51
MSIN-100PPM-125ML		MSTI-100FFM-125ML		PH-7-250ML		THERMO-5A-125ML	
MSIN-10011 M-125ML		MSTL-100PPM-125ML		PH-7-500ML		THERMO-5A-250ML	
MSK-100PPM-125ML		MSTL-10PPM-125ML		PH-7-1L		THM-TS-1-125ML	
MSK-100PPM-500ML		MSU-100PPM-125ML		PH-7-1L		TOCKHP1-125ML	
MSK-100PPM-125ML		MSU-100PPM-500ML		PH-7-10L		TOCKHP1-125ML	
MSLI-100PPM-125ML		MSU-10PPM-125ML		PHYELLOW-7-250ML		TUNE F-X-SERIES-125ML.	
MSLI-100PPM-125ML		MSU-10PPM-500ML		PHYELLOW-7-230ML		TUNE F-X-SERIES-125ML.	3
		MSV-100PPM-125ML				UA-1-500ML	10
MSLI-10PPM-125ML	•			PHYELLOW-7-1L			
MSMG-100PPM-125ML		MSV-10PPM-125ML		PHYELLOW-7-4L		UNS-1-2.5L	
MSMG-100PPM-500ML		MSW-100PPM-125ML		PHYELLOW-7-10L		UNS-1-500ML	100
MSMG-10PPM-125ML		MSW-100PPM-500ML		PH-8-250ML			_
MSMG-10PPM-500ML		MSW-10PPM-500ML		PH-8-500ML		VAR-CAL-1-125ML	
MSMN-100PPM-125ML		MSY-100PPM-125ML		PH-8-1L		VAR-CAL-1-500ML	5
MSMN-10PPM-125ML		MSY-100PPM-500ML		PH-8-4L		VAR-CAL-2-125ML	
MSMN-10PPM-500ML		MSY-10PPM-125ML		PH-8-10L		VAR-CAL-7-125ML	
MSMO-100PPM-125ML		MSZN-100PPM-125ML		PH-9-250ML		VAR-CAL-7-500ML	
MSMO-10PPM-125ML		MSZN-100PPM-500ML		PH-9-500ML		VAR-IS-1-125ML	
MSNA-100PPM-125ML		MSZN-10PPM-125ML		PH-9-1L		VAR-TS-MS-125ML	5
MSNA-100PPM-500ML		MSZN-10PPM-500ML	21	PH-9-4L			
MSNA-10PPM-125ML				PH-9-10L		WW-CAL-1A-125ML	66, 70
MSNA-10PPM-500ML		PE-CHK-1-125ML		PH-9.18-250ML		WW-CAL-2-125ML	
MSNI-100PPM-125ML		PE-TS-1-125ML		PH-9.18-500ML		WW-CAL-3-125ML	
MSNI-10PPM-125ML		PE-TS-1-500ML	50	PH-9.18-1L		WW-CAL-4A-125ML	67, 70
MSOS-100PPM-125ML		PH-1.68-250ML	103	PH-10-250ML		WW-CAL-4B-125ML	
MSOS-10PPM-125ML	21	PH-1.68-500ML	103	PH-10-500ML	104	WW-CAL-5-125ML	67, 7 ⁻
MSP-100PPM-125ML	22	PH-1.68-1L	103	PH-10-1L		WW-IPC-1-125ML	
MSP-100PPM-500ML		PH-1.68-4L	103	PH-10-4L	104	WW-IPC-2-125ML	
MSP-10PPM-125ML		PH-2-250ML	103	PH-10-10L	104	WW-IPC-3-125ML	
MSPB-100PPM-125ML	22, 55	PH-2-500ML	103	PHBLUE-10-250ML	104	WW-LFS-1-125ML	7
MSPB-100PPM-500ML	22, 55	PH-2-1L	103	PHBLUE-10-500ML	104	WW-LFS-2-125ML	7;
MSPB-10PPM-125ML	20, 55	PH-2-4L	103	PHBLUE-10-1L	104	WW-MSCAL-1-125ML	70
MSPT-100PPM-125ML	22	PH-2-10L	103	PHBLUE-10-4L	104	WW-MSCAL-2-125ML	
MSPT-10PPM-125ML	21	PH-3-250ML	103	PHBLUE-10-10L	104		
MSRH-100PPM-125ML	22	PH-3-500ML	103	PH-11-250ML	104		

PH-11-500ML......104

PH-11-1L104

PH-11-4L.....104

PH-11-10L104

PH-12-250ML.....104

PH-3-1L103

PH-3-4L......103

PH-3-10L103

PH-4-250ML......103

PH-4-500ML......103

MSRH-10PPM-125ML.....21 MSRHN-100PPM-125ML.....22

MSRHN-10PPM-125ML21

MSS-100PPM-125ML.....22

MSS-10PPM-125ML.....21

SPETEC® GmbH Am Kletthamer Feld 15 85435 Erding

Tel. +49 8122 95909-0 Fax. +49 8122 95909-55

E-Mail: spetec@spetec.de www.spetec.de

