

Spetec Clean room accessories

- Clean room clothing
- Clean room gloves
- Mats
- Clean room ionization
- Furniture

The Spetec logo features the word "SPETEC" in a bold, black, italicized sans-serif font. To the left of the text are three horizontal red bars of varying lengths, creating a stylized graphic element. A registered trademark symbol (®) is located at the top right of the word "SPETEC".

SPETEC®

Price list

Clean room accessories

Spetec is a manufacturer and service provider in the field of clean room technology, Spetec offers not only a wide range of equipment, but also a complete range of clean room accessories from clean room clothing right up to furniture and fittings for clean rooms and airlocks. Alongside washable, reusable and disposable clothing, our range also includes consumables such as cloths recommended for use in clean rooms. Along with overalls, smocks, gloves and overshoes, these are also available in anti-static versions.

If you are unable to find what you are looking for in our catalog, just send us an inquiry and we will work with you to find an optimum solution with short delivery times.

Size chart for clean room clothing

Clothing size	XXS	XS	S	M	ML	L	XL	XXL	3XL
Overalls/lab coats									
Women	36-38	40	42	44-46		48-50	52-54		
Men	44	46	48	50-52		54-56	58-60	62-64	66-68
Flat hood/head circumference (cm)		53-55	57-58	59-60		61-63	64-65		
Overshoes*				38-39		40-43	44-47		
Overboots*		34-35	36-38	39-41	42-43	44-46	47-49		

*Sizes may vary, depending on the shoes worn in the overshoes or overboots.



Clean room clothing

Clean room overall – washable

Material: conductive PES*, **Color:** white

Description: Raglan sleeve, high collar with press stud, sewn collar patch with label, hanging loop in collar, anti-static knitted cuffs, adjustable ankle closure with press stud, elasticated tunnel waistband (button-adjustable)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9	XS	111-2110	1	72.00
	S	111-2111		
	M	111-2112		
	L	111-2113		
	XL	111-2114		

Clean room smock – washable

Material: conductive PES*, **Color:** white

Description: High collar with press stud, hanging loop in collar, sewn collar patch, anti-static knitted cuffs, 2 hip pockets

Recommended clean room class	Sizes	Order number	PQ	€
ISO 7 – 9	XXS	111-2210	1	59.00
	XS	111-2211		
	S	111-2212		
	M	111-2213		
	L	111-2214		
	XL	111-2215		
	XXXL	111-2217		

Coverall clean room hood – washable

Material: conductive PES*, **Color:** white

Description: Spiral zip at the front, high hood section, buckle at back for adjustment, shoulder protection

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9	S	111-2310	1	31.00
	M	111-2311		
	L	111-2312		
	XL	111-2313		

Overshoes – washable

Material: conductive PES*, **Color:** white

Description: Flat, elasticated band and press studs for width adjustment, flexible plastic sole **Supplied as:** 1 Pair

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9	M	111-2410	1	23.00
	L	111-2411		
	XL	111-2412		

Clean room gloves



Coated nylon gloves – washable

Material: Nylon, coating (palm): polyurethane (abrasion-resistant)

Color: white

Description: Ambidextrous, breathable, vapor-permeable, seamless, flexible and tight-fitting, washable at 40 degrees

Supplied as: 10 pairs (pack quantity)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9	S	111-1510	1	18.00
	M	111-1511		
	L	111-1512		
	XL	111-1513		
	XXL	111-1514		

Nylon gloves – washable

Material: Nylon, not coated **Color:** white

Description: Ambidextrous, breathable, vapor-permeable, seamless, flexible and tight-fitting, washable at 40 degrees

Supplied as: 50 pairs (pack quantity)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 8 – 9	S	111-1520	1	49.00
	M	111-1521		
	L	111-1522		
	XL	111-1523		
	XXL	111-1524		

ESD-safe nylon gloves – washable

Material: Nylon with carbon (ESD), not coated

Color: gray

Description: ESD-conductive ($10^6 - 10^9$ Ohm), ambidextrous, breathable, vapor-permeable, seamless, flexible and tight-fitting, washable at 40 degrees

Supplied as: 50 pairs (pack quantity)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 8 – 9	S	111-1530	1	130.00
	M	111-1531		
	L	111-1532		
	XL	111-1533		
	XXL	111-1534		

Nitrile gloves orange

Material: Nitrile/neoprene, powder-free, non-latex **Color:** orange

Description: Ambidextrous, ESD properties, micro-organism and virus resistant

Supplied as: 10 dispenser boxes each containing 90 gloves (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 7 – 9	XS	111-1540	1	181.00
	S	111-1541		
	M	111-1542		
	L	111-1543		
	XL	111-1544		

Clean room visitors

Disposable visitor's smock

Material: Polypropylene **Color:** white

Description: with 5 press studs at the front, knee-length, without pockets, with elasticated cuffs

Supplied as: 1 smocks per bag/50 bags per box (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 8 – 9	M	111-1220	1	79.00
	L	111-1221		
	XL	111-1222		
	XXL	111-1223		

Disposable visitor's smock – anti-static

Material: Polypropylene **Color:** white

Description: Anti-static, knee-length, press studs, elasticated sleeves

Supplied as: 1 smock per bag / 50 bags per box (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 8 – 9	M	111-1230	1	96.00
	L	111-1231		
	XL	111-1232		
	XXL	111-1233		

Tyvek disposable smock

Material: Tyvek **Color:** white

Description: Knee-length, plastic press studs, individually packed, no pockets, with elasticated cuffs

Supplied as: 1 smock per bag / 50 bags per box (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 7 – 9	M	111-1240	1	284.00
	L	111-1241		
	XL	111-1242		
	XXL	111-1243		

Disposable smock – anti-static

Material: Polypropylene **Color:** white

Description: Anti-static, press studs, 2 pockets, no elasticated sleeves

Supplied as: 1 smock per bag / 25 bags per box (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 8 – 9	M	111-1250	1	189.00
	L	111-1251		
	XL	111-1252		
	XXL	111-1253		

Clean room visitors



Disposable visitor's overall

Material: Polypropylene **Color:** white

Description: Elasticated at wrists and ankles, hood, zip cover

Supplied as: 1100 overalls (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 5 – 7	M	111-1120	1	214.00
	L	111-1121		
	XL	111-1122		
	XXL	111-1123		

Tyvek disposable overall

Material: Tyvek **Color:** white

Description: Large, breathable ACT back panel from the hood to the heels, three-piece ergonomic hood, external seams, zip, elasticated wrists and ankles

Supplied as: 100 overalls (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 5 – 7	M	111-1130	1	839.00
	L	111-1131		
	XL	111-1132		
	XXL	111-1133		

Disposable overshoes

Material: Polyethylene **Color:** white **Description:** low, dimensions 41 x 15 cm **Supplied as:** 300 overshoes (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9		111-1420	1	30.00

Disposable overshoes

Material: Polyethylene **Color:** blue

Description: low, dimensions 41 x 15 cm, food-safe

Supplied as: 2,000 overshoes (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9		111-1421	1	91.00

Disposable fleece cap

Material: long-fiber fleece **Color:** white

Description: Elasticated, breathable

Head circumference: S = 53cm, M = 58cm, L = 61cm

Supplied as: 100 caps per bag / 10 bags per box (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9	S	111-1330	1	46.00
	M	111-1331		
	L	111-1332		

Ionization

Ionization gun (tabletop unit)

- Fast static discharge ± 1000 V through ± 100 V
- Operates with compressed air at 0.5 through 6.5 bar
- Air filter for clean air
- Cable length: 3000 mm
- Compressed air must be supplied externally

Recommended clean room class	Sizes	Order number	PQ	€
ISO 5 – 9		11-0616	1	1,950.00

Ionization gun with compressed air support

- Includes sensor head and controller
- AC pulse method
- Nominal output voltage ± 6 kV
- includes power supply, control electronics and housing
- Extension for discharge head, length: 3000 mm
- Magnetic valve for compressed air control
- Compressed air must be supplied externally

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9		11-0613	1	3,590.00

Ionization bar


- Integrated controller
- Discharge control: I.C.C. method
- Ion balance: ± 30 V
- Working distance 50 through 2000 mm
- Includes option of compressed air support
- No filter unit
- Compressed air must be supplied externally

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9	560 mm	11-0612	1	2,890.00
	840 mm	11-0636		3,490.00
	1.390 mm	11-0609		4,300.00

Ionizing air blower

- Adjustable air flow
- Large volumes of ionized air for neutralizing static charging and preventing dust
- Operational status displayed with LEDs
- Dimensions (WxHxD): 200x213x72 mm

Recommended clean room class	Sizes	Order number	PQ	€
ISO 7 – 9		11-0627	1	1,645.00



Extraction



Extraction and filtering unit for dust and smoke

- Air flow: 190 m³/h
- Max. vacuum: 3,200 Pa
- Infinitely variable flow regulation
- EC fan
- **Filter:** Pre-filter, HEPA filter

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9		11-0566	1	2,470.00



Extraction and filtering unit for gases, vapor and odors

- Air flow: 635 m³/h
- Max. vacuum: 3,200 Pa
- Infinitely variable flow regulation
- EC fan
- **Filter:** Pre-filter, activated carbon filter

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9		11-0564	1	4,890.00



Extraction and filtering unit for fumes

- Air flow: 220 m³/h
- Max. vacuum: 22,000 Pa
- Infinitely variable flow regulation
- EC fan
- **Filter:** Pre-filter, HEPA filter H13, activated carbon filter

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9		11-0565	1	4,550.00

Mats, furnishings

Permanent mat for airlocks

Material: Patented polymer **Color:** blue

Description: 1200 x 600 x 3 mm, permanently adhesive, washable. This mat is primarily designed for intensive pre-cleaning of the soles of shoes.

The saturated mat can simply be cleaned with warm water. As soon as the mat is dry again it regains its adhesive properties. No solvent-based cleaning agents should be used as these will destroy the adhesive properties of the mat.

Recommended clean room class	Sizes	Order number	PQ	€
ISO 5 – 9		111-4000	1	123.00

Peel-off tacky mats for airlocks

Material: Peel-off tacky mat **Color:** white

Description: 1140 x 660 x 1.5 mm, highly adhesive, antimicrobially treated

Supplied as: 30 layers per mat, 8 mats per box. Because these mats are highly adhesive and robust, they tend to be used for cleaning the soles of shoes, the wheels of carts, etc. directly in the airlock area.

When the top layer of the tacky mat is saturated it is torn off to reveal the next adhesive layer beneath. There is a reverse index number on each layer to show clearly how many layers are left. The robust construction means that equipment or tool carts can be rolled over the mat without problems.

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		111-4010	1	169.00

Disinfectant dispenser

Material: Autoclave-safe metal dispenser

Description: Suitable for 1 l bottles, simple pump replacement by removal through the front, easy to clean and operate, dosing amount can be set to approx. 0.75 through 1.5 ml per operation, Delivered with fixtures and fitting instructions. All commercially available bottles can be used.

Recommended clean room class	Sizes	Order number	PQ	€
ISO 5 – 9		111-4020	1	144.00

Disinfectant

Container: 1 liter

Hygienic surgical scrub, free of colorants and fragrances.

Supplied as: 10 x 1 liter (bottle) (PQ)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6 – 9		111-4030	1	160.00

Lens cloth

Material: Polyester **Color:** white

Description: 23 x 23 cm, soft fleece, particularly suitable for easily scratched surfaces **Supplied as:** 2 x 150 cloths (PQ) (PE bag), recommended for cleaning our laminar flow boxes

Recommended clean room class	Sizes	Order number	PQ	€
ISO 5 – 9		111-1620	1	62.00

Microfiber cloths

Material: Microfiber **Color:** white

Description: 23 x 23 cm, extremely soft, particularly suitable for easily scratched surfaces

Supplied as: 10 x 10 cloths (PQ) (PE bag)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		111-1630	1	145.00

Anti-static polyester cloths

Material: Polyester (with anti-static yarn) **Color:** white

Description: 23 x 23 cm, pre-washed

Supplied as: 8 x 150 cloths (PQ) (PE bag)

Recommended clean room class	Sizes	Order number	PQ	€
ISO 5 – 9		111-1640	1	612.00

Furniture

Anti-static swivel chair

Material: Anti-static, conductive imitation leather covering

Color: black

Description: Seat height: 470 – 610 mm, back height: 430 mm, load capacity 120 kg, permanent contact back rest, polished aluminum base, soft double casters, partially assembled in box

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		11-6000	1	508.00

Step-over bench for airlock

Material: Melamine-faced board

Description: Dimensions (WxHxD): 1360 x 600 x 450 mm, single-sided version with rear wall, 3 rows of shoe racks, 15 compartments

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		11-6030	1	730.00

Anti-static stool

Material: Anti-static, conductive imitation leather covering

Color: black

Description: Seat height: 460 – 630 mm, load capacity: 120 kg, release ring for height adjustment, polished aluminum base, partially assembled in box

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		11-6001	1	310.00

Step-over bench for airlock

Material: Melamine-faced board

Description: Dimensions (WxHxD): 820 x 600 x 450 mm, single-sided version with rear wall, 3 rows of shoe racks, 9 compartments

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		11-6031	1	510.00

Stainless steel clean room table

Material: Stainless steel

Description: Table frame and top polished (grain size 320), table top not perforated

Recommended clean room class	Dimensions in mm (WxDxH)	Order number	PQ	€
ISO 4 – 9	1200x800x850	11-0249	1	990.00
ISO 4 – 9	1400x800x850	11-0256	1	1,290.00
ISO 4 – 9	2000x800x850	11-0257	1	1,490.00

Anti-static clean-room table

Material: Fully conductive worktop

Color: RAL 7035 (light gray)

Description: MDimensions (WxDxH): 2000 x 1000 x 800 mm, load capacity of working surface: 200 kg evenly distributed

Recommended clean room class	Sizes	Order number	PQ	€
ISO 6		11-6050	1	990.00

Locker with 4 compartments (sections)

Material: Sheet steel **Color:** RAL 7035, light gray

Description: Dimensions (WxD): 1200 x 500 mm, Height: 1800 mm, compartment width: 300 mm, smooth door fronts, quiet door closing with rubber buffers, cylinder security lock, 2 keys, 1 hat shelf, 1 clothes rail, 3 hooks

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		11-6010	1	970.00

Anti-static trolley

Loading surface (WxD): 1600 x 800 mm, closed-end trolley, load capacity: 600 kg, loading height 270 mm **Color:** gray

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		11-6040	1	730.00

Trolley

Material: Stainless steel

Description: Dimensions: (LxWxH): 610 x 455 x 1000 mm, 4 casters, with 3 closed shelves, total load capacity: 170kg

Recommended clean room class	Sizes	Order number	PQ	€
ISO 4 – 9		11-6041	1	1,024.00

Other accessories available on request.

Phone: +49 (0)8122/99533

Fax: +49 (0)8122/10397

Email: spetec@spetec.de

www.spetec.de

SPETEC® GmbH
Berghamer Str. 2
85435 Erding
Germany

Phone: +49 (0)8122/99533

Fax: +49 (0)8122/10397

Email: spetec@spetec.de

www.spetec.de

